



Putnam County Needs Assessment

Technical Report

December 2010



Table of Contents

| | |
|--|-----|
| List of Tables | 2 |
| Notes | 8 |
| Population Data Tables | 11 |
| Poverty Data Tables..... | 21 |
| Income Data Tables | 32 |
| Unemployment Data Table | 32 |
| Business and Employees Data Tables..... | 33 |
| Education Data Table | 36 |
| Uninsured Data Tables | 37 |
| Mortality Data Tables | 40 |
| Mental Health Data Tables..... | 79 |
| Birth Related Data Tables | 84 |
| BRFSS Data Tables | 106 |
| Other Infectious Diseases Data Tables | 113 |
| Environmental Data Tables | 114 |
| Shortage Area Data Table..... | 116 |
| Medicaid Data Tables | 117 |
| Bed and Physician Availability Data Tables | 120 |
| Dental Data Tables | 123 |
| Inpatient Hospital Utilization Data Tables..... | 125 |
| Emergency Department Data Tables | 140 |

List of Tables

| | |
|--|----|
| Table 1. Total Population and Projected Populations, Putnam County and Florida, 2000-2030 | 11 |
| Table 2. Total Population by Age Groups, by Zip Code, Putnam County and Florida, 2010..... | 12 |
| Table 3. Total Population by Race, by Zip Code, Putnam County and Florida, 2010..... | 15 |
| Table 4. Total Population by Ethnicity, by Zip Code, Putnam County and Florida, 2010 | 17 |
| Table 5. Total Population by Gender, by Zip Code, Putnam County and Florida, 2010..... | 18 |
| Table 6. Estimates of Population by City, Putnam County and Florida, 2009 | 19 |
| Table 7. Total Population in Group Quarters by Zip Code, Putnam County and Florida, 2010..... | 19 |
| Table 8. Total Family Population, Family Households and Average Family Size by Zip Code, Putnam County and Florida, 2010..... | 20 |
| Table 9. Total Household Population, Total Households and Average Household Size by Zip Code, Putnam County and Florida, 2010 | 20 |
| Table 10. Number and Percent of Persons in Poverty by Selected Ages, Putnam County and Florida, 2008 | 21 |
| Table 11. Number and Percent by Level of Poverty by Zip Code, Putnam County and Florida, 2010..... | 22 |
| Table 12. Number and Percent of Individuals, Children and Households in Poverty by Zip Code, Putnam County and Florida, 2010 | 23 |
| Table 13. Number and Percent of Children 0-17 Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010 | 25 |
| Table 14. Number and Percent of Adults 18-64 Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010 | 27 |
| Table 15. Number and Percent of Seniors 65+ Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010..... | 29 |
| Table 16. Number and Percent of Households by Level of Poverty, by Zip Code, Putnam County and Florida, 2010 | 31 |
| Table 17. Median Household Income, Average Household Income and Per Capita Income by Zip Code, Putnam County and Florida, 2010 | 32 |
| Table 18. Unemployment Rates by Year, Putnam County and Florida, 2004-2009 | 32 |
| Table 19. Unemployment Rates by Month, Putnam County and Florida, 2010..... | 33 |
| Table 20. Number of Employees in Non-Governmental Businesses by Size of Business, Putnam County and Florida, 2002..... | 33 |
| Table 21. Number of Non-Governmental Businesses by Size of Business, by Zip Code, Putnam County and Florida, 2007..... | 34 |

List of Tables Continued

| | |
|---|----|
| Table 22. Retail Trade and Service (Non-Governmental) Businesses by Zip Code, Putnam County and Florida, 2007 | 35 |
| Table 23. Number and Percent by Level of School Completed by Zip Code, Putnam County and Florida, 2010 | 36 |
| Table 24. Estimated Number of Uninsured Non Elderly, Putnam County and Florida, 2010 | 37 |
| Table 25. Estimated Number of Uninsured Non Elderly Population by Zip Code, Putnam County and Florida, 2010 | 38 |
| Table 26. Number and Percent Uninsured by Age Groups for All Income Levels, Putnam County and Florida, 2007 | 39 |
| Table 27. Top 11 Causes of Death Rates for All Races, Putnam County and Florida, 1999-2008 | 40 |
| Table 28. Top 10 Causes of Death Rates for White Races, Putnam County and Florida, 1999-2008 | 45 |
| Table 29. Top 7 Causes of Death Rates for Black Races, Putnam County and Florida, 1999-2008 | 50 |
| Table 30. Top 6 Causes of Death Rates for Hispanics, Putnam County and Florida, 1999-2008 | 55 |
| Table 31. Age Adjusted Death Rates Per 100,000 Population for 10 Leading Causes of Death in Putnam County by Race and Ethnicity, Putnam County and Florida, 2006-2008 | 58 |
| Table 32. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for All Causes, by Zip Code, Putnam County and Florida, 2004-2008 | 59 |
| Table 33. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Cancer, by Zip Code, Putnam County and Florida, 2004-2008 | 60 |
| Table 34. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Heart Disease, by Zip Code, Putnam County and Florida, 2004-2008 | 61 |
| Table 35. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Chronic Lower Respiratory Disease (CLRD), by Zip Code, Putnam County and Florida, 2004-2008 | 62 |
| Table 36. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Diabetes, by Zip Code, Putnam County and Florida, 2004-2008 | 63 |
| Table 37. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Unintentional Injuries, by Zip Code, Putnam County and Florida, 2004-2008 | 64 |
| Table 38. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Motor Vehicle Crashes, by Zip Code, Putnam County and Florida, 2004-2008 | 65 |
| Table 39. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Stroke, by Zip Code, Putnam County and Florida, 2004-2008 | 66 |
| Table 40. Crude and Age Adjusted Death Rates Per 100,000 Population for Alzheimer's Disease for All Causes, by Zip Code, Putnam County and Florida, 2004-2008 | 67 |

List of Tables Continued

| | |
|--|----|
| Table 41. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Nephritis, by Zip Code, Putnam County and Florida, 2004-2008 | 68 |
| Table 42. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Suicide, by Zip Code, Putnam County and Florida, 2004-2008. | 69 |
| Table 43. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Influenza and Pneumonia, by Zip Code, Putnam County and Florida, 2004-2008 | 70 |
| Table 44. All Causes Years of Potential Life Lost Under 75, Putnam County and Florida, 1999-2008..... | 71 |
| Table 45. All Causes Years of Potential Life Lost Under 75 by Race and Ethnicity, Putnam County and Florida, 2006-2008. | 72 |
| Table 46. Top 5 Causes of Death Years of Potential Life Lost Under 75, Putnam County and Florida, 2006-2008 | 73 |
| Table 47. Crude Rates Per 100,000 Population for 0-17 Years of Age, Putnam County and Florida, 2006-2008 | 74 |
| Table 48. Crude Rates Per 100,000 Population for 18-44 Years of Age, Putnam County and Florida, 2006-2008 | 75 |
| Table 49. Crude Rates Per 100,000 Population for 45-64 Years of Age, Putnam County and Florida, 2006-2008 | 76 |
| Table 50. Crude Rates Per 100,000 Population for 65 + Years of Age, Putnam County and Florida, 2006-2008 | 77 |
| Table 51. Age Adjusted Death Rates for Suicide Per 100,000 Population, Putnam County and Florida, 1999-2008 | 78 |
| Table 52. DRGs Used to Define the Hospitalizations for Mental Health Issues..... | 79 |
| Table 53. Number and Rate of Hospitalizations Per 1,000 Population for Mental Health Reasons for Selected Age Groups, Putnam County and Florida, 2004-2008..... | 80 |
| Table 54. Number and Rate of Emergency Department Visits Per 1,000 Population for Mental Health Reasons for Selected Age Groups, Putnam County and Florida, 2004-2008..... | 80 |
| Table 55. Number of Involuntary Exam Initiations (Baker Acts) for Residents of Putnam County and Florida, 2003-2008 | 81 |
| Table 56. Number of Involuntary Exam Initiations (Baker Acts) for Children (ages 4-17) Residents of Putnam County and Florida, 2003-2008 | 81 |
| Table 57. Number of Involuntary Exam Initiations (Baker Acts) for Seniors (ages 65-104) Residents of Putnam County and Florida, 2003-2008 | 82 |
| Table 58. Total Number and Rate Per 100,000 Population for Domestic Violence Offenses, Putnam County and Florida, 2001-2008..... | 82 |

List of Tables Continued

| | |
|---|-----|
| Table 59. Total Domestic Violence Offenses by Type, Putnam County and Florida, 2009 | 83 |
| Table 60. Total Births by Race and Ethnicity, Putnam County and Florida, 1999-2008..... | 84 |
| Table 61. Total Birth Rates Per 1,000 Total Population by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 85 |
| Table 62. Total Births by Zip Code by Race, Putnam County and Florida, 2004-2008 | 86 |
| Table 63. Total Infant Deaths by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 87 |
| Table 64. Total Infant Death Rates Per 1,000 Live Births by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 88 |
| Table 65. Total Number of Infant Deaths and Rates Per 1,000 Live Births by Race and Zip Code, Putnam County and Florida, 2004-2008. | 89 |
| Table 66. Total Low Birthweight Births by Race and Ethnicity, Putnam County and Florida, 1999-2008..... | 90 |
| Table 67. Percent of Low Birthweight Births by Race and Ethnicity, Putnam County and Florida, 1999-2008..... | 91 |
| Table 68. Total Number and Percent of Births That Were Low Birthweight by Race and Zip Code, Putnam County and Florida, 2004-2008 | 92 |
| Table 69. Total Number of Births That Received Care in First Trimester by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 93 |
| Table 70. Percent of the Total Births That Received Care in the First Trimester by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 94 |
| Table 71. Total Number and Percent of Births That Received Care in the First Trimester by Race and Zip Code, Putnam County and Florida, 2004-2008 | 95 |
| Table 72. Total Number of Births That Received Late(3 rd Trimester) or no Prenatal Care by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 96 |
| Table 73. Percent of the Total Births That Received Late(3 rd Trimester) or no Prenatal Care by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 97 |
| Table 74. Total Number of Teen Births (15-17 Years of Age) by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 98 |
| Table 75. Teen (15-17 Years of Age) Birth Rates Per 1,000 Female Population 15-17 by Race and Ethnicity, Putnam County and Florida, 1999-2008 | 99 |
| Table 76. Total Number and Percent of Hispanic Births by Selected Indicators by Zip Code, Putnam County and Florida, 2004-2008 | 100 |
| Table 77. Total Number of Repeat Births by Age of Mother, Putnam County and Florida, 1999-2008 .. | 101 |

List of Tables Continued

| | |
|---|-----|
| Table 78. Percent of Repeat Births to All Births by Moms Age, Putnam County and Florida, 1999-2008 | 102 |
| Table 79. Total Number of Births With Medicaid as the Payment Source by Race and Ethnicity, Putnam County and Florida, 2004-2008 | 103 |
| Table 80. Percent of Births That had Medicaid as the Payment Source by Race and Ethnicity, Putnam County and Florida, 2004-2008..... | 103 |
| Table 81. Total Number of Births by Type of Payment Source for All Births, Putnam County and Florida, 2004-2008 | 104 |
| Table 82. Percent of Births by Type of Payment Source for All Births, Putnam County and Florida, 2004-2008. | 105 |
| Table 83. Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007..... | 106 |
| Table 84. Comparison of Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007... .. | 111 |
| Table 85. Total Gonorrhea, Chlamydia & Infectious Syphilis Rates Per 100,000 Population, Putnam County and Florida, 1999-2008..... | 113 |
| Table 86. Vaccine Preventable Disease Rates Per 100,000 Population, Putnam County and Florida, 1999-2008 | 113 |
| Table 87. HIV Cases Rates Per 100,000 Population, Putnam County and Florida, 1999-2008 | 114 |
| Table 88. Percent of Population With Fluoridated Water Supplies, Putnam County and Florida, 1999-2008 | 114 |
| Table 89. Percent of Population With Community Water Supplies, Putnam County and Florida, 1999-2008 | 115 |
| Table 90. HPSA Shortage Area, and MUA, 2010 | 116 |
| Table 91. Number of Medicaid Eligibles and Percent of Total Population by Zip Code, Putnam County and Florida as of December of Each Year 2005-2009 | 117 |
| Table 92. Median Monthly Medicaid Enrollment Rates Per 100,000 for Putnam County and Florida, 1999-2008 | 119 |
| Table 93. Medicaid Expenditures by Type, Putnam County and Florida, July 1, 2007 – April, 30, 2008. | 120 |
| Table 94. The Rate of Hospital Beds Per 100,000 Population, Putnam County and Florida, 2002-2008 | 122 |
| Table 95. The Rate of Nursing Home Beds Per 100,000 Population, Putnam County and Florida, 2002-2008 | 122 |
| Table 96. The Rate of Physicians by Type Per 100,000 Population, Putnam County and Florida, Fiscal Years, 2002-03 – 2008-09 | 123 |

List of Tables Continued

| | |
|---|-----|
| Table 97. The Rate of Licensed Dentists Per 100,000 Population, Putnam County and Florida, Fiscal Year Ending 2003 – 2009 | 123 |
| Table 98. Access to Dental Care by Low Income Persons, Percentages of Population Below Poverty, Putnam County and Florida, 1998-2007 | 124 |
| Table 99. Total Number and Percent of Discharges and Patient Days by Zip Code for Putnam County Residents and Florida, Calendar Years 2005-2009 | 125 |
| Table 100. Total Number and Percent of Discharges and Patient Days by Payor Source for Putnam County Residents and Florida, Calendar Years 2005-2009 | 128 |
| Table 101. Number of Discharges and Patient Days for the Top 10 DRGS Per Year, Putnam County, Calendar Years 2005-09..... | 130 |
| Table 102. Number of Avoidable Discharges and Rate Per 1,000 Population 0-64 Years of Age by Zip Code, Putnam County and Florida, 2005-2009 | 133 |
| Table 103. Total Number and Percent of Avoidable Discharges and Patient Days by Payor Source for < 65 Years of Age, Putnam County, Calendar Years 2005-09 | 135 |
| Table 104. Top 10 Reasons for Avoidable Discharges for < 65 Years of Age, Putnam County, Calendar Years 2005-09..... | 138 |
| Table 105. Number and Percent of Emergency Department Visits by Payor Source, Putnam County, Calendar Years 2005-08..... | 140 |
| Table 106. Number and Percent For the Main Reason of Emergency Department Visits by Year, Putnam County, Calendar Years 2005-08..... | 141 |
| Table 107. Number of Avoidable ED Visits and Rate Per 1,000 Population by Zip Code, Putnam County and Florida, 2005-2009 | 143 |

Notes

Note on Crude Versus Age-Adjusted Mortality Rates

The Needs Assessment Technical Report presents both the crude and age-adjusted death rates (AADR). Crude rates are merely the actual number of deaths for a given cause for a desired population divided by total number in the desired population and then multiplied by 100,000 to get the rate per 100,000 population, while AADR represent crude rates adjusted to standardize the population distribution effects on the rate.

Although useful for certain purposes, the crude death rate as a comparative measure has a major shortcoming: it is a function of the age distribution of the population at risk. For example, the population at risk in one county may be primarily elderly persons ages 65 and older while the population at risk in another county may be primarily of persons ages 40 to 50. Crude rates are recommended when a summary measure is needed and it is not necessary or desirable to adjust for other factors.

The frequency with which health events occur is almost always related to age. In fact, the relationship of age to risk often dwarfs other important risk factors. For example, acute respiratory infections are more common in children of school age because of their immunologic susceptibility and exposure to other children in schools. Chronic conditions, such as arthritis and atherosclerosis, occur more frequently in older adults because of a variety of physiologic consequences of aging. Mortality rates tend to increase after the age of 40.

Because the occurrence of many health conditions is related to age, the most common adjustment for public health data is age adjustment. The age-adjustment process removes differences in the age composition of two or more populations to allow comparisons between these populations independent of their age structure.

The age-adjusted death rate is a summary measure that eliminates the effect of the underlying age distribution of the population. The result is a figure that represents the theoretical risk of mortality for a population, if the population had an age distribution identical to that of a standard population. For example, a county's age-adjusted death rate is the weighted average of the age-specific death rates observed in that county, with the weights derived from the age distribution in an external population standard, such as the U.S. population.

Age-adjustment then allows for the comparison of two distinct populations (for example, Putnam County versus Florida) which most likely have differing age distributions. The age effects are in essence removed from the rates and the age-adjusted death rate then no longer reflects the actual death rate but is an indicator rate that can be used for relative comparisons.

In the past, the National Center for Health Statistics (NCHS) age-adjusted rates using the US 1940 standard population. Other agencies used the US 1970 Standard. Beginning with 1999 data, federal agencies began age-adjusting to the US 2000 Standard Million Population.

Note on Zip Codes

For tables with zip codes listed, the post office box zip codes are included with the main zip codes. To provide the most accurate data summary for the county, for each data element presented by zip code, the total sum of the zip code data is presented as well as the overall county totals. Post office zip code 32007 Bostwick and 32178 Palatka are included with 32177(Palatka). Post office zip code 32147 Hollister and 32149 Edgar are included in with the Interlarchen zip code 32148. Zip code 32181 Pomona Park includes zip code 32157 Lake Como. Post office zip codes 32185 Putnam Hall and 32138 Grandin are included with zip code 32666 Melrose. For a few tables when population data was not available for zip code 32193 Welaka it was included with 32112 Crescent City, but for most data it was separated out.

When data is presented by zip codes for deaths and births, a five year rate is calculated due to the small numbers by zip code. Some Hispanic data was not available by zip code or else the numbers were too small to separate out.

All data are presented at the county level and state level for each indicator. Zip Code level data are presented where available.

Page Intentionally Left Blank

Population Data Tables

Table 1. Total Population and Projected Populations, Putnam County and Florida, 2000-2030.

| | Year | Putnam County | Florida |
|--------------------------------------|---------------------|---------------|------------|
| Population | 2000 Census | 70,423 | 15,982,378 |
| | 2009 Estimate | 74,608 | 18,750,483 |
| | 2015 Projections | 75,359 | 19,881,179 |
| | 2020 Projections | 76,777 | 21,246,926 |
| | 2030 Projections | 79,454 | 23,821,251 |
| Percent Change from 2000 Census | To 2009 Estimate | 5.9 | 17.3 |
| | To 2015 Projections | 7.0 | 24.4 |
| | To 2020 Projections | 9.0 | 32.9 |
| | To 2030 Projections | 12.8 | 49.0 |
| Percent Change from 2009 Estimate | To 2015 Projections | 1.0 | 6.0 |
| | To 2020 Projections | 2.9 | 13.3 |
| | To 2030 Projections | 6.5 | 27.0 |

Source: Bureau of Economic Business Resources: University of Florida, Population Projections by Age, Sex, Race and Hispanic Origin for Florida and Its Counties, 2009-2030.

Prepared by: WellFlorida Council, 2010.

Table 2. Total Population by Age Groups, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|--------------------|---------------------|--------------------|---------------------|
| | | 0-4 Years of Age | | 5-9 Years of Age | |
| 32112 Crescent City | 7,888 | 532 | 6.7 | 537 | 6.8 |
| 32131 East Palatka | 5,473 | 275 | 5.0 | 283 | 5.2 |
| 32139 Georgetown | 878 | 42 | 4.8 | 44 | 5.0 |
| 32140 Florahome | 1,585 | 104 | 6.6 | 104 | 6.6 |
| 32148 Interlachen | 13,421 | 823 | 6.1 | 830 | 6.2 |
| 32177 Palatka | 25,786 | 1,820 | 7.1 | 1,733 | 6.7 |
| 32181 Pomona Park | 2,510 | 123 | 4.9 | 117 | 4.7 |
| 32187 San Mateo | 1,566 | 73 | 4.7 | 86 | 5.5 |
| 32189 Satsuma | 5,746 | 281 | 4.9 | 293 | 5.1 |
| 32193 Welaka | 985 | 46 | 4.7 | 43 | 4.4 |
| 32666 Melrose | 5,367 | 245 | 4.6 | 262 | 4.9 |
| Zip Code Total | 71,205 | 4,364 | 6.1 | 4,332 | 6.1 |
| Putnam County | 74,733 | 4,576 | 6.1 | 4,535 | 6.1 |
| Florida | 18,917,612 | 1,131,953 | 6.0 | 1,109,714 | 5.9 |
| Area | Total Population | 10-14 Years of Age | | 15-24 Years of Age | |
| | | | | | |
| 32112 Crescent City | 7,888 | 499 | 6.3 | 868 | 11.0 |
| 32131 East Palatka | 5,473 | 300 | 5.5 | 584 | 10.7 |
| 32139 Georgetown | 878 | 44 | 5.0 | 75 | 8.5 |
| 32140 Florahome | 1,585 | 110 | 6.9 | 192 | 12.1 |
| 32148 Interlachen | 13,421 | 844 | 6.3 | 1,571 | 11.7 |
| 32177 Palatka | 25,786 | 1,696 | 6.6 | 3,274 | 12.7 |
| 32181 Pomona Park | 2,510 | 112 | 4.5 | 238 | 9.5 |
| 32187 San Mateo | 1,566 | 78 | 5.0 | 147 | 9.4 |
| 32189 Satsuma | 5,746 | 293 | 5.1 | 509 | 8.9 |
| 32193 Welaka | 985 | 42 | 4.3 | 78 | 7.9 |
| 32666 Melrose | 5,367 | 312 | 5.8 | 509 | 9.5 |
| Zip Code Total | 71,205 | 4,330 | 6.1 | 8,045 | 11.3 |
| Putnam County | 74,733 | 4,504 | 6.0 | 8,536 | 11.4 |
| Florida | 18,917,612 | 1,091,478 | 5.8 | 2,336,232 | 12.3 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 2 Cont. Total Population by Age Groups, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|--------------------|---------------------|--------------------|---------------------|
| | | 25-44 Years of Age | | 45-64 Years of Age | |
| 32112 Crescent City | 7,888 | 1,522 | 19.3 | 1,999 | 25.3 |
| 32131 East Palatka | 5,473 | 1,398 | 25.5 | 1,642 | 30.0 |
| 32139 Georgetown | 878 | 138 | 15.7 | 257 | 29.3 |
| 32140 Florahome | 1,585 | 367 | 23.2 | 469 | 29.6 |
| 32148 Interlachen | 13,421 | 2,891 | 21.5 | 4,029 | 30.0 |
| 32177 Palatka | 25,786 | 6,228 | 24.2 | 6,946 | 26.9 |
| 32181 Pomona Park | 2,510 | 413 | 16.5 | 766 | 30.5 |
| 32187 San Mateo | 1,566 | 314 | 20.1 | 509 | 32.5 |
| 32189 Satsuma | 5,746 | 978 | 17.0 | 1,752 | 30.5 |
| 32193 Welaka | 985 | 131 | 13.3 | 304 | 30.9 |
| 32666 Melrose | 5,367 | 1,079 | 20.1 | 1,852 | 34.5 |
| Zip Code Total | 71,205 | 15,459 | 21.7 | 20,525 | 28.8 |
| Putnam County | 74,733 | 16,345 | 21.9 | 21,561 | 28.9 |
| Florida | 18,917,612 | 4,672,242 | 24.7 | 5,123,102 | 27.1 |
| Area | Total Population | 65-74 Years of Age | | 65-84 Years of Age | |
| | | Number | Percent of Zip Code | Number | Percent of Zip Code |
| 32112 Crescent City | 7,888 | 980 | 12.4 | 1,674 | 21.2 |
| 32131 East Palatka | 5,473 | 542 | 9.9 | 889 | 16.2 |
| 32139 Georgetown | 878 | 150 | 17.1 | 249 | 28.4 |
| 32140 Florahome | 1,585 | 144 | 9.1 | 220 | 13.9 |
| 32148 Interlachen | 13,421 | 1,361 | 10.1 | 2,155 | 16.1 |
| 32177 Palatka | 25,786 | 2,172 | 8.4 | 3,526 | 13.7 |
| 32181 Pomona Park | 2,510 | 408 | 16.3 | 669 | 26.7 |
| 32187 San Mateo | 1,566 | 223 | 14.2 | 338 | 21.6 |
| 32189 Satsuma | 5,746 | 962 | 16.7 | 1,503 | 26.2 |
| 32193 Welaka | 985 | 200 | 20.3 | 314 | 31.9 |
| 32666 Melrose | 5,367 | 647 | 12.1 | 974 | 18.1 |
| Zip Code Total | 71,205 | 7,789 | 10.9 | 12,511 | 17.6 |
| Putnam County | 74,733 | 8,107 | 10.8 | 13,017 | 17.4 |
| Florida | 18,917,612 | 1,717,540 | 9.1 | 2,915,183 | 15.4 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 2 Cont. Total Population by Age Groups, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|--------------------|---------------------|-------------------|---------------------|
| | | 75-84 Years of Age | | 85+ Years of Age | |
| 32112 Crescent City | 7,888 | 694 | 8.8 | 257 | 3.3 |
| 32131 East Palatka | 5,473 | 347 | 6.3 | 102 | 1.9 |
| 32139 Georgetown | 878 | 99 | 11.3 | 29 | 3.3 |
| 32140 Florahome | 1,585 | 76 | 4.8 | 19 | 1.2 |
| 32148 Interlachen | 13,421 | 794 | 5.9 | 278 | 2.1 |
| 32177 Palatka | 25,786 | 1,354 | 5.3 | 563 | 2.2 |
| 32181 Pomona Park | 2,510 | 261 | 10.4 | 72 | 2.9 |
| 32187 San Mateo | 1,566 | 115 | 7.3 | 21 | 1.3 |
| 32189 Satsuma | 5,746 | 541 | 9.4 | 137 | 2.4 |
| 32193 Welaka | 985 | 114 | 11.6 | 27 | 2.7 |
| 32666 Melrose | 5,367 | 327 | 6.1 | 134 | 2.5 |
| Zip Code Total | 71,205 | 4,722 | 6.6 | 1,639 | 2.3 |
| Putnam County | 74,733 | 4,910 | 6.6 | 1,659 | 2.2 |
| Florida | 18,917,612 | 1,197,643 | 6.3 | 537,708 | 2.8 |
| Area | Total Population | 75+ Years of Age | | 0-17 Years of Age | |
| | | Number | Percent of Zip Code | Number | Percent of Zip Code |
| 32112 Crescent City | 7,888 | 951 | 12.1 | 1,881 | 23.8 |
| 32131 East Palatka | 5,473 | 449 | 8.2 | 1,040 | 19.0 |
| 32139 Georgetown | 878 | 128 | 14.6 | 157 | 17.9 |
| 32140 Florahome | 1,585 | 95 | 6.0 | 375 | 23.7 |
| 32148 Interlachen | 13,421 | 1,072 | 8.0 | 3,032 | 22.6 |
| 32177 Palatka | 25,786 | 1,917 | 7.4 | 6,288 | 24.4 |
| 32181 Pomona Park | 2,510 | 333 | 13.3 | 433 | 17.3 |
| 32187 San Mateo | 1,566 | 136 | 8.7 | 283 | 18.1 |
| 32189 Satsuma | 5,746 | 678 | 11.8 | 1,038 | 18.1 |
| 32193 Welaka | 985 | 141 | 14.3 | 162 | 16.4 |
| 32666 Melrose | 5,367 | 461 | 8.6 | 998 | 18.6 |
| Zip Code Total | 71,205 | 6,361 | 8.9 | 15,687 | 22.0 |
| Putnam County | 74,733 | 6,569 | 8.8 | 16,468 | 22.0 |
| Florida | 18,917,612 | 1,735,351 | 9.2 | 4,019,724 | 21.2 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 2 Cont. Total Population by Age Groups, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|--------------------|---------------------|------------------|---------------------|
| | | 18-64 Years of Age | | 65+ Years of Age | |
| 32112 Crescent City | 7,888 | 4,076 | 51.7 | 1,931 | 24.5 |
| 32131 East Palatka | 5,473 | 3,442 | 62.9 | 991 | 18.1 |
| 32139 Georgetown | 878 | 443 | 50.5 | 278 | 31.7 |
| 32140 Florahome | 1,585 | 971 | 61.3 | 239 | 15.1 |
| 32148 Interlachen | 13,421 | 7,956 | 59.3 | 2,433 | 18.1 |
| 32177 Palatka | 25,786 | 15,409 | 59.8 | 4,089 | 15.9 |
| 32181 Pomona Park | 2,510 | 1,336 | 53.2 | 741 | 29.5 |
| 32187 San Mateo | 1,566 | 924 | 59.0 | 359 | 22.9 |
| 32189 Satsuma | 5,746 | 3,068 | 53.4 | 1,640 | 28.5 |
| 32193 Welaka | 985 | 482 | 48.9 | 341 | 34.6 |
| 32666 Melrose | 5,367 | 3,261 | 60.8 | 1,108 | 20.6 |
| Zip Code Total | 71,205 | 41,368 | 58.1 | 14,150 | 19.9 |
| Putnam County | 74,733 | 43,589 | 58.3 | 14,676 | 19.6 |
| Florida | 18,917,612 | 11,444,997 | 60.5 | 3,452,891 | 18.3 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 3. Total Population by Race, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|-----------------|---------------------|------------------------|---------------------|
| | | American Indian | | Asian/Pacific Islander | |
| 32112 Crescent City | 7,888 | 40 | 0.5 | 94 | 1.2 |
| 32131 East Palatka | 5,473 | 16 | 0.3 | 41 | 0.7 |
| 32139 Georgetown | 878 | 7 | 0.8 | 13 | 1.5 |
| 32140 Florahome | 1,585 | 13 | 0.8 | 4 | 0.3 |
| 32148 Interlachen | 13,421 | 91 | 0.7 | 72 | 0.5 |
| 32177 Palatka | 25,786 | 70 | 0.3 | 143 | 0.6 |
| 32181 Pomona Park | 2,510 | 9 | 0.4 | 8 | 0.3 |
| 32187 San Mateo | 1,566 | 7 | 0.4 | 5 | 0.3 |
| 32189 Satsuma | 5,746 | 37 | 0.6 | 30 | 0.5 |
| 32193 Welaka | 985 | 4 | 0.4 | 1 | 0.1 |
| 32666 Melrose | 5,367 | 19 | 0.4 | 47 | 0.9 |
| Zip Code Total | 71,205 | 313 | 0.4 | 458 | 0.6 |
| Putnam County | 74,733 | 343 | 0.5 | 438 | 0.6 |
| Florida | 18,917,612 | 78,253 | 0.4 | 437,309 | 2.3 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 3 Cont. Total Population by Race, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|------------|---------------------|--------------|---------------------|
| | | Black | | Multi-Racial | |
| 32112 Crescent City | 7,888 | 1,266 | 16.0 | 160 | 2.0 |
| 32131 East Palatka | 5,473 | 1,528 | 27.9 | 68 | 1.2 |
| 32139 Georgetown | 878 | 66 | 7.5 | 24 | 2.7 |
| 32140 Florahome | 1,585 | 35 | 2.2 | 49 | 3.1 |
| 32148 Interlachen | 13,421 | 575 | 4.3 | 304 | 2.3 |
| 32177 Palatka | 25,786 | 7,029 | 27.3 | 285 | 1.1 |
| 32181 Pomona Park | 2,510 | 178 | 7.1 | 35 | 1.4 |
| 32187 San Mateo | 1,566 | 180 | 11.5 | 19 | 1.2 |
| 32189 Satsuma | 5,746 | 250 | 4.4 | 74 | 1.3 |
| 32193 Welaka | 985 | 130 | 13.2 | 15 | 1.5 |
| 32666 Melrose | 5,367 | 490 | 9.1 | 105 | 2.0 |
| Zip Code Total | 71,205 | 11,727 | 16.5 | 1,138 | 1.6 |
| Putnam County | 74,733 | 12,832 | 17.2 | 1,190 | 1.6 |
| Florida | 18,917,612 | 2,902,619 | 15.3 | 571,322 | 3.0 |
| Area | Total Population | White | | Other | |
| | | Number | Percent of Zip Code | Number | Percent of Zip Code |
| 32112 Crescent City | 7,888 | 4,826 | 61.2 | 1,502 | 19.0 |
| 32131 East Palatka | 5,473 | 3,782 | 69.1 | 38 | 0.7 |
| 32139 Georgetown | 878 | 666 | 75.9 | 102 | 11.6 |
| 32140 Florahome | 1,585 | 1,468 | 92.6 | 16 | 1.0 |
| 32148 Interlachen | 13,421 | 11,560 | 86.1 | 819 | 6.1 |
| 32177 Palatka | 25,786 | 17,858 | 69.3 | 401 | 1.6 |
| 32181 Pomona Park | 2,510 | 2,132 | 84.9 | 148 | 5.9 |
| 32187 San Mateo | 1,566 | 1,351 | 86.3 | 4 | 0.3 |
| 32189 Satsuma | 5,746 | 5,275 | 91.8 | 80 | 1.4 |
| 32193 Welaka | 985 | 783 | 79.5 | 52 | 5.3 |
| 32666 Melrose | 5,367 | 4,642 | 86.5 | 64 | 1.2 |
| Zip Code Total | 71,205 | 54,343 | 76.3 | 3,226 | 4.5 |
| Putnam County | 74,733 | 56,603 | 75.7 | 3,327 | 4.5 |
| Florida | 18,917,612 | 14,115,506 | 74.6 | 812,603 | 4.3 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 4. Total Population by Ethnicity, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|-----------|---------------------|--------------|---------------------|
| | | Hispanic | | Non Hispanic | |
| 32112 Crescent City | 7,888 | 2,257 | 28.6 | 5,631 | 71.4 |
| 32131 East Palatka | 5,473 | 150 | 2.7 | 5,323 | 97.3 |
| 32139 Georgetown | 878 | 166 | 18.9 | 712 | 81.1 |
| 32140 Florahome | 1,585 | 75 | 4.7 | 1,510 | 95.3 |
| 32148 Interlachen | 13,421 | 1,851 | 13.8 | 11,570 | 86.2 |
| 32177 Palatka | 25,786 | 1,141 | 4.4 | 24,645 | 95.6 |
| 32181 Pomona Park | 2,510 | 251 | 10.0 | 2,259 | 90.0 |
| 32187 San Mateo | 1,566 | 45 | 2.9 | 1,521 | 97.1 |
| 32189 Satsuma | 5,746 | 251 | 4.4 | 5,495 | 95.6 |
| 32193 Welaka | 985 | 78 | 7.9 | 907 | 92.1 |
| 32666 Melrose | 5,367 | 191 | 3.6 | 5,176 | 96.4 |
| Zip Code Total | 71,205 | 6,456 | 9.1 | 64,749 | 90.9 |
| Putnam County | 74,733 | 6,710 | 9.0 | 68,023 | 91.0 |
| Florida | 18,917,612 | 4,179,396 | 22.1 | 14,738,216 | 77.9 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 5. Total Population by Gender, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|-----------|---------------------|-----------|---------------------|
| | | Males | | Females | |
| 32112 Crescent City | 7,888 | 3,922 | 49.7 | 3,966 | 50.3 |
| 32131 East Palatka | 5,473 | 2,937 | 53.7 | 2,536 | 46.3 |
| 32139 Georgetown | 878 | 437 | 49.8 | 441 | 50.2 |
| 32140 Florahome | 1,585 | 785 | 49.5 | 800 | 50.5 |
| 32148 Interlachen | 13,421 | 6,688 | 49.8 | 6,733 | 50.2 |
| 32177 Palatka | 25,786 | 12,413 | 48.1 | 13,373 | 51.9 |
| 32181 Pomona Park | 2,510 | 1,231 | 49.0 | 1,279 | 51.0 |
| 32187 San Mateo | 1,566 | 800 | 51.1 | 766 | 48.9 |
| 32189 Satsuma | 5,746 | 2,857 | 49.7 | 2,889 | 50.3 |
| 32193 Welaka | 985 | 467 | 47.4 | 518 | 52.6 |
| 32666 Melrose | 5,367 | 2,695 | 50.2 | 2,672 | 49.8 |
| Zip Code Total | 71,205 | 35,232 | 49.5 | 35,973 | 50.5 |
| Putnam County | 74,733 | 36,991 | 49.5 | 37,742 | 50.5 |
| Florida | 18,917,612 | 9,231,203 | 48.8 | 9,686,409 | 51.2 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 6. Estimates of Population by City, Putnam County and Florida: April 1, 2009.

| Area | April 1, 2000 Census | April 1, 2009 Estimate | Total Change | Number of Inmates | April 1, 2009 Less Inmates | Percent of County/State |
|--------------------|-------------------------|---------------------------|-----------------|----------------------|-------------------------------|----------------------------|
| Crescent City | 1,776 | 1,724 | -52 | 0 | 1,724 | 2.3 |
| Interlachen | 1,475 | 1,552 | 77 | 0 | 1,552 | 2.1 |
| Palatka | 10,033 | 11,133 | 1,100 | 0 | 11,133 | 15.0 |
| Pomona Park | 789 | 794 | 5 | 0 | 794 | 1.1 |
| Welaka | 586 | 732 | 146 | 0 | 732 | 1.0 |
| Total Incorporated | 14,659 | 15,935 | 1,276 | 0 | 15,935 | 21.5 |
| Unincorporated | 55,764 | 58,673 | 2,909 | 456 | 58,217 | 78.5 |
| Putnam County | 70,423 | 74,608 | 4,185 | 456 | 74,152 | 0.4 |
| Incorporated | 7,904,403 | 9,526,780 | 1,662,377 | 17,371 | 9,509,409 | 51.1 |
| Unincorporated | 8,078,421 | 9,223,703 | 1,145,282 | 109,088 | 9,114,615 | 48.9 |
| Florida | 15,982,824 | 18,750,483 | 2,767,659 | 126,459 | 18,624,024 | 100.0 |

Source: Bureau of Economic Business Research, University of Florida, Florida Estimates of Population, 2009.

Prepared by: WellFlorida Council, 2010.

Table 7. Total Population in Group Quarters by Zip Code, Putnam County and Florida, 2010.

| Area | 2010 Total Population | Total Group Population | Percent of Total Population |
|---------------------|--------------------------|---------------------------|--------------------------------|
| 32112 Crescent City | 7,888 | 108 | 1.4 |
| 32131 East Palatka | 5,473 | 411 | 7.5 |
| 32139 Georgetown | 878 | - | - |
| 32140 Florahome | 1,585 | - | - |
| 32148 Interlachen | 13,421 | 6 | 0.0 |
| 32177 Palatka | 25,786 | 800 | 3.1 |
| 32181 Pomona Park | 2,510 | 18 | 0.7 |
| 32187 San Mateo | 1,566 | - | - |
| 32189 Satsuma | 5,746 | 3 | 0.1 |
| 32193 Welaka | 985 | 23 | 2.3 |
| 32666 Melrose | 5,367 | 7 | 0.1 |
| Zip Code Total | 71,205 | 1,376 | 1.9 |
| Putnam County | 74,733 | 1,416 | 1.9 |
| Florida | 18,917,612 | 425,893 | 2.3 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 8. Total Family Population, Family Households and Average Family Size by Zip Code, Putnam County and Florida, 2010.

| Area | Family Population | Family Households | Average Family Size |
|---------------------|-------------------|-------------------|---------------------|
| 32112 Crescent City | 6,396 | 2,017 | 3.17 |
| 32131 East Palatka | 4,268 | 1,406 | 3.04 |
| 32139 Georgetown | 699 | 276 | 2.53 |
| 32140 Florahome | 1,365 | 450 | 3.03 |
| 32148 Interlachen | 11,124 | 3,643 | 3.05 |
| 32177 Palatka | 20,920 | 6,757 | 3.10 |
| 32181 Pomona Park | 2,020 | 690 | 2.93 |
| 32187 San Mateo | 1,295 | 450 | 2.88 |
| 32189 Satsuma | 4,654 | 1,697 | 2.74 |
| 32193 Welaka | 759 | 305 | 2.49 |
| 32666 Melrose | 4,415 | 1,562 | 2.83 |
| Zip Code Total | 57,915 | 19,253 | 3.01 |
| Putnam County | 60,840 | 20,176 | 3.02 |
| Florida | 14,833,812 | 4,882,567 | 3.04 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 9. Total Household Population, Total Households and Average Household Size by Zip Code, Putnam County and Florida, 2010.

| Area | Household Population | Total Households | Average Household Size |
|---------------------|----------------------|------------------|------------------------|
| 32112 Crescent City | 7,780 | 3,017 | 2.58 |
| 32131 East Palatka | 5,062 | 1,983 | 2.55 |
| 32139 Georgetown | 878 | 416 | 2.11 |
| 32140 Florahome | 1,585 | 595 | 2.66 |
| 32148 Interlachen | 13,415 | 5,205 | 2.58 |
| 32177 Palatka | 24,986 | 9,803 | 2.55 |
| 32181 Pomona Park | 2,492 | 1,031 | 2.42 |
| 32187 San Mateo | 1,566 | 653 | 2.40 |
| 32189 Satsuma | 5,743 | 2,507 | 2.29 |
| 32193 Welaka | 962 | 478 | 2.01 |
| 32666 Melrose | 5,360 | 2,312 | 2.32 |
| Zip Code Total | 69,829 | 28,000 | 2.49 |
| Putnam County | 73,317 | 29,308 | 2.50 |
| Florida | 18,491,719 | 7,448,581 | 2.48 |

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Poverty Data Tables

Table 10. Number and Percent of Persons in Poverty, by Selected Ages, Putnam County and Florida, 2008.

| Area | Total Population | Estimated Number In Poverty (2010) | Percent In Poverty (2008) |
|---------------|------------------|------------------------------------|---------------------------|
| | | All Ages | |
| Putnam County | 74,733 | 17,263 | 23.1 |
| Florida | 18,917,612 | 2,516,042 | 13.3 |
| | | Under Age 18 | |
| Putnam County | 16,468 | 5,616 | 34.1 |
| Florida | 4,019,724 | 739,629 | 18.4 |

Source: U.S. Census Bureau, Census, 2000, Small Area Income and Poverty Estimates, 2008; Interactive Tables generated by WellFlorida; <http://www.census.gov>; (28 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 11. Number and Percent of Persons by Level of Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population | Estimated Number (2010) | Percent (2000) | Estimated Number (2010) | Percent (2000) |
|---------------------|------------------|-------------------------|----------------|-------------------------|----------------|
| | | 0 - 99 % of Poverty | | 100 - 149 % of Poverty | |
| 32112 Crescent City | 7,888 | 2,125 | 26.9 | 1,472 | 18.7 |
| 32131 East Palatka | 5,473 | 957 | 17.5 | 489 | 8.9 |
| 32139 Georgetown | 878 | 133 | 15.2 | 265 | 30.2 |
| 32140 Florahome | 1,585 | 154 | 9.7 | 204 | 12.8 |
| 32148 Interlachen | 13,421 | 3,387 | 25.2 | 1,636 | 12.2 |
| 32177 Palatka | 25,786 | 5,531 | 21.4 | 2,898 | 11.2 |
| 32181 Pomona Park | 2,510 | 619 | 24.7 | 248 | 9.9 |
| 32187 San Mateo | 1,566 | 352 | 22.5 | 139 | 8.9 |
| 32189 Satsuma | 5,746 | 951 | 16.6 | 648 | 11.3 |
| 32193 Welaka | 985 | 198 | 20.1 | 95 | 9.6 |
| 32666 Melrose | 5,367 | 449 | 8.4 | 534 | 9.9 |
| Zip Code Total | 71,205 | 14,867 | 20.9 | 8,518 | 12.0 |
| Putnam County | 74,733 | 15,599 | 20.9 | 8,981 | 12.0 |
| Florida | 18,917,612 | 2,367,075 | 12.5 | 1,736,184 | 9.2 |
| Area | Total Population | 150 - 199 % of Poverty | | 200% + of Poverty | |
| | | | | | |
| 32112 Crescent City | 7,888 | 704 | 8.9 | 3,587 | 45.5 |
| 32131 East Palatka | 5,473 | 454 | 8.3 | 3,573 | 65.3 |
| 32139 Georgetown | 878 | 45 | 5.1 | 434 | 49.5 |
| 32140 Florahome | 1,585 | 188 | 11.9 | 1,039 | 65.5 |
| 32148 Interlachen | 13,421 | 1,933 | 14.4 | 6,464 | 48.2 |
| 32177 Palatka | 25,786 | 2,956 | 11.5 | 14,400 | 55.8 |
| 32181 Pomona Park | 2,510 | 283 | 11.3 | 1,359 | 54.2 |
| 32187 San Mateo | 1,566 | 121 | 7.7 | 954 | 60.9 |
| 32189 Satsuma | 5,746 | 689 | 12.0 | 3,458 | 60.2 |
| 32193 Welaka | 985 | 69 | 7.0 | 623 | 63.3 |
| 32666 Melrose | 5,367 | 536 | 10.0 | 3,848 | 71.7 |
| Zip Code Total | 71,205 | 8,006 | 11.2 | 39,813 | 55.9 |
| Putnam County | 74,733 | 8,401 | 11.2 | 41,752 | 55.9 |
| Florida | 18,917,612 | 1,788,775 | 9.5 | 13,025,578 | 68.9 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P88; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.
Prepared by: WellFlorida Council, 2010.

Table 12. Number and Percent of Individuals, Children and Households in Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Number (2010) | Estimated Number in Poverty (2010) | Percent (2000) |
|-------------------------------------|---------------------|------------------------------------|----------------|
| Individuals | | | |
| 32112 Crescent City | 7,888 | 2,125 | 26.9 |
| 32131 East Palatka | 5,473 | 957 | 17.5 |
| 32139 Georgetown | 878 | 133 | 15.2 |
| 32140 Florahome | 1,585 | 154 | 9.7 |
| 32148 Interlachen | 13,421 | 3,387 | 25.2 |
| 32177 Palatka | 25,786 | 5,531 | 21.4 |
| 32181 Pomona Park | 2,510 | 619 | 24.7 |
| 32187 San Mateo | 1,566 | 352 | 22.5 |
| 32189 Satsuma | 5,746 | 951 | 16.6 |
| 32193 Welaka | 985 | 198 | 20.1 |
| 32666 Melrose | 5,367 | 449 | 8.4 |
| Zip Code Total | 71,205 | 14,867 | 20.9 |
| Putnam County | 74,733 | 15,599 | 20.9 |
| Florida | 18,917,612 | 2,367,075 | 12.5 |
| Children (0-17 years of age) | | | |
| 32112 Crescent City | 1,881 | 838 | 44.5 |
| 32131 East Palatka | 1,040 | 248 | 23.9 |
| 32139 Georgetown | 157 | 24 | 15.5 |
| 32140 Florahome | 375 | 25 | 6.6 |
| 32148 Interlachen | 3,032 | 1,059 | 34.9 |
| 32177 Palatka | 6,288 | 1,872 | 29.8 |
| 32181 Pomona Park | 433 | 162 | 37.4 |
| 32187 San Mateo | 283 | 107 | 37.9 |
| 32189 Satsuma | 1,038 | 299 | 28.8 |
| 32193 Welaka | 162 | 51 | 31.3 |
| 32666 Melrose | 998 | 143 | 14.3 |
| Zip Code Total | 15,687 | 4,893 | 31.2 |
| Putnam County | 16,468 | 5,065 | 30.8 |
| Florida | 4,019,724 | 707,779 | 17.6 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P88, P89 and PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov> (21 October, 2010; ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 12 Cont. Number and Percent of Individuals, Children and Households in Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Number (2010) | Estimated Number in Poverty (2010) | Percent (2000) |
|---------------------|---------------------|------------------------------------|----------------|
| Households | | | |
| 32112 Crescent City | 3,017 | 623 | 20.6 |
| 32131 East Palatka | 1,983 | 350 | 17.7 |
| 32139 Georgetown | 416 | 72 | 17.3 |
| 32140 Florahome | 595 | 77 | 12.9 |
| 32148 Interlachen | 5,205 | 1,306 | 25.1 |
| 32177 Palatka | 9,803 | 1,991 | 20.3 |
| 32181 Pomona Park | 1,031 | 195 | 18.9 |
| 32187 San Mateo | 653 | 102 | 15.7 |
| 32189 Satsuma | 2,507 | 383 | 15.3 |
| 32193 Welaka | 478 | 75 | 15.6 |
| 32666 Melrose | 2,312 | 183 | 7.9 |
| Zip Code Total | 28,000 | 5,339 | 19.1 |
| Putnam County | 29,308 | 5,653 | 19.3 |
| Florida | 7,448,581 | 873,380 | 11.7 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P88, P89 and PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 13. Number and Percent of Children 0-17 Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 0-17 years of age | Estimated Number (2010) | Percent of Zip Code (2000) |
|---------------------|--|-------------------------------|-------------------------------|
| | | At 100% of Poverty | |
| 32112 Crescent City | 1,881 | 838 | 44.5 |
| 32131 East Palatka | 1,040 | 248 | 23.9 |
| 32139 Georgetown | 157 | 24 | 15.5 |
| 32140 Florahome | 375 | 25 | 6.6 |
| 32148 Interlachen | 3,032 | 1,059 | 34.9 |
| 32177 Palatka | 6,288 | 1,872 | 29.8 |
| 32181 Pomona Park | 433 | 162 | 37.4 |
| 32187 San Mateo | 283 | 107 | 37.9 |
| 32189 Satsuma | 1,038 | 299 | 28.8 |
| 32193 Welaka | 162 | 51 | 31.3 |
| 32666 Melrose | 998 | 143 | 14.3 |
| Zip Code Total | 15,687 | 4,893 | 31.2 |
| Putnam County | 16,468 | 5,065 | 30.8 |
| Florida | 4,019,724 | 707,779 | 17.6 |
| | | At 100-200% of Poverty | |
| 32112 Crescent City | 1,881 | 639 | 34.0 |
| 32131 East Palatka | 1,040 | 170 | 16.3 |
| 32139 Georgetown | 157 | 133 | 84.5 |
| 32140 Florahome | 375 | 163 | 43.6 |
| 32148 Interlachen | 3,032 | 902 | 29.7 |
| 32177 Palatka | 6,288 | 1,524 | 24.2 |
| 32181 Pomona Park | 433 | 119 | 27.5 |
| 32187 San Mateo | 283 | 34 | 12.1 |
| 32189 Satsuma | 1,038 | 258 | 24.9 |
| 32193 Welaka | 162 | 20 | 12.5 |
| 32666 Melrose | 998 | 246 | 24.6 |
| Zip Code Total | 15,687 | 4,110 | 26.2 |
| Putnam County | 16,468 | 4,287 | 26.0 |
| Florida | 4,019,724 | 943,911 | 23.5 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 13 Cont. Number and Percent of Children 0-17 Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 0-17 years of age | Estimated Number (2010) | Percent of Zip Code (2000) |
|---------------------|--|-----------------------------|-------------------------------|
| | | At 200% + of Poverty | |
| 32112 Crescent City | 1,881 | 404 | 21.5 |
| 32131 East Palatka | 1,040 | 622 | 59.8 |
| 32139 Georgetown | 157 | - | - |
| 32140 Florahome | 375 | 187 | 49.9 |
| 32148 Interlachen | 3,032 | 1,071 | 35.3 |
| 32177 Palatka | 6,288 | 2,892 | 46.0 |
| 32181 Pomona Park | 433 | 152 | 35.1 |
| 32187 San Mateo | 283 | 142 | 50.0 |
| 32189 Satsuma | 1,038 | 481 | 46.3 |
| 32193 Welaka | 162 | 91 | 56.3 |
| 32666 Melrose | 998 | 609 | 61.0 |
| Zip Code Total | 15,687 | 6,684 | 42.6 |
| Putnam County | 16,468 | 7,115 | 43.2 |
| Florida | 4,019,724 | 2,368,034 | 58.9 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.
Prepared by: WellFlorida Council, 2010.

Table 14. Number and Percent of Adults 18 - 64 Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 18-64 years of age | Estimated Number (2010) | Percent of Zip Code (2000) |
|-------------------------------|---|----------------------------|-------------------------------|
| At 100% of Poverty | | | |
| 32112 Crescent City | 4,076 | 1,081 | 26.5 |
| 32131 East Palatka | 3,442 | 598 | 17.4 |
| 32139 Georgetown | 443 | 75 | 16.9 |
| 32140 Florahome | 971 | 83 | 8.6 |
| 32148 Interlachen | 7,956 | 1,956 | 24.6 |
| 32177 Palatka | 15,409 | 2,939 | 19.1 |
| 32181 Pomona Park | 1,336 | 344 | 25.8 |
| 32187 San Mateo | 924 | 152 | 16.4 |
| 32189 Satsuma | 3,068 | 457 | 14.9 |
| 32193 Welaka | 482 | 104 | 21.6 |
| 32666 Melrose | 3,261 | 206 | 6.3 |
| Zip Code Total | 41,368 | 7,922 | 19.1 |
| Putnam County | 43,589 | 8,337 | 19.1 |
| Florida | 11,444,997 | 1,323,972 | 11.6 |
| At 100-200% of Poverty | | | |
| 32112 Crescent City | 4,076 | 1,010 | 24.8 |
| 32131 East Palatka | 3,442 | 484 | 14.1 |
| 32139 Georgetown | 443 | 155 | 34.9 |
| 32140 Florahome | 971 | 191 | 19.7 |
| 32148 Interlachen | 7,956 | 1,853 | 23.3 |
| 32177 Palatka | 15,409 | 2,957 | 19.2 |
| 32181 Pomona Park | 1,336 | 260 | 19.4 |
| 32187 San Mateo | 924 | 138 | 15.0 |
| 32189 Satsuma | 3,068 | 592 | 19.3 |
| 32193 Welaka | 482 | 75 | 15.6 |
| 32666 Melrose | 3,261 | 588 | 18.0 |
| Zip Code Total | 41,368 | 8,251 | 19.9 |
| Putnam County | 43,589 | 8,711 | 20.0 |
| Florida | 11,444,997 | 1,881,631 | 16.4 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 14 Cont. Number and Percent of Adults 18 - 64 Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 18-64 years of age | Estimated Number (2010) | Percent of Zip Code (2000) |
|-----------------------------|---|----------------------------|-------------------------------|
| At 200% + of Poverty | | | |
| 32112 Crescent City | 4,076 | 1,985 | 48.7 |
| 32131 East Palatka | 3,442 | 2,360 | 68.6 |
| 32139 Georgetown | 443 | 214 | 48.2 |
| 32140 Florahome | 971 | 697 | 71.8 |
| 32148 Interlachen | 7,956 | 4,147 | 52.1 |
| 32177 Palatka | 15,409 | 9,513 | 61.7 |
| 32181 Pomona Park | 1,336 | 732 | 54.8 |
| 32187 San Mateo | 924 | 634 | 68.6 |
| 32189 Satsuma | 3,068 | 2,019 | 65.8 |
| 32193 Welaka | 482 | 303 | 62.9 |
| 32666 Melrose | 3,261 | 2,467 | 75.7 |
| Zip Code Total | 41,368 | 25,195 | 60.9 |
| Putnam County | 43,589 | 26,541 | 60.9 |
| Florida | 11,444,997 | 8,239,394 | 72.0 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 15. Number and Percent of Adults 65+ Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 65 + years of age | Estimated Number (2010) | Percent of Zip Code (2000) |
|-------------------------------|--|----------------------------|-------------------------------|
| At 100% of Poverty | | | |
| 32112 Crescent City | 1,931 | 212 | 11.0 |
| 32131 East Palatka | 991 | 101 | 10.2 |
| 32139 Georgetown | 278 | 33 | 11.9 |
| 32140 Florahome | 239 | 59 | 24.5 |
| 32148 Interlachen | 2,433 | 302 | 12.4 |
| 32177 Palatka | 4,089 | 646 | 15.8 |
| 32181 Pomona Park | 741 | 64 | 8.6 |
| 32187 San Mateo | 359 | 68 | 18.8 |
| 32189 Satsuma | 1,640 | 193 | 11.8 |
| 32193 Welaka | 341 | 41 | 11.9 |
| 32666 Melrose | 1,108 | 106 | 9.5 |
| Zip Code Total | 14,150 | 1,820 | 12.9 |
| Putnam County | 14,676 | 1,927 | 13.1 |
| Florida | 3,452,891 | 313,083 | 9.1 |
| At 100-200% of Poverty | | | |
| 32112 Crescent City | 1,931 | 519 | 26.9 |
| 32131 East Palatka | 991 | 283 | 28.5 |
| 32139 Georgetown | 278 | 48 | 17.2 |
| 32140 Florahome | 239 | 42 | 17.6 |
| 32148 Interlachen | 2,433 | 790 | 32.5 |
| 32177 Palatka | 4,089 | 1,365 | 33.4 |
| 32181 Pomona Park | 741 | 138 | 18.7 |
| 32187 San Mateo | 359 | 109 | 30.4 |
| 32189 Satsuma | 1,640 | 505 | 30.8 |
| 32193 Welaka | 341 | 70 | 20.6 |
| 32666 Melrose | 1,108 | 239 | 21.6 |
| Zip Code Total | 14,150 | 4,130 | 29.2 |
| Putnam County | 14,676 | 4,343 | 29.6 |
| Florida | 3,452,891 | 683,218 | 19.8 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 15 Cont. Number and Percent of Adults 65+ Years of Age by Level of Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 65 + years of age | Estimated Number (2010) | Percent of Zip Code (2000) |
|-----------------------------|--|----------------------------|-------------------------------|
| At 200% + of Poverty | | | |
| 32112 Crescent City | 1,931 | 1,200 | 62.1 |
| 32131 East Palatka | 991 | 607 | 61.3 |
| 32139 Georgetown | 278 | 197 | 70.9 |
| 32140 Florahome | 239 | 138 | 57.9 |
| 32148 Interlachen | 2,433 | 1,341 | 55.1 |
| 32177 Palatka | 4,089 | 2,078 | 50.8 |
| 32181 Pomona Park | 741 | 539 | 72.7 |
| 32187 San Mateo | 359 | 182 | 50.8 |
| 32189 Satsuma | 1,640 | 943 | 57.5 |
| 32193 Welaka | 341 | 230 | 67.5 |
| 32666 Melrose | 1,108 | 763 | 68.9 |
| Zip Code Total | 14,150 | 8,200 | 57.9 |
| Putnam County | 14,676 | 8,406 | 57.3 |
| Florida | 3,452,891 | 2,456,589 | 71.1 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 16. Number and Percent of Households by Level of Poverty, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Households | Estimated Number (2010) | Percent of Zip Code (2000) |
|---------------------------------|------------------|-------------------------|----------------------------|
| Below 150% of Poverty | | | |
| 32112 Crescent City | 3,017 | 1,107 | 36.7 |
| 32131 East Palatka | 1,983 | 525 | 26.5 |
| 32139 Georgetown | 416 | 151 | 36.3 |
| 32140 Florahome | 595 | 121 | 20.4 |
| 32148 Interlachen | 5,205 | 1,952 | 37.5 |
| 32177 Palatka | 9,803 | 3,251 | 33.2 |
| 32181 Pomona Park | 1,031 | 305 | 29.6 |
| 32187 San Mateo | 653 | 174 | 26.6 |
| 32189 Satsuma | 2,507 | 713 | 28.4 |
| 32193 Welaka | 478 | 122 | 25.4 |
| 32666 Melrose | 2,312 | 405 | 17.5 |
| Zip Code Total | 28,000 | 8,796 | 31.4 |
| Putnam County | 29,308 | 9,280 | 31.7 |
| Florida | 7,448,581 | 1,541,532 | 20.7 |
| 150% or above of Poverty | | | |
| 32112 Crescent City | 3,017 | 1,910 | 63.3 |
| 32131 East Palatka | 1,983 | 1,458 | 73.5 |
| 32139 Georgetown | 416 | 265 | 63.7 |
| 32140 Florahome | 595 | 474 | 79.6 |
| 32148 Interlachen | 5,205 | 3,253 | 62.5 |
| 32177 Palatka | 9,803 | 6,552 | 66.8 |
| 32181 Pomona Park | 1,031 | 726 | 70.4 |
| 32187 San Mateo | 653 | 479 | 73.4 |
| 32189 Satsuma | 2,507 | 1,794 | 71.6 |
| 32193 Welaka | 478 | 356 | 74.6 |
| 32666 Melrose | 2,312 | 1,907 | 82.5 |
| Zip Code Total | 28,000 | 19,204 | 68.6 |
| Putnam County | 29,308 | 20,028 | 68.3 |
| Florida | 7,448,581 | 5,907,049 | 79.3 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P93; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.
Prepared by: WellFlorida Council, 2010.

Income Data Tables

Table 17. Median Household Income, Average Household Income and Per Capita Income by Zip Code, Putnam County and Florida, 2010.

| Area | Median Household Income | Average Household Income | Per Capita Income |
|---------------------|-------------------------|--------------------------|-------------------|
| 32112 Crescent City | 28,426 | 40,967 | 15,891 |
| 32131 East Palatka | 40,396 | 53,785 | 20,704 |
| 32139 Georgetown | 34,433 | 60,729 | 28,774 |
| 32140 Florahome | 36,583 | 48,330 | 18,143 |
| 32148 Interlachen | 31,241 | 38,570 | 14,966 |
| 32177 Palatka | 34,672 | 46,826 | 18,305 |
| 32181 Pomona Park | 32,429 | 41,067 | 16,984 |
| 32187 San Mateo | 39,098 | 45,569 | 19,001 |
| 32189 Satsuma | 33,673 | 42,458 | 18,533 |
| 32193 Welaka | 35,158 | 42,245 | 20,880 |
| 32666 Melrose | 44,288 | 53,497 | 23,067 |
| Zip Code Total | NA | NA | 18,100 |
| Putnam County | 34,398 | 45,201 | 18,034 |
| Florida | 49,910 | 64,516 | 25,768 |

NA: Zip Code level information is not available and can not be calculated with current data.

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Unemployment Data Table

Table 18. Unemployment Rates by Year, Putnam County and Florida, 2004-2009.

| Area | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 |
|---------------|------|------|------|------|------|------|
| Putnam County | 5.2 | 4.2 | 3.7 | 4.6 | 7.3 | 12.0 |
| Florida | 4.7 | 3.8 | 3.4 | 4.1 | 6.3 | 10.5 |

Source: Florida Research and Economic Database; Data generated by WellFlorida; using Labor Market Analysis; <http://fred.labormarketinfo.com>; (26, October 2010).

Prepared by: WellFlorida Council, 2010.

Table 19. Unemployment Rates by Month, Putnam County and Florida, 2010.

| Month | Putnam County | Florida |
|-----------|---------------|---------|
| January | 14.4 | 12.3 |
| February | 14.2 | 12.3 |
| March | 13.7 | 12.0 |
| April | 12.7 | 11.2 |
| May | 12.5 | 11.1 |
| June | 13.5 | 11.6 |
| July | 14.1 | 12.0 |
| August | 14.2 | 12.4 |
| September | 14.0 | 12.0 |

Source: Florida Research and Economic Database; Data generated by WellFlorida; using Labor Market Analysis; <http://fred.labormarketinfo.com>; (26, October 2010).

Prepared by: WellFlorida Council, 2010.

Business and Employees Data Tables

Table 20. Number of Employees in Non-Governmental Businesses by Size of Business, Putnam County and Florida, 2002.

| Area | Total Employees | Size of Business | | | | | |
|---------|-----------------|------------------------|---------|-------------------|---------|----------------|---------|
| | | Less than 20 employees | | 20 - 99 employees | | 100+ employees | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Putnam | 12,600 | 3,937 | 31.2 | 1,981 | 15.7 | 6,682 | 53.0 |
| Florida | 6,366,964 | 1,205,396 | 18.9 | 1,016,969 | 16.0 | 4,144,599 | 65.1 |

The U.S. Census Bureau determines the number of employees from a sample of businesses; thus, total employees reflects the total employees in the sample. Governmental and public administration businesses are not included in the sample.

Source: U.S. Census Bureau, County Business Patterns Special Report, 2002.

Prepared by: WellFlorida Council, 2010.

Table 21. Number of Non-Governmental Businesses by Size of Business, by Zip Code, Putnam County and Florida, 2008.

| Area | Total Business Establishments | Size of Business | | | | | |
|---------------------|-------------------------------|------------------------|---------------------|-------------------|---------------------|----------------|---------------------|
| | | Less than 20 employees | | 20 - 99 employees | | 100+ employees | |
| | | Number | Percent of Zip Code | Number | Percent of Zip Code | Number | Percent of Zip Code |
| 32112 Crescent City | 113 | 106 | 93.8 | 5 | 4.4 | 2 | 1.8 |
| 32131 East Palatka | 79 | 72 | 91.1 | 7 | 8.9 | - | - |
| 32139 Georgetown | 9 | 9 | 100.0 | - | - | - | - |
| 32140 Florahome | 14 | 14 | 100.0 | - | - | - | - |
| 32148 Interlachen | 117 | 112 | 95.7 | 5 | 4.3 | - | - |
| 32177 Palatka | 798 | 705 | 88.3 | 81 | 10.2 | 12 | 1.5 |
| 32181 Pomona Park | 39 | 38 | 97.4 | 1 | 2.6 | - | - |
| 32187 San Mateo | 37 | 36 | 97.3 | 1 | 2.7 | - | - |
| 32189 Satsuma | 36 | 36 | 100.0 | - | - | - | - |
| 32193 Welaka | 25 | 25 | 100.0 | - | - | - | - |
| 32666 Melrose | 118 | 114 | 96.6 | 4 | 3.4 | - | - |
| Zip Code Total | 1,385 | 1,267 | 91.5 | 104 | 7.5 | 14 | 1.0 |
| Putnam County | 1,374 | 1,257 | 91.5 | 102 | 7.4 | 15 | 1.1 |
| Florida | 507,027 | 448,794 | 88.5 | 47,787 | 9.4 | 10,446 | 2.1 |

The U.S. Census Bureau determines from a sample of businesses; thus, these are not all businesses in the County but a representative sample of businesses. Governmental and public administration businesses are not included in the sample.

Source: U.S. Census Bureau, Business Patterns (NAICS), 2008; generated by WellFlorida;

<http://www.census.gov/econ/cbp> (August, 2010).

Prepared by: WellFlorida Council, 2010.

Table 22. Retail Trade and Service (Nongovernmental) Businesses, by Zip Code, Putnam County and Florida, 2008.

| Area | Total Businesses | Number | Percent of Zip Code | Number | Percent of Zip Code |
|---------------------|------------------|----------------|---------------------|------------|---------------------|
| | | Retail Trade * | | Services * | |
| 32112 Crescent City | 113 | 23 | 20.4 | 47 | 41.6 |
| 32131 East Palatka | 79 | 22 | 27.8 | 28 | 35.4 |
| 32139 Georgetown | 9 | 1 | 11.1 | 6 | 66.7 |
| 32140 Florahome | 14 | 4 | 28.6 | 1 | 7.1 |
| 32148 Interlachen | 117 | 18 | 15.4 | 41 | 35.0 |
| 32177 Palatka | 798 | 143 | 17.9 | 369 | 46.2 |
| 32181 Pomona Park | 39 | 5 | 12.8 | 19 | 48.7 |
| 32187 San Mateo | 37 | 9 | 24.3 | 15 | 40.5 |
| 32189 Satsuma | 36 | 5 | 13.9 | 16 | 44.4 |
| 32193 Welaka | 25 | 4 | 16.0 | 14 | 56.0 |
| 32666 Melrose | 118 | 14 | 11.9 | 56 | 47.5 |
| Zip Code Total | 1,385 | 248 | 17.9 | 612 | 44.2 |
| Putnam County | 1,374 | 249 | 18.1 | 601 | 43.7 |
| Florida | 507,027 | 72,118 | 14.2 | 248,299 | 49.0 |

The U.S. Census Bureau determines this from a sample of businesses; thus, total businesses reflects the total businesses in the sample. Governmental and public administration businesses are not included in the sample.

* North American Industry Classification (NAIC) codes for retail trade: 44-45; services: 54-56, 61, 62, 71, 72, 81.

Source: U.S. Census Bureau, Business Patterns (NAICS), 2008; generated by WellFlorida;

<http://www.census.gov/econ/cbp> (August, 2010).

Prepared by: WellFlorida Council, 2010.

Education Data Table

Table 23. Number and Percent by Level of School Completed, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 25 + Years of Age | Estimated Number (2010) | Percent (2000) |
|---------------------|--|-------------------------------|----------------|
| | | No High School Diploma | |
| 32112 Crescent City | 5452 | 1,923 | 35.3 |
| 32131 East Palatka | 4,031 | 1,000 | 24.8 |
| 32139 Georgetown | 673 | 257 | 38.1 |
| 32140 Florahome | 1,075 | 385 | 35.8 |
| 32148 Interlachen | 9,353 | 3,236 | 34.6 |
| 32177 Palatka | 17,263 | 5,044 | 29.2 |
| 32181 Pomona Park | 1,920 | 616 | 32.1 |
| 32187 San Mateo | 1,182 | 294 | 24.9 |
| 32189 Satsuma | 4,370 | 1,327 | 30.4 |
| 32193 Welaka | 776 | 236 | 30.4 |
| 32666 Melrose | 4,039 | 587 | 14.5 |
| Zip Code Total | 50,134 | 14,832 | 29.6 |
| Putnam County | 52,582 | 15,589 | 29.6 |
| Florida | 13,248,235 | 2,667,695 | 20.1 |
| | | High School Diploma | |
| 32112 Crescent City | 5452 | 2,933 | 53.8 |
| 32131 East Palatka | 4,031 | 2,330 | 57.8 |
| 32139 Georgetown | 673 | 373 | 55.4 |
| 32140 Florahome | 1,075 | 566 | 52.7 |
| 32148 Interlachen | 9,353 | 5,299 | 56.7 |
| 32177 Palatka | 17,263 | 9,541 | 55.3 |
| 32181 Pomona Park | 1,920 | 1,122 | 58.5 |
| 32187 San Mateo | 1,182 | 704 | 59.6 |
| 32189 Satsuma | 4,370 | 2,523 | 57.7 |
| 32193 Welaka | 776 | 432 | 55.7 |
| 32666 Melrose | 4,039 | 2,450 | 60.7 |
| Zip Code Total | 50,134 | 28,289 | 56.4 |
| Putnam County | 52,582 | 29,633 | 56.4 |
| Florida | 13,248,235 | 6,692,086 | 50.5 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P37; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 23 Cont. Number and Percent by Level of School Completed, by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 25 + Years of Age | Estimated Number (2010) | Percent (2000) |
|---------------------|--|----------------------------|----------------|
| | | College Degree | |
| 32112 Crescent City | 5452 | 596 | 10.9 |
| 32131 East Palatka | 4,031 | 702 | 17.4 |
| 32139 Georgetown | 673 | 43 | 6.4 |
| 32140 Florahome | 1,075 | 124 | 11.5 |
| 32148 Interlachen | 9,353 | 819 | 8.8 |
| 32177 Palatka | 17,263 | 2,677 | 15.5 |
| 32181 Pomona Park | 1,920 | 182 | 9.5 |
| 32187 San Mateo | 1,182 | 184 | 15.5 |
| 32189 Satsuma | 4,370 | 520 | 11.9 |
| 32193 Welaka | 776 | 108 | 13.9 |
| 32666 Melrose | 4,039 | 1,002 | 24.8 |
| Zip Code Total | 50,134 | 7,012 | 14.0 |
| Putnam County | 52,582 | 7,360 | 14.0 |
| Florida | 13,248,235 | 3,888,454 | 29.4 |

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P37; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; (21 October, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Uninsured Data Tables

Table 24. Estimated Number of Uninsured Non Elderly, Putnam County and Florida, 2010.

| Area | 2010 Total Population 0 - 64 Years of Age | Percent (2004) | Estimated Number | Percent (2007) | Estimated Number |
|---------------|---|-------------------|---------------------|-------------------|---------------------|
| | | Uninsured * | | Uninsured ** | |
| Putnam County | 60,057 | 20.4 | 12,252 | 21.7 | 13,032 |
| Florida | 15,464,721 | 19.2 | 2,969,226 | 24.2 | 3,742,462 |

* Based on the 2004 Florida Health Insurance Study.

** Based on the 2007 U.S. Census Bureau Small Area Health Insurance Study.

Source: Agency for Health Care Administration, Florida Health Insurance Study, 2004; U.S. Census Bureau, Small Area Health Insurance Estimates, State and County by Demographic and Income Characteristics, 2007 table generated by WellFlorida; <http://www.census.gov/did/www/sahie/index.html>; (3 November, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 25. Estimated Number of Uninsured Non Elderly Population by Zip Code, Putnam County and Florida, 2010.

| Area | Total Population 0 - 64 Years of Age | Percent | Estimated Number |
|---------------------|---|-----------|---------------------|
| | | Uninsured | |
| 32112 Crescent City | 5,957 | 22.9 | 1,364 |
| 32131 East Palatka | 4,482 | 20.2 | 905 |
| 32139 Georgetown | 600 | 21.5 | 129 |
| 32140 Florahome | 1,346 | 19.3 | 260 |
| 32148 Interlachen | 10,988 | 20.2 | 2,220 |
| 32177 Palatka | 21,697 | 20.5 | 4,448 |
| 32181 Pomona Park | 1,769 | 20.1 | 356 |
| 32187 San Mateo | 1,207 | 20.0 | 241 |
| 32189 Satsuma | 4,106 | 19.0 | 780 |
| 32193 Welaka | 644 | NA | --- |
| 32666 Melrose | 4,259 | 19.2 | 818 |
| Zip Code Total | 57,055 | 20.2 | 11,521 |
| Putnam County | 60,057 | 20.4 | 12,252 |
| Florida | 15,464,721 | 19.2 | 2,969,226 |

NA: No data was available for this zip code when the study was completed.

Source: Agency for Health Care Administration, Florida Health Insurance Study, 2004; ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Table 26. Number and Percent Uninsured by Age Groups for All Income Levels, Putnam County and Florida, 2007.

| Area | Number of Uninsured | MOE ¹ For Number Uninsured | Number in Demographic Group ² for All Income Levels | Percent Uninsured in Demographic Group ² for All Income Levels | MOE ¹ for Percent Uninsured in Demographic Group for All Income Levels |
|--|---------------------|---------------------------------------|--|---|---|
| Under 65 years of age, All Income Levels | | | | | |
| Putnam County | 12,572 | 1,445 | 57,988 | 21.7 | 2.5 |
| Florida | 3,615,358 | 96,020 | 14,921,470 | 24.2 | 0.6 |
| 18 - 64 years of age, All Income Levels | | | | | |
| Putnam County | 10,586 | 1,353 | 41,393 | 25.6 | 3.3 |
| Florida | 2,925,739 | 83,638 | 10,909,695 | 26.8 | 0.8 |
| 40 - 64 years of age, All Income Levels | | | | | |
| Putnam County | 5,248 | 968 | 23,362 | 22.5 | 4.1 |
| Florida | 1,300,836 | 47,803 | 5,961,875 | 21.8 | 0.8 |
| Under 19 years of age, All Income Levels | | | | | |
| Putnam County | 2,173 | 553 | 17,498 | 12.4 | 3.2 |
| Florida | 750,257 | 70,705 | 4,238,135 | 17.7 | 1.7 |

¹ A margin of error (MOE) is the difference between an estimate and its upper or lower confidence bounds. Confidence bounds can be created by adding a margin of error to the estimate (for an upper bound) and subtracting the margin of error from the estimate (for a lower bound). All published margins of error for the Small Area Health Insurance Estimates program are based on a 90 percent confidence level.

² The number in a demographic group is the number of people in the poverty universe in that age, sex, and race/Hispanic origin group.

Source: U.S. Census Bureau, Small Area Health Insurance Estimates, State and County by Demographic and Income Characteristics, 2007 table generated by WellFlorida; <http://www.census.gov/did/www/sahie/index.html>; (3 November, 2010); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2010.

Mortality Data Tables

Table 27. Top 11 Causes of Deaths Rates for All Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 1999 | | | | | | |
| All Causes | 890 | 1,270.9 | 1,060.9 | 162,122 | 1,034.0 | 810.2 |
| Cancer (2) | 186 | 265.6 | 202.0 | 38,182 | 243.5 | 190.1 |
| Heart Disease (1) | 248 | 354.1 | 288.2 | 51,124 | 326.1 | 247.2 |
| CLRD (3) | 59 | 84.3 | 68.0 | 9,146 | 58.3 | 43.4 |
| Unintentional Injuries (4) | 45 | 64.3 | 62.6 | 5,994 | 38.2 | 36.1 |
| MV Crashes | 16 | 22.8 | 23.4 | 2,288 | 14.6 | 14.3 |
| Diabetes (6) | 33 | 47.1 | 36.9 | 4,414 | 28.2 | 21.9 |
| Stroke (5) | 49 | 70.0 | 60.3 | 10,512 | 67.0 | 50.5 |
| Alzheimer's Disease (7) | 18 | 25.7 | 22.8 | 3,057 | 19.5 | 14.3 |
| Nephritis (8) | 10 | 14.3 | 12.1 | 1,678 | 10.7 | 7.5 |
| Influenza & Pneumonia (11) | 19 | 27.1 | 22.8 | 3,323 | 21.2 | 16.1 |
| Hypertension (13) | 9 | 12.9 | 11.5 | 1,213 | 7.7 | 5.9 |
| Liver Disease (10) | 10 | 14.3 | 12.4 | 1,991 | 12.7 | 11.1 |
| 2000 | | | | | | |
| All Causes | 909 | 1,288.8 | 1,060.6 | 162,839 | 1,013.0 | 795.1 |
| Cancer (2) | 234 | 331.8 | 256.4 | 38,622 | 240.3 | 187.8 |
| Heart Disease (1) | 244 | 345.9 | 287.3 | 50,016 | 311.1 | 235.9 |
| CLRD (3) | 56 | 79.4 | 62.5 | 8,605 | 53.5 | 39.9 |
| Unintentional Injuries (4) | 43 | 61.0 | 60.4 | 6,388 | 39.7 | 37.8 |
| MV Crashes | 27 | 38.3 | 37.3 | 2,669 | 16.6 | 16.4 |
| Diabetes (6) | 30 | 42.5 | 33.5 | 4,463 | 27.8 | 21.5 |
| Stroke (5) | 54 | 76.6 | 62.8 | 10,381 | 64.6 | 48.6 |
| Alzheimer's Disease (7) | 21 | 29.8 | 26.5 | 3,257 | 20.3 | 14.8 |
| Nephritis (8) | 18 | 25.5 | 20.2 | 1,896 | 11.8 | 8.5 |
| Influenza & Pneumonia (11) | 16 | 22.7 | 20.5 | 3,336 | 20.8 | 15.7 |
| Hypertension (13) | 11 | 15.6 | 11.3 | 1,293 | 8.0 | 6.1 |
| Liver Disease (10) | 7 | 9.9 | 7.3 | 2,060 | 12.8 | 11.2 |

Rankings are based on the 2008 year total deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 27 Cont. Top 11 Causes of Deaths Rates for All Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2001 | | | | | | |
| All Causes | 888 | 1,252.0 | 1,000.0 | 167,181 | 1,018.6 | 796.4 |
| Cancer (2) | 224 | 315.8 | 230.8 | 38,835 | 236.6 | 184.0 |
| Heart Disease (1) | 217 | 305.9 | 246.0 | 50,329 | 306.7 | 231.4 |
| CLRD (3) | 55 | 77.5 | 58.1 | 8,916 | 54.3 | 40.5 |
| Unintentional Injuries (4) | 38 | 53.6 | 52.5 | 6,872 | 41.9 | 39.8 |
| MV Crashes | 23 | 32.4 | 33.4 | 3,016 | 18.4 | 18.1 |
| Diabetes (6) | 37 | 52.2 | 37.6 | 4,583 | 27.9 | 21.6 |
| Stroke (5) | 54 | 76.1 | 62.7 | 10,376 | 63.2 | 47.4 |
| Alzheimer's Disease (7) | 15 | 21.1 | 17.3 | 3,632 | 22.1 | 16.1 |
| Nephritis (8) | 14 | 19.7 | 15.9 | 2,279 | 13.9 | 10.1 |
| Influenza & Pneumonia (11) | 12 | 16.9 | 14.7 | 3,290 | 20.0 | 15.1 |
| Hypertension (13) | 4 | 5.6 | 3.6 | 1,253 | 7.6 | 5.8 |
| Liver Disease (10) | 14 | 19.7 | 17.0 | 2,002 | 12.2 | 10.6 |
| 2002 | | | | | | |
| All Causes | 904 | 1,264.7 | 1,004.8 | 167,702 | 999.9 | 766.2 |
| Cancer (2) | 240 | 335.8 | 249.5 | 38,928 | 232.1 | 177.0 |
| Heart Disease (1) | 208 | 291.0 | 231.6 | 49,062 | 292.5 | 215.1 |
| CLRD (3) | 43 | 60.2 | 43.9 | 9,045 | 53.9 | 39.1 |
| Unintentional Injuries (4) | 46 | 64.4 | 65.8 | 7,361 | 43.9 | 41.4 |
| MV Crashes | 28 | 39.2 | 42.9 | 3,179 | 19.0 | 18.6 |
| Diabetes (6) | 38 | 53.2 | 40.6 | 4,574 | 27.3 | 20.7 |
| Stroke (5) | 48 | 67.2 | 51.9 | 10,243 | 61.1 | 44.6 |
| Alzheimer's Disease (7) | 20 | 28.0 | 22.8 | 4,046 | 24.1 | 17.0 |
| Nephritis (8) | 17 | 23.8 | 17.1 | 2,224 | 13.3 | 9.4 |
| Influenza & Pneumonia (11) | 19 | 26.6 | 21.2 | 3,271 | 19.5 | 14.3 |
| Hypertension (13) | 6 | 8.4 | 6.5 | 1,445 | 8.6 | 6.3 |
| Liver Disease (10) | 11 | 15.4 | 13.4 | 2,146 | 12.8 | 11.0 |

Rankings are based on the 2008 year total deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 27 Cont. Top 11 Causes of Deaths Rates for All Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2003 | | | | | | |
| All Causes | 880 | 1,220.3 | 981.1 | 168,459 | 981.5 | 757.7 |
| Cancer (2) | 225 | 312.0 | 235.0 | 39,238 | 228.6 | 175.4 |
| Heart Disease (1) | 189 | 262.1 | 205.8 | 48,129 | 280.4 | 208.0 |
| CLRD (3) | 66 | 91.5 | 69.3 | 9,030 | 52.6 | 38.5 |
| Unintentional Injuries (4) | 37 | 51.3 | 51.0 | 7,901 | 46.0 | 43.5 |
| MV Crashes | 22 | 30.5 | 31.6 | 3,237 | 18.9 | 18.6 |
| Diabetes (6) | 35 | 48.5 | 36.4 | 4,754 | 27.7 | 21.2 |
| Stroke (5) | 42 | 58.2 | 47.3 | 9,873 | 57.5 | 42.4 |
| Alzheimer's Disease (7) | 19 | 26.3 | 21.3 | 4,311 | 25.1 | 17.9 |
| Nephritis (8) | 16 | 22.2 | 15.9 | 2,290 | 13.3 | 9.5 |
| Influenza & Pneumonia (11) | 13 | 18.0 | 13.1 | 2,985 | 17.4 | 12.9 |
| Hypertension (13) | 9 | 12.5 | 9.0 | 1,556 | 9.1 | 6.7 |
| Liver Disease (10) | 9 | 12.5 | 11.0 | 2,238 | 13.0 | 11.1 |
| 2004 | | | | | | |
| All Causes | 937 | 1,276.0 | 994.7 | 168,364 | 955.9 | 723.4 |
| Cancer (2) | 239 | 325.5 | 239.9 | 39,502 | 224.3 | 171.6 |
| Heart Disease (1) | 209 | 284.6 | 212.7 | 46,839 | 265.9 | 191.1 |
| CLRD (3) | 64 | 87.2 | 64.8 | 8,931 | 50.7 | 36.8 |
| Unintentional Injuries (4) | 41 | 55.8 | 56.8 | 8,176 | 46.4 | 43.4 |
| MV Crashes | 16 | 21.8 | 22.9 | 3,282 | 18.6 | 18.3 |
| Diabetes (6) | 53 | 72.2 | 54.0 | 4,790 | 27.2 | 20.7 |
| Stroke (5) | 37 | 50.4 | 38.2 | 9,661 | 54.9 | 39.2 |
| Alzheimer's Disease (7) | 20 | 27.2 | 20.6 | 4,294 | 24.4 | 16.3 |
| Nephritis (8) | 22 | 30.0 | 23.2 | 2,238 | 12.7 | 9.2 |
| Influenza & Pneumonia (11) | 19 | 25.9 | 19.9 | 3,025 | 17.2 | 12.3 |
| Hypertension (13) | 6 | 8.2 | 6.3 | 1,696 | 9.6 | 6.9 |
| Liver Disease (10) | 17 | 23.1 | 18.8 | 2,077 | 11.8 | 10.0 |

Rankings are based on the 2008 year total deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 27 Cont. Top 11 Causes of Deaths Rates for All Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2005 | | | | | | |
| All Causes | 901 | 1,219.3 | 952.1 | 170,300 | 945.1 | 723.7 |
| Cancer (2) | 201 | 272.0 | 198.7 | 40,321 | 223.8 | 172.1 |
| Heart Disease (1) | 195 | 263.9 | 202.9 | 45,992 | 255.2 | 186.2 |
| CLRD (3) | 66 | 89.3 | 64.0 | 9,454 | 52.5 | 38.3 |
| Unintentional Injuries (4) | 42 | 56.8 | 56.5 | 8,744 | 48.5 | 45.6 |
| MV Crashes | 25 | 33.8 | 34.8 | 3,491 | 19.4 | 19.2 |
| Diabetes (6) | 46 | 62.2 | 45.8 | 5,181 | 28.8 | 21.9 |
| Stroke (5) | 42 | 56.8 | 42.1 | 9,321 | 51.7 | 37.6 |
| Alzheimer's Disease (7) | 24 | 32.5 | 25.5 | 4,600 | 25.5 | 17.5 |
| Nephritis (8) | 19 | 25.7 | 19.6 | 2,386 | 13.2 | 9.7 |
| Influenza & Pneumonia (11) | 21 | 28.4 | 21.7 | 2,787 | 15.5 | 11.3 |
| Hypertension (13) | 12 | 16.2 | 13.4 | 1,807 | 10.0 | 7.3 |
| Liver Disease (10) | 21 | 28.4 | 21.1 | 2,134 | 11.8 | 10.0 |
| 2006 | | | | | | |
| All Causes | 918 | 1,231.4 | 939.5 | 169,365 | 918.4 | 695.3 |
| Cancer (2) | 257 | 344.7 | 252.5 | 40,081 | 217.4 | 165.2 |
| Heart Disease (1) | 170 | 228.0 | 171.8 | 43,968 | 238.4 | 171.4 |
| CLRD (3) | 68 | 91.2 | 65.8 | 8,869 | 48.1 | 34.8 |
| Unintentional Injuries (4) | 44 | 59.0 | 58.3 | 8,837 | 47.9 | 45.0 |
| MV Crashes | 20 | 26.8 | 27.5 | 3,418 | 18.5 | 18.4 |
| Diabetes (6) | 39 | 52.3 | 40.4 | 5,137 | 27.9 | 20.9 |
| Stroke (5) | 47 | 63.0 | 46.8 | 8,864 | 48.1 | 34.5 |
| Alzheimer's Disease (7) | 23 | 30.9 | 22.4 | 4,679 | 25.4 | 17.0 |
| Nephritis (8) | 23 | 30.9 | 22.5 | 2,587 | 14.0 | 10.2 |
| Influenza & Pneumonia (11) | 11 | 14.8 | 11.2 | 2,424 | 13.1 | 9.5 |
| Hypertension (13) | 14 | 18.8 | 14.7 | 1,826 | 9.9 | 7.1 |
| Liver Disease (10) | 10 | 13.4 | 10.1 | 2,183 | 11.8 | 10.0 |

Rankings are based on the 2008 year total deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 27 Cont. Top 11 Causes of Deaths Rates for All Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2007 | | | | | | |
| All Causes | 937 | 1,252.4 | 954.7 | 167,708 | 895.3 | 676.0 |
| Cancer (2) | 209 | 279.4 | 197.8 | 39,790 | 212.4 | 160.8 |
| Heart Disease (1) | 193 | 258.0 | 190.5 | 41,956 | 224.0 | 160.7 |
| CLRD (3) | 73 | 97.6 | 69.6 | 9,317 | 49.7 | 35.8 |
| Unintentional Injuries (4) | 54 | 72.2 | 68.0 | 9,020 | 48.2 | 45.3 |
| MV Crashes | 26 | 34.8 | 35.1 | 3,291 | 17.6 | 17.5 |
| Diabetes (6) | 49 | 65.5 | 48.4 | 5,092 | 27.2 | 20.5 |
| Stroke (5) | 48 | 64.2 | 48.8 | 8,715 | 46.5 | 33.3 |
| Alzheimer's Disease (7) | 16 | 21.4 | 15.7 | 4,632 | 24.7 | 16.5 |
| Nephritis (8) | 16 | 21.4 | 16.2 | 2,906 | 15.5 | 11.2 |
| Influenza & Pneumonia (11) | 11 | 14.7 | 11.3 | 2,221 | 11.9 | 8.5 |
| Hypertension (13) | 15 | 20.0 | 16.3 | 1,712 | 9.1 | 6.5 |
| Liver Disease (10) | 13 | 17.4 | 11.9 | 2,244 | 12.0 | 10.0 |
| 2008 | | | | | | |
| All Causes | 883 | 1,178.0 | 866.7 | 170,473 | 906.2 | 668.8 |
| Cancer (2) | 219 | 292.2 | 204.6 | 40,549 | 215.5 | 161.2 |
| Heart Disease (1) | 165 | 220.1 | 152.5 | 41,931 | 222.9 | 155.0 |
| CLRD (3) | 78 | 104.1 | 72.0 | 10,154 | 54.0 | 38.0 |
| Unintentional Injuries (4) | 51 | 68.0 | 65.5 | 8,918 | 47.4 | 44.2 |
| MV Crashes | 26 | 34.7 | 37.4 | 3,028 | 16.1 | 15.9 |
| Diabetes (6) | 46 | 61.4 | 43.6 | 5,154 | 27.4 | 20.3 |
| Stroke (5) | 39 | 52.0 | 37.1 | 8,472 | 45.0 | 31.3 |
| Alzheimer's Disease (7) | 18 | 24.0 | 16.7 | 4,724 | 25.1 | 15.9 |
| Nephritis (8) | 15 | 20.0 | 15.0 | 2,935 | 15.6 | 11.1 |
| Influenza & Pneumonia (11) | 13 | 17.3 | 13.9 | 2,288 | 12.2 | 8.5 |
| Hypertension (13) | 12 | 16.0 | 13.0 | 1,833 | 9.7 | 6.8 |
| Liver Disease (10) | 12 | 16.0 | 11.5 | 2,323 | 12.3 | 10.3 |

Rankings are based on the 2008 year total deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 28. Top 10 Causes of Deaths Rates for White races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 1999 | | | | | | |
| All Causes | 726 | 1,270.1 | 996.0 | 144,303 | 1,118.3 | 782.8 |
| Cancer (2) | 156 | 272.9 | 194.3 | 34,563 | 267.9 | 187.9 |
| Heart Disease (1) | 211 | 369.1 | 276.8 | 46,443 | 359.9 | 241.3 |
| CLRD (3) | 53 | 92.7 | 68.1 | 8,641 | 67.0 | 44.1 |
| Unintentional Injuries (4) | 36 | 63.0 | 62.7 | 5,071 | 39.3 | 36.1 |
| MV Crashes | 14 | 24.5 | 25.0 | 1,882 | 14.6 | 14.2 |
| Diabetes (7) | 26 | 45.5 | 33.1 | 3,606 | 27.9 | 19.4 |
| Stroke (5) | 38 | 66.5 | 55.7 | 9,249 | 71.7 | 47.5 |
| Alzheimer's Disease (6) | 17 | 29.7 | 24.5 | 2,920 | 22.6 | 14.5 |
| Nephritis (9) | 6 | 10.5 | 8.7 | 1,281 | 9.9 | 6.6 |
| Influenza & Pneumonia (11) | 16 | 28.0 | 22.1 | 3,034 | 23.5 | 15.7 |
| Suicide (8) | 15 | 26.2 | 27.0 | 1,948 | 15.1 | 14.0 |
| 2000 | | | | | | |
| All Causes | 764 | 1,327.0 | 1,017.1 | 144,774 | 1,096.7 | 769.5 |
| Cancer (2) | 198 | 344.2 | 244.8 | 34,839 | 263.9 | 185.3 |
| Heart Disease (1) | 213 | 370.2 | 285.4 | 45,468 | 344.4 | 230.9 |
| CLRD (3) | 51 | 88.6 | 64.3 | 8,145 | 61.7 | 40.7 |
| Unintentional Injuries (4) | 37 | 64.3 | 62.5 | 5,479 | 41.5 | 38.5 |
| MV Crashes | 22 | 38.2 | 36.2 | 2,217 | 16.8 | 16.5 |
| Diabetes (7) | 21 | 36.5 | 28.0 | 3,653 | 27.7 | 19.2 |
| Stroke (5) | 48 | 83.4 | 64.6 | 9,182 | 69.6 | 46.1 |
| Alzheimer's Disease (6) | 18 | 31.3 | 25.4 | 3,088 | 23.4 | 15.0 |
| Nephritis (9) | 13 | 22.6 | 16.6 | 1,511 | 11.4 | 7.6 |
| Influenza & Pneumonia (11) | 14 | 24.3 | 21.2 | 3,026 | 22.9 | 15.3 |
| Suicide (8) | 13 | 22.6 | 21.7 | 1,975 | 15.0 | 13.8 |

Rankings are based on the 2008 year total White deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 28 Cont. Top 10 Causes of Deaths Rates for White Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2001 | | | | | | |
| All Causes | 752 | 1,299.2 | 969.1 | 148,714 | 1,105.8 | 773.4 |
| Cancer (2) | 196 | 338.6 | 229.6 | 35,174 | 261.5 | 182.9 |
| Heart Disease (1) | 183 | 316.2 | 236.1 | 45,342 | 337.2 | 224.7 |
| CLRD (3) | 53 | 91.6 | 63.7 | 8,413 | 62.6 | 41.3 |
| Unintentional Injuries (4) | 32 | 55.3 | 53.3 | 5,988 | 44.5 | 41.5 |
| MV Crashes | 20 | 34.6 | 35.3 | 2,539 | 18.9 | 18.6 |
| Diabetes (7) | 30 | 51.8 | 34.6 | 3,736 | 27.8 | 19.1 |
| Stroke (5) | 46 | 79.5 | 61.5 | 9,086 | 67.6 | 44.5 |
| Alzheimer's Disease (6) | 15 | 25.9 | 19.8 | 3,490 | 26.0 | 16.5 |
| Nephritis (9) | 9 | 15.5 | 10.4 | 1,831 | 13.6 | 9.1 |
| Influenza & Pneumonia (11) | 10 | 17.3 | 13.5 | 2,962 | 22.0 | 14.6 |
| Suicide (8) | 13 | 22.5 | 17.7 | 2,149 | 16.0 | 14.9 |
| 2002 | | | | | | |
| All Causes | 778 | 1,332.3 | 993.4 | 148,945 | 1,085.0 | 743.5 |
| Cancer (2) | 202 | 345.9 | 239.2 | 35,147 | 256.0 | 175.6 |
| Heart Disease (1) | 177 | 303.1 | 223.9 | 44,324 | 322.9 | 209.7 |
| CLRD (3) | 40 | 68.5 | 46.6 | 8,546 | 62.3 | 39.9 |
| Unintentional Injuries (4) | 40 | 68.5 | 68.7 | 6,425 | 46.8 | 43.3 |
| MV Crashes | 25 | 42.8 | 46.5 | 2,676 | 19.5 | 19.2 |
| Diabetes (7) | 35 | 59.9 | 43.1 | 3,720 | 27.1 | 18.4 |
| Stroke (5) | 39 | 66.8 | 48.8 | 8,921 | 65.0 | 41.7 |
| Alzheimer's Disease (6) | 17 | 29.1 | 22.1 | 3,825 | 27.9 | 17.1 |
| Nephritis (9) | 16 | 27.4 | 18.3 | 1,761 | 12.8 | 8.3 |
| Influenza & Pneumonia (11) | 18 | 30.8 | 23.3 | 2,948 | 21.5 | 13.9 |
| Suicide (8) | 11 | 18.8 | 19.2 | 2,205 | 16.1 | 14.9 |

Rankings are based on the 2008 year total White deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 28 Cont. Top 10 Causes of Deaths Rates for White Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2003 | | | | | | |
| All Causes | 751 | 1,275.2 | 964.9 | 149,523 | 1,064.0 | 735.3 |
| Cancer (2) | 193 | 327.7 | 231.2 | 35,326 | 251.4 | 173.6 |
| Heart Disease (1) | 170 | 288.6 | 211.6 | 43,480 | 309.4 | 202.9 |
| CLRD (3) | 63 | 107.0 | 75.2 | 8,554 | 60.9 | 39.5 |
| Unintentional Injuries (4) | 35 | 59.4 | 59.0 | 6,945 | 49.4 | 45.7 |
| MV Crashes | 21 | 35.7 | 37.8 | 2,726 | 19.4 | 19.2 |
| Diabetes (7) | 27 | 45.8 | 31.6 | 3,842 | 27.3 | 18.7 |
| Stroke (5) | 29 | 49.2 | 36.1 | 8,533 | 60.7 | 39.2 |
| Alzheimer's Disease (6) | 18 | 30.6 | 23.4 | 4,090 | 29.1 | 18.1 |
| Nephritis (9) | 11 | 18.7 | 14.3 | 1,804 | 12.8 | 8.3 |
| Influenza & Pneumonia (11) | 9 | 15.3 | 11.4 | 2,687 | 19.1 | 12.5 |
| Suicide (8) | 7 | 11.9 | 11.0 | 2,152 | 16.3 | 15.2 |
| 2004 | | | | | | |
| All Causes | 816 | 1,358.9 | 986.7 | 149,215 | 1,036.9 | 701.9 |
| Cancer (2) | 212 | 353.1 | 241.0 | 35,462 | 246.4 | 169.7 |
| Heart Disease (1) | 191 | 318.1 | 220.7 | 42,289 | 293.9 | 186.3 |
| CLRD (3) | 56 | 93.3 | 64.9 | 8,492 | 59.0 | 38.0 |
| Unintentional Injuries (4) | 35 | 58.3 | 59.9 | 7,142 | 49.6 | 45.3 |
| MV Crashes | 13 | 21.6 | 23.1 | 2,742 | 19.1 | 18.7 |
| Diabetes (7) | 45 | 74.9 | 50.9 | 3,844 | 26.7 | 18.1 |
| Stroke (5) | 33 | 55.0 | 38.4 | 8,397 | 58.4 | 36.6 |
| Alzheimer's Disease (6) | 20 | 33.3 | 23.3 | 4,070 | 28.3 | 16.5 |
| Nephritis (9) | 13 | 21.6 | 15.1 | 1,847 | 12.8 | 8.1 |
| Influenza & Pneumonia (11) | 17 | 28.3 | 20.7 | 2,731 | 19.0 | 12.0 |
| Suicide (8) | 16 | 26.6 | 25.7 | 2,246 | 15.6 | 14.5 |

Rankings are based on the 2008 year total White deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 28 Cont. Top 10 Causes of Deaths Rates for White Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2005 | | | | | | |
| All Causes | 748 | 1,237.0 | 910.8 | 150,102 | 1,029.4 | 703.0 |
| Cancer (2) | 170 | 281.1 | 189.0 | 36,018 | 247.0 | 170.5 |
| Heart Disease (1) | 164 | 271.2 | 195.1 | 41,353 | 283.6 | 181.8 |
| CLRD (3) | 54 | 89.3 | 59.2 | 8,919 | 61.2 | 39.5 |
| Unintentional Injuries (4) | 36 | 59.5 | 60.8 | 7,650 | 52.5 | 48.3 |
| MV Crashes | 21 | 34.7 | 38.7 | 2,915 | 20.0 | 20.0 |
| Diabetes (7) | 38 | 62.8 | 42.6 | 4,193 | 24.8 | 15.5 |
| Stroke (5) | 29 | 48.0 | 33.8 | 7,959 | 54.6 | 34.6 |
| Alzheimer's Disease (6) | 21 | 34.7 | 25.2 | 4,334 | 29.7 | 17.7 |
| Nephritis (9) | 14 | 23.2 | 16.9 | 1,960 | 13.4 | 8.6 |
| Influenza & Pneumonia (11) | 18 | 29.8 | 21.3 | 2,489 | 17.1 | 11.0 |
| Suicide (8) | 19 | 31.4 | 33.2 | 2,140 | 14.7 | 13.6 |
| 2006 | | | | | | |
| All Causes | 791 | 1,298.9 | 922.4 | 148,994 | 999.3 | 675.5 |
| Cancer (2) | 225 | 369.5 | 249.4 | 35,861 | 240.5 | 164.2 |
| Heart Disease (1) | 155 | 254.5 | 176.5 | 39,471 | 264.7 | 167.3 |
| CLRD (3) | 62 | 101.8 | 67.6 | 8,379 | 56.2 | 35.9 |
| Unintentional Injuries (4) | 36 | 59.1 | 59.8 | 7,689 | 51.6 | 47.6 |
| MV Crashes | 18 | 29.6 | 31.5 | 2,813 | 18.9 | 18.8 |
| Diabetes (7) | 35 | 57.5 | 40.7 | 4,138 | 24.8 | 15.6 |
| Stroke (5) | 38 | 62.4 | 42.8 | 7,489 | 50.2 | 31.5 |
| Alzheimer's Disease (6) | 19 | 31.2 | 20.6 | 4,387 | 29.4 | 17.1 |
| Nephritis (9) | 16 | 26.3 | 17.7 | 2,106 | 14.1 | 9.0 |
| Influenza & Pneumonia (11) | 8 | 13.1 | 9.2 | 2,158 | 14.5 | 9.2 |
| Suicide (8) | 13 | 21.3 | 18.5 | 2,262 | 16.2 | 14.9 |

Rankings are based on the 2008 year total White deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 28 Cont. Top 10 Causes of Deaths Rates for White Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2007 | | | | | | |
| All Causes | 802 | 1,309.0 | 926.7 | 147,305 | 976.1 | 657.8 |
| Cancer (2) | 181 | 295.4 | 194.1 | 35,448 | 234.9 | 159.7 |
| Heart Disease (1) | 167 | 272.6 | 183.3 | 37,435 | 248.0 | 156.3 |
| CLRD (3) | 63 | 102.8 | 68.1 | 8,812 | 58.4 | 37.1 |
| Unintentional Injuries (4) | 48 | 78.3 | 73.7 | 7,893 | 52.3 | 48.3 |
| MV Crashes | 22 | 35.9 | 36.7 | 2,746 | 18.2 | 18.3 |
| Diabetes (7) | 42 | 68.5 | 48.1 | 4,065 | 26.9 | 18.1 |
| Stroke (5) | 38 | 62.0 | 43.6 | 7,433 | 49.3 | 30.7 |
| Alzheimer's Disease (6) | 15 | 24.5 | 16.6 | 4,359 | 28.9 | 16.7 |
| Nephritis (9) | 11 | 18.0 | 12.1 | 2,379 | 15.8 | 10.0 |
| Influenza & Pneumonia (11) | 11 | 18.0 | 13.1 | 1,959 | 13.0 | 8.1 |
| Suicide (8) | 20 | 32.6 | 29.8 | 2,384 | 15.8 | 14.6 |
| 2008 | | | | | | |
| All Causes | 766 | 1,246.3 | 836.6 | 149,966 | 988.2 | 652.1 |
| Cancer (2) | 197 | 320.5 | 205.2 | 36,031 | 237.4 | 159.8 |
| Heart Disease (1) | 146 | 237.5 | 150.5 | 37,427 | 246.6 | 151.0 |
| CLRD (3) | 78 | 126.9 | 80.9 | 9,565 | 63.0 | 39.3 |
| Unintentional Injuries (4) | 39 | 63.5 | 59.0 | 7,845 | 51.7 | 47.2 |
| MV Crashes | 18 | 29.3 | 31.6 | 2,537 | 16.7 | 16.6 |
| Diabetes (7) | 38 | 61.8 | 39.9 | 4,135 | 27.2 | 18.0 |
| Stroke (5) | 30 | 48.8 | 30.9 | 7,253 | 47.8 | 29.1 |
| Alzheimer's Disease (6) | 16 | 26.0 | 16.7 | 4,448 | 29.3 | 16.1 |
| Nephritis (9) | 13 | 21.2 | 13.8 | 2,373 | 15.6 | 9.8 |
| Influenza & Pneumonia (11) | 10 | 16.3 | 11.5 | 2,032 | 13.4 | 8.2 |
| Suicide (8) | 10 | 16.3 | 14.6 | 2,556 | 16.8 | 15.6 |

Rankings are based on the 2008 year total White deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 29. Top 10 Causes of Deaths Rates for Black Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 1999 | | | | | | |
| All Causes | 161 | 1,317.6 | 1,550.0 | 17,015 | 705.4 | 1,098.8 |
| Cancer (2) | 30 | 245.5 | 291.4 | 3,450 | 143.0 | 228.5 |
| Heart Disease (1) | 37 | 302.8 | 366.4 | 4,491 | 186.2 | 321.4 |
| Unintentional Injuries (5) | 8 | 65.5 | 66.0 | 868 | 36.0 | 41.5 |
| MV Crashes | 2 | 16.4 | 13.0 | 376 | 15.6 | 16.8 |
| Stroke (3) | 11 | 90.0 | 106.5 | 1,214 | 50.3 | 89.2 |
| Diabetes (4) | 7 | 57.3 | 68.6 | 785 | 32.5 | 53.8 |
| HIV (6) | 4 | 32.7 | 37.5 | 961 | 39.8 | 43.8 |
| Hypertension (11) | 5 | 40.9 | 48.8 | 242 | 10.0 | 17.4 |
| Influenza & Pneumonia (14) | 3 | 24.6 | 30.5 | 278 | 11.5 | 19.3 |
| Liver Disease (15) | - | - | - | 190 | 7.9 | 10.9 |
| Homicide (7) | 3 | 24.6 | 28.8 | 388 | 16.1 | 15.2 |
| 2000 | | | | | | |
| All Causes | 139 | 1,137.4 | 1,355.5 | 17,077 | 686.5 | 1,065.6 |
| Cancer (2) | 36 | 294.6 | 358.2 | 3,545 | 142.5 | 226.8 |
| Heart Disease (1) | 30 | 245.5 | 297.4 | 4,316 | 173.5 | 298.5 |
| Unintentional Injuries (5) | 6 | 49.1 | 53.6 | 836 | 33.6 | 37.3 |
| MV Crashes | 5 | 40.9 | 44.2 | 410 | 16.5 | 17.0 |
| Stroke (3) | 5 | 40.9 | 51.1 | 1,144 | 46.0 | 81.6 |
| Diabetes (4) | 9 | 73.6 | 87.9 | 777 | 31.2 | 52.1 |
| HIV (6) | 3 | 24.5 | 28.5 | 1,060 | 42.6 | 46.5 |
| Hypertension (11) | 5 | 40.9 | 47.6 | 243 | 9.8 | 16.6 |
| Influenza & Pneumonia (14) | 2 | 16.4 | 20.0 | 288 | 11.6 | 20.4 |
| Liver Disease (15) | - | - | - | 163 | 6.6 | 8.8 |
| Homicide (7) | 4 | 32.7 | 32.1 | 433 | 17.4 | 17.0 |

Rankings are based on the 2008 year total Black deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 29 Cont. Top 10 Causes of Deaths Rates for Black Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2001 | | | | | | |
| All Causes | 135 | 1,100.7 | 1,288.7 | 17,644 | 688.8 | 1,066.4 |
| Cancer (2) | 28 | 228.3 | 268.2 | 3,472 | 135.5 | 211.9 |
| Heart Disease (1) | 33 | 269.1 | 324.5 | 4,787 | 186.9 | 319.5 |
| Unintentional Injuries (5) | 6 | 48.9 | 45.7 | 812 | 31.7 | 35.3 |
| MV Crashes | 3 | 24.5 | 19.2 | 436 | 17.0 | 17.8 |
| Stroke (3) | 8 | 65.2 | 78.5 | 1,234 | 48.2 | 84.5 |
| Diabetes (4) | 7 | 57.1 | 67.7 | 809 | 31.6 | 51.7 |
| HIV (6) | 2 | 16.3 | 19.1 | 1,014 | 39.6 | 43.5 |
| Hypertension (11) | 1 | 8.2 | 8.9 | 233 | 9.1 | 15.8 |
| Influenza & Pneumonia (14) | 2 | 16.3 | 17.4 | 315 | 12.3 | 20.9 |
| Liver Disease (15) | 1 | 8.2 | 9.5 | 154 | 6.0 | 8.1 |
| Homicide (7) | 2 | 16.3 | 17.2 | 388 | 15.1 | 14.5 |
| 2002 | | | | | | |
| All Causes | 126 | 1,025.5 | 1,165.7 | 17,833 | 679.0 | 1,015.7 |
| Cancer (2) | 38 | 309.3 | 353.4 | 3,561 | 135.6 | 207.2 |
| Heart Disease (1) | 31 | 252.3 | 290.4 | 4,541 | 172.9 | 284.3 |
| Unintentional Injuries (5) | 6 | 48.8 | 53.2 | 853 | 32.5 | 36.4 |
| MV Crashes | 3 | 24.4 | 26.4 | 458 | 17.4 | 18.5 |
| Stroke (3) | 9 | 73.2 | 84.7 | 1,249 | 47.6 | 80.2 |
| Diabetes (4) | 3 | 24.4 | 28.2 | 814 | 31.0 | 48.6 |
| HIV (6) | 3 | 24.4 | 27.5 | 1,106 | 42.1 | 45.7 |
| Hypertension (11) | 3 | 24.4 | 27.2 | 306 | 11.7 | 19.9 |
| Influenza & Pneumonia (14) | 1 | 8.1 | 9.8 | 305 | 11.6 | 19.1 |
| Liver Disease (15) | 2 | 16.3 | 18.6 | 155 | 5.9 | 7.5 |
| Homicide (7) | - | - | - | 455 | 17.3 | 16.3 |

Rankings are based on the 2008 year total Black deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 29 Cont. Top 10 Causes of Deaths Rates for Black Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2003 | | | | | | |
| All Causes | 127 | 1,022.8 | 1,144.5 | 17,920 | 667.7 | 999.8 |
| Cancer (2) | 31 | 249.7 | 287.5 | 3,688 | 137.4 | 210.7 |
| Heart Disease (1) | 19 | 153.0 | 178.2 | 4,414 | 164.5 | 272.4 |
| Unintentional Injuries (5) | 2 | 16.1 | 18.6 | 868 | 32.3 | 35.5 |
| MV Crashes | 1 | 8.1 | 8.8 | 469 | 17.5 | 18.7 |
| Stroke (3) | 13 | 104.7 | 122.6 | 1,239 | 46.2 | 77.5 |
| Diabetes (4) | 8 | 64.4 | 74.2 | 875 | 32.6 | 51.9 |
| HIV (6) | 3 | 24.2 | 26.7 | 1,061 | 39.5 | 43.5 |
| Hypertension (11) | 2 | 16.1 | 18.5 | 286 | 10.7 | 18.1 |
| Influenza & Pneumonia (14) | 4 | 32.2 | 29.1 | 283 | 10.5 | 16.6 |
| Liver Disease (15) | 1 | 8.1 | 9.9 | 176 | 6.6 | 8.3 |
| Homicide (7) | 1 | 8.1 | 7.0 | 464 | 17.3 | 16.2 |
| 2004 | | | | | | |
| All Causes | 119 | 948.1 | 1,070.4 | 18,059 | 650.9 | 943.1 |
| Cancer (2) | 27 | 215.1 | 249.4 | 3,763 | 135.6 | 200.1 |
| Heart Disease (1) | 17 | 135.4 | 156.4 | 4,312 | 155.4 | 245.8 |
| Unintentional Injuries (5) | 6 | 47.8 | 50.4 | 930 | 33.5 | 37.1 |
| MV Crashes | 3 | 23.9 | 26.6 | 489 | 17.6 | 18.3 |
| Stroke (3) | 4 | 31.9 | 36.7 | 1,191 | 42.9 | 68.7 |
| Diabetes (4) | 8 | 63.7 | 72.2 | 906 | 32.7 | 50.3 |
| HIV (6) | 2 | 15.9 | 19.3 | 1,054 | 38.0 | 41.6 |
| Hypertension (11) | - | - | - | 332 | 12.0 | 19.4 |
| Influenza & Pneumonia (14) | 2 | 15.9 | 18.1 | 278 | 10.0 | 15.9 |
| Liver Disease (15) | 4 | 31.9 | 36.8 | 139 | 5.0 | 6.3 |
| Homicide (7) | 2 | 15.9 | 15.1 | 479 | 17.3 | 16.3 |

Rankings are based on the 2008 year total Black deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 29 Cont. Top 10 Causes of Deaths Rates for Black Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2005 | | | | | | |
| All Causes | 150 | 1,196.3 | 1,382.2 | 18,004 | 610.4 | 889.5 |
| Cancer (2) | 30 | 239.3 | 279.7 | 3,743 | 126.9 | 185.9 |
| Heart Disease (1) | 30 | 239.3 | 283.5 | 4,183 | 141.8 | 224.6 |
| Unintentional Injuries (5) | 6 | 47.9 | 51.6 | 913 | 31.0 | 34.5 |
| MV Crashes | 4 | 31.9 | 34.5 | 475 | 16.1 | 16.7 |
| Stroke (3) | 13 | 103.7 | 121.5 | 1,217 | 41.3 | 67.5 |
| Diabetes (4) | 8 | 63.8 | 75.7 | 898 | 30.4 | 46.7 |
| HIV (6) | 1 | 8.0 | 8.4 | 997 | 33.8 | 36.6 |
| Hypertension (11) | 5 | 39.9 | 47.9 | 362 | 12.3 | 20.1 |
| Influenza & Pneumonia (14) | 3 | 23.9 | 29.1 | 272 | 9.2 | 14.4 |
| Liver Disease (15) | 2 | 16.0 | 19.2 | 141 | 4.8 | 5.8 |
| Homicide (7) | 2 | 16.0 | 15.1 | 460 | 15.6 | 14.5 |
| 2006 | | | | | | |
| All Causes | 120 | 942.9 | 1,070.8 | 18,314 | 605.7 | 856.4 |
| Cancer (2) | 29 | 227.9 | 264.3 | 3,741 | 123.7 | 176.6 |
| Heart Disease (1) | 14 | 110.0 | 130.5 | 4,052 | 134.0 | 206.6 |
| Unintentional Injuries (5) | 8 | 62.9 | 58.8 | 970 | 32.1 | 34.8 |
| MV Crashes | 2 | 15.7 | 14.6 | 510 | 16.9 | 17.3 |
| Stroke (3) | 9 | 70.7 | 81.8 | 1,231 | 40.7 | 63.6 |
| Diabetes (4) | 4 | 31.4 | 35.7 | 922 | 30.5 | 45.7 |
| HIV (6) | 1 | 7.9 | 8.4 | 1,077 | 35.6 | 38.9 |
| Hypertension (11) | 2 | 15.7 | 19.3 | 374 | 12.4 | 19.5 |
| Influenza & Pneumonia (14) | 3 | 23.6 | 25.5 | 237 | 7.8 | 12.1 |
| Liver Disease (15) | 1 | 7.9 | 8.4 | 129 | 4.3 | 5.0 |
| Homicide (7) | 1 | 7.9 | 8.4 | 539 | 17.8 | 16.5 |

Rankings are based on the 2008 year total Black deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 29 Cont. Top 10 Causes of Deaths Rates for Black Races, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|----------------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2007 | | | | | | |
| All Causes | 131 | 1,039.4 | 1,200.1 | 18,279 | 587.7 | 816.2 |
| Cancer (2) | 27 | 214.2 | 246.6 | 3,826 | 123.0 | 173.7 |
| Heart Disease (1) | 26 | 206.3 | 252.0 | 4,068 | 130.8 | 196.0 |
| Unintentional Injuries (5) | 5 | 39.7 | 40.1 | 954 | 30.7 | 33.2 |
| MV Crashes | 3 | 23.8 | 21.5 | 449 | 14.4 | 14.7 |
| Stroke (3) | 10 | 79.3 | 89.2 | 1,164 | 37.4 | 57.0 |
| Diabetes (4) | 7 | 55.5 | 62.1 | 931 | 29.9 | 43.5 |
| HIV (6) | 2 | 15.9 | 21.2 | 938 | 30.2 | 32.3 |
| Hypertension (11) | 6 | 47.6 | 60.3 | 335 | 10.8 | 16.6 |
| Influenza & Pneumonia (14) | - | - | - | 237 | 7.6 | 11.5 |
| Liver Disease (15) | 2 | 15.9 | 18.4 | 153 | 4.9 | 6.0 |
| Homicide (7) | 6 | 47.6 | 52.6 | 623 | 20.0 | 18.9 |
| 2008 | | | | | | |
| All Causes | 112 | 892.5 | 1,010.0 | 18,286 | 589.4 | 796.9 |
| Cancer (2) | 21 | 167.3 | 188.6 | 3,941 | 127.0 | 172.2 |
| Heart Disease (1) | 18 | 143.4 | 168.2 | 4,029 | 129.9 | 188.1 |
| Unintentional Injuries (5) | 12 | 95.6 | 98.8 | 894 | 28.8 | 31.0 |
| MV Crashes | 8 | 63.8 | 66.3 | 401 | 12.9 | 13.2 |
| Stroke (3) | 9 | 71.7 | 82.5 | 1,099 | 35.4 | 52.7 |
| Diabetes (4) | 8 | 63.8 | 71.5 | 922 | 29.7 | 41.7 |
| HIV (6) | 3 | 23.9 | 30.0 | 872 | 28.1 | 30.3 |
| Hypertension (11) | 3 | 23.9 | 25.2 | 344 | 11.1 | 16.1 |
| Influenza & Pneumonia (14) | 3 | 23.9 | 30.9 | 225 | 7.3 | 10.5 |
| Liver Disease (15) | 3 | 23.9 | 25.0 | 149 | 4.8 | 5.6 |
| Homicide (7) | 3 | 23.9 | 25.1 | 616 | 19.9 | 18.5 |

Rankings are based on the 2008 year total Black deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 30. Top 6 Causes of Deaths Rates for Hispanics, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|-------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 1999 | | | | | | |
| All Causes | 13 | 331.4 | 560.9 | 13,245 | 513.2 | 653.4 |
| Heart Disease (1) | 4 | 102.0 | 244.5 | 4,257 | 164.9 | 221.6 |
| Cancer (2) | - | - | - | 2,821 | 109.3 | 134.4 |
| Hypertension (16) | - | - | - | 103 | 4.0 | 5.3 |
| CLRD (5) | - | - | - | 528 | 20.5 | 27.7 |
| Diabetes (6) | 1 | 25.5 | 37.1 | 507 | 19.6 | 25.4 |
| Stroke (4) | 2 | 51.0 | 97.8 | 703 | 27.2 | 36.3 |
| 2000 | | | | | | |
| All Causes | 11 | 263.7 | 423.1 | 13,471 | 500.5 | 637.4 |
| Heart Disease (1) | 2 | 47.9 | 58.5 | 4,322 | 160.6 | 216.4 |
| Cancer (2) | 1 | 24.0 | 35.8 | 2,879 | 107.0 | 132.4 |
| Hypertension (16) | 1 | 24.0 | 59.8 | 101 | 3.8 | 4.9 |
| CLRD (5) | - | - | - | 475 | 17.6 | 23.9 |
| Diabetes (6) | - | - | - | 458 | 17.0 | 21.7 |
| Stroke (4) | 1 | 24.0 | 35.9 | 711 | 26.4 | 35.3 |
| 2001 | | | | | | |
| All Causes | 7 | 162.6 | 294.8 | 14,586 | 521.8 | 650.4 |
| Heart Disease (1) | 3 | 69.7 | 170.0 | 4,672 | 167.1 | 219.2 |
| Cancer (2) | 2 | 46.5 | 71.2 | 3,100 | 110.9 | 134.1 |
| Hypertension (16) | - | - | - | 78 | 2.8 | 3.7 |
| CLRD (5) | - | - | - | 499 | 17.9 | 23.5 |
| Diabetes (6) | - | - | - | 546 | 19.5 | 24.7 |
| Stroke (4) | - | - | - | 785 | 28.1 | 36.5 |
| 2002 | | | | | | |
| All Causes | 8 | 180.3 | 347.3 | 14,922 | 514.7 | 629.4 |
| Heart Disease (1) | - | - | - | 4,629 | 159.7 | 204.9 |
| Cancer (2) | 1 | 22.5 | 70.5 | 3,238 | 111.7 | 134.0 |
| Hypertension (16) | 1 | 22.5 | 70.5 | 110 | 3.8 | 4.9 |
| CLRD (5) | 1 | 22.5 | 33.9 | 531 | 18.3 | 23.6 |
| Diabetes (6) | - | - | - | 517 | 17.8 | 22.1 |
| Stroke (4) | - | - | - | 814 | 28.1 | 35.8 |

Rankings are based on the 2008 year total Hispanic deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 30 Cont. Top 6 Causes of Deaths Rates for Hispanics, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|-------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2003 | | | | | | |
| All Causes | 19 | 416.2 | 727.6 | 15,473 | 515.2 | 619.1 |
| Heart Disease (1) | 3 | 65.7 | 105.9 | 4,625 | 154.0 | 193.6 |
| Cancer (2) | 5 | 109.5 | 255.9 | 3,318 | 110.5 | 130.2 |
| Hypertension (16) | 1 | 21.9 | 52.8 | 136 | 4.5 | 5.7 |
| CLRD (5) | - | - | - | 533 | 17.7 | 22.4 |
| Diabetes (6) | 1 | 21.9 | 33.0 | 586 | 19.5 | 23.5 |
| Stroke (4) | - | - | - | 800 | 26.6 | 33.2 |
| 2004 | | | | | | |
| All Causes | 24 | 493.1 | 870.2 | 15,829 | 502.2 | 621.4 |
| Heart Disease (1) | 1 | 20.5 | 53.4 | 4,696 | 149.0 | 192.4 |
| Cancer (2) | 5 | 102.7 | 196.2 | 3,405 | 108.0 | 132.6 |
| Hypertension (16) | - | - | - | 123 | 3.9 | 5.0 |
| CLRD (5) | - | - | - | 566 | 18.0 | 23.3 |
| Diabetes (6) | 2 | 41.1 | 88.0 | 554 | 17.6 | 22.1 |
| Stroke (4) | 1 | 20.5 | 34.9 | 851 | 27.0 | 34.7 |
| 2005 | | | | | | |
| All Causes | 25 | 424.7 | 664.4 | 17,421 | 502.4 | 618.1 |
| Heart Disease (1) | 4 | 67.9 | 113.1 | 5,040 | 145.4 | 188.2 |
| Cancer (2) | 5 | 84.9 | 188.4 | 3,774 | 108.8 | 132.1 |
| Hypertension (16) | - | - | - | 154 | 4.4 | 5.7 |
| CLRD (5) | - | - | - | 661 | 19.1 | 24.8 |
| Diabetes (6) | 3 | 51.0 | 101.2 | 649 | 18.7 | 23.5 |
| Stroke (4) | - | - | - | 856 | 24.7 | 31.8 |
| 2006 | | | | | | |
| All Causes | 24 | 380.7 | 621.9 | 17,695 | 483.6 | 585.9 |
| Heart Disease (1) | 2 | 31.7 | 57.7 | 4,745 | 129.7 | 165.4 |
| Cancer (2) | 8 | 126.9 | 237.3 | 3,806 | 104.0 | 125.1 |
| Hypertension (16) | - | - | - | 130 | 3.6 | 4.5 |
| CLRD (5) | - | - | - | 589 | 16.1 | 20.6 |
| Diabetes (6) | 1 | 15.9 | 23.5 | 675 | 18.4 | 22.8 |
| Stroke (4) | 1 | 15.9 | 24.5 | 882 | 24.1 | 30.5 |

Rankings are based on the 2008 year total Hispanic deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 30 Cont. Top 6 Causes of Deaths Rates for Hispanics, Putnam County and Florida, 1999-2008.

| Cause of Death | Putnam County | | | Florida | | |
|-------------------|---------------|------------|-------------------|--------------|------------|-------------------|
| | Total Deaths | Crude Rate | Age Adjusted Rate | Total Deaths | Crude Rate | Age Adjusted Rate |
| 2007 | | | | | | |
| All Causes | 18 | 266.5 | 401.9 | 18,158 | 464.2 | 563.3 |
| Heart Disease (1) | 2 | 29.6 | 66.4 | 4,764 | 121.8 | 155.2 |
| Cancer (2) | 3 | 44.4 | 63.5 | 3,877 | 99.1 | 119.4 |
| Hypertension (16) | - | - | - | 161 | 4.1 | 5.2 |
| CLRD (5) | - | - | - | 717 | 18.3 | 23.6 |
| Diabetes (6) | 1 | 14.8 | 21.8 | 658 | 16.8 | 20.6 |
| Stroke (4) | - | - | - | 876 | 22.4 | 28.5 |
| 2008 | | | | | | |
| All Causes | 17 | 255.4 | 420.2 | 18,886 | 468.2 | 556.1 |
| Heart Disease (1) | 5 | 75.1 | 143.4 | 4,753 | 117.8 | 144.6 |
| Cancer (2) | 2 | 30.0 | 54.2 | 4,018 | 99.6 | 118.1 |
| Hypertension (16) | 2 | 30.0 | 58.6 | 178 | 4.4 | 5.4 |
| CLRD (5) | 2 | 30.0 | 60.9 | 782 | 19.4 | 24.2 |
| Diabetes (6) | 1 | 15.0 | 19.8 | 752 | 18.6 | 22.4 |
| Stroke (4) | 1 | 15.0 | 19.8 | 924 | 22.9 | 28.2 |

Rankings are based on the 2008 year total Hispanic deaths for Putnam County and are in order in the table by that ranking. Numbers in ()'s are ranking for Florida for 2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (July 2010).

Prepared by: WellFlorida Council, 2010.

Table 31. Age-Adjusted Death Rates Per 100,000 Population for 10 Leading Causes of Death in Putnam County by Race and Ethnicity, Putnam County and Florida, 2006-2008.

| Area | All | Black | White | Hispanic |
|-------------------------------------|-------|---------|-------|----------|
| All Causes | | | | |
| Putnam County | 919.1 | 1,091.8 | 894.1 | 478.7 |
| Florida | 679.8 | 822.4 | 661.5 | 567.8 |
| Cancer (2)* | | | | |
| Putnam County | 218.0 | 232.9 | 216.0 | 114.0 |
| Florida | 162.3 | 174.1 | 161.2 | 120.7 |
| Heart Disease (1)* | | | | |
| Putnam County | 171.1 | 183.2 | 169.5 | 91.2 |
| Florida | 162.2 | 196.6 | 158.0 | 154.6 |
| Chronic Lower Respiratory Dis. (3)* | | | | |
| Putnam County | 69.2 | 49.9 | 72.3 | 22.0 |
| Florida | 36.2 | 23.2 | 37.5 | 22.9 |
| Unintentional Injuries (4)* | | | | |
| Putnam County | 63.8 | 65.8 | 64.0 | 27.3 |
| Florida | 44.8 | 33.0 | 47.7 | 34.0 |
| Diabetes (6)* | | | | |
| Putnam County | 44.2 | 56.6 | 43.0 | 21.8 |
| Florida | 20.6 | 43.6 | 18.2 | 22.0 |
| Stroke (5)* | | | | |
| Putnam County | 44.0 | 84.4 | 38.9 | 14.8 |
| Florida | 33.0 | 57.6 | 30.4 | 29.0 |
| Alzheimer's Disease (7)* | | | | |
| Putnam County | 18.4 | 22.9 | 18.1 | 21.3 |
| Florida | 16.5 | 15.1 | 16.6 | 19.0 |
| Nephritis (8)* | | | | |
| Putnam County | 17.9 | 42.0 | 14.5 | 10.7 |
| Florida | 10.9 | 23.0 | 9.6 | 11.1 |
| Suicide (9)* | | | | |
| Putnam County | 18.5 | 2.2 | 20.9 | 0.0 |
| Florida | 13.0 | 3.8 | 14.7 | 8.0 |
| Hypertension (13)* | | | | |
| Putnam County | 14.6 | 34.9 | 11.2 | 21.3 |
| Florida | 6.8 | 17.3 | 5.8 | 5.1 |

Numbers in ()'s are ranking for Florida for the three year period 2006-2008 for all races. The top leading causes are based on the top 10 for all races for Putnam County for the three year period (2006-2008).

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 32. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for All Causes, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 108.0 | 1,158.2 | 772.7 |
| 32131 East Palatka | 51.4 | 966.5 | 789.5 |
| 32139 Georgetown | 21.2 | 2,523.8 | 1,426.0 |
| 32140 Florahome | 16.0 | 884.0 | 907.4 |
| 32148 Interlachen | 143.6 | 1,071.4 | 874.7 |
| 32177 Palatka | 312.8 | 1,201.4 | 1,024.0 |
| 32181 Pomona Park | 43.2 | 1,961.0 | 1,266.5 |
| 32187 San Mateo | 30.8 | 1,725.5 | 1,294.1 |
| 32189 Satsuma | 75.2 | 1,171.3 | 731.7 |
| 32666 Melrose | 36.2 | 647.5 | 462.6 |
| Putnam County | 915.2 | 1,258.3 | 963.1 |
| Florida | 169,218.8 | 915.8 | 668.5 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 33. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Cancer, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 22.6 | 242.4 | 156.6 |
| 32131 East Palatka | 13.0 | 244.5 | 183.2 |
| 32139 Georgetown | 5.8 | 690.5 | 331.1 |
| 32140 Florahome | 4.2 | 232.0 | 222.1 |
| 32148 Interlachen | 40.2 | 299.9 | 232.4 |
| 32177 Palatka | 68.4 | 262.7 | 218.6 |
| 32181 Pomona Park | 10.0 | 453.9 | 238.5 |
| 32187 San Mateo | 10.4 | 582.6 | 379.1 |
| 32189 Satsuma | 22.4 | 348.9 | 198.3 |
| 32666 Melrose | 9.8 | 175.3 | 109.4 |
| Putnam County | 225.0 | 309.4 | 221.6 |
| Florida | 40,047.0 | 216.7 | 159.4 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 34. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Heart Disease, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------------|---|---|
| 32112 Crescent City | 25.2 | 270.2 | 156.9 |
| 32131 East Palatka | 9.4 | 176.8 | 148.5 |
| 32139 Georgetown | 6.0 | 714.3 | 418.0 |
| 32140 Florahome | 1.4 | 77.3 | 97.2 |
| 32148 Interlachen | 28.8 | 214.9 | 172.2 |
| 32177 Palatka | 62.8 | 241.2 | 202.1 |
| 32181 Pomona Park | 8.0 | 363.1 | 211.3 |
| 32187 San Mateo | 5.0 | 280.1 | 188.8 |
| 32189 Satsuma | 15.2 | 236.8 | 136.6 |
| 32666 Melrose | 8.0 | 143.1 | 102.1 |
| Putnam County | 186.4 | 256.3 | 191.1 |
| Florida | 44,134.0 | 238.8 | 164.2 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 35. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Chronic Lower Respiratory Disease (CLRD), by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 9.8 | 105.1 | 57.5 |
| 32131 East Palatka | 4.0 | 75.2 | 60.1 |
| 32139 Georgetown | 2.4 | 285.7 | 166.3 |
| 32140 Florahome | 1.6 | 88.4 | 89.5 |
| 32148 Interlachen | 10.0 | 74.6 | 58.1 |
| 32177 Palatka | 23.0 | 88.3 | 73.6 |
| 32181 Pomona Park | 3.6 | 163.4 | 91.7 |
| 32187 San Mateo | 2.6 | 145.7 | 123.2 |
| 32189 Satsuma | 6.8 | 105.9 | 60.2 |
| 32666 Melrose | 1.4 | 25.0 | 15.7 |
| Putnam County | 69.8 | 96.0 | 69.2 |
| Florida | 9,345.0 | 50.6 | 35.0 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 36. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Diabetes, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 6.0 | 64.3 | 37.2 |
| 32131 East Palatka | 1.4 | 26.3 | 19.5 |
| 32139 Georgetown | 1.0 | 119.0 | 75.2 |
| 32140 Florahome | 1.6 | 88.4 | 84.4 |
| 32148 Interlachen | 7.6 | 56.7 | 43.2 |
| 32177 Palatka | 17.0 | 65.3 | 54.9 |
| 32181 Pomona Park | 3.6 | 163.4 | 105.7 |
| 32187 San Mateo | 0.6 | 33.6 | 18.5 |
| 32189 Satsuma | 3.2 | 49.8 | 26.8 |
| 32666 Melrose | 1.8 | 32.2 | 22.2 |
| Putnam County | 46.6 | 64.1 | 47.2 |
| Florida | 5,070.2 | 27.4 | 20.0 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 37. Crude and Age adjusted Death Rates per 100,000 Population for All Races for Unintentional Injuries, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 7.6 | 81.5 | 82.5 |
| 32131 East Palatka | 3.2 | 60.2 | 58.3 |
| 32139 Georgetown | - | - | - |
| 32140 Florahome | 1.4 | 77.3 | 92.5 |
| 32148 Interlachen | 6.2 | 46.3 | 45.3 |
| 32177 Palatka | 14.8 | 56.8 | 54.6 |
| 32181 Pomona Park | 1.6 | 72.6 | 109.8 |
| 32187 San Mateo | 1.0 | 56.0 | 65.3 |
| 32189 Satsuma | 3.4 | 53.0 | 63.8 |
| 32666 Melrose | 1.0 | 17.9 | 14.9 |
| Putnam County | 46.4 | 63.8 | 62.4 |
| Florida | 8,735.6 | 47.3 | 44.0 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 38. Crude and Age adjusted Death Rates per 100,000 Population for All Races for Motor Vehicle Crashes, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 3.0 | 32.2 | 37.1 |
| 32131 East Palatka | 1.8 | 33.8 | 35.2 |
| 32139 Georgetown | - | - | - |
| 32140 Florahome | 1.2 | 66.3 | 82.7 |
| 32148 Interlachen | 3.8 | 28.4 | 28.9 |
| 32177 Palatka | 6.8 | 26.1 | 26.2 |
| 32181 Pomona Park | 0.8 | 36.3 | 55.7 |
| 32187 San Mateo | 0.6 | 33.6 | 39.4 |
| 32189 Satsuma | 0.8 | 12.5 | 15.2 |
| 32666 Melrose | 0.6 | 10.7 | 9.4 |
| Putnam County | 22.6 | 31.1 | 32.3 |
| Florida | 3,299.8 | 17.9 | 17.7 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 39. Crude and Age adjusted Death Rates per 100,000 Population for All Races for Stroke, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 6.2 | 66.5 | 41.7 |
| 32131 East Palatka | 1.4 | 26.3 | 23.6 |
| 32139 Georgetown | 0.6 | 71.4 | 39.9 |
| 32140 Florahome | 0.8 | 44.2 | 63.3 |
| 32148 Interlachen | 5.6 | 41.8 | 34.5 |
| 32177 Palatka | 17.2 | 66.1 | 55.1 |
| 32181 Pomona Park | 1.0 | 45.4 | 25.5 |
| 32187 San Mateo | 1.4 | 78.4 | 50.1 |
| 32189 Satsuma | 3.8 | 59.2 | 31.0 |
| 32666 Melrose | 1.6 | 28.6 | 22.3 |
| Putnam County | 42.6 | 58.6 | 43.7 |
| Florida | 9,005.6 | 48.7 | 33.4 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 40. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Alzheimer's Disease, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 1.2 | 12.9 | 6.9 |
| 32131 East Palatka | 1.4 | 26.3 | 23.5 |
| 32139 Georgetown | 0.2 | 23.8 | 18.2 |
| 32140 Florahome | - | - | - |
| 32148 Interlachen | 2.4 | 17.9 | 15.0 |
| 32177 Palatka | 7.8 | 30.0 | 24.4 |
| 32181 Pomona Park | 0.8 | 36.3 | 23.7 |
| 32187 San Mateo | 0.2 | 11.2 | 11.9 |
| 32189 Satsuma | 2.0 | 31.2 | 17.7 |
| 32666 Melrose | 1.2 | 21.5 | 18.5 |
| Putnam County | 20.2 | 27.8 | 21.1 |
| Florida | 4,585.6 | 24.8 | 15.7 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 41. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Nephritis, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 2.2 | 23.6 | 17.6 |
| 32131 East Palatka | 2.2 | 41.4 | 33.1 |
| 32139 Georgetown | 0.2 | 23.8 | 18.2 |
| 32140 Florahome | - | - | - |
| 32148 Interlachen | 2.6 | 19.4 | 14.5 |
| 32177 Palatka | 7.0 | 26.9 | 22.2 |
| 32181 Pomona Park | 0.8 | 36.3 | 21.4 |
| 32187 San Mateo | 0.8 | 44.8 | 38.8 |
| 32189 Satsuma | 1.0 | 15.6 | 10.0 |
| 32666 Melrose | 0.6 | 10.7 | 8.8 |
| Putnam County | 19.0 | 26.1 | 19.8 |
| Florida | 2,610.2 | 14.1 | 9.8 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 42. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Suicide, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 1.0 | 10.7 | 11.1 |
| 32131 East Palatka | 1.0 | 18.8 | 16.8 |
| 32139 Georgetown | 0.6 | 71.4 | 61.7 |
| 32140 Florahome | 0.6 | 33.1 | 32.0 |
| 32148 Interlachen | 2.0 | 14.9 | 12.6 |
| 32177 Palatka | 5.6 | 21.5 | 21.7 |
| 32181 Pomona Park | 1.2 | 54.5 | 69.2 |
| 32187 San Mateo | - | - | - |
| 32189 Satsuma | 1.0 | 15.6 | 11.6 |
| 32666 Melrose | 0.4 | 7.2 | 5.6 |
| Putnam County | 16.0 | 22.0 | 21.1 |
| Florida | 2,477.6 | 13.4 | 12.6 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 43. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Influenza and Pneumonia, by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Average Number of Deaths | Crude Rate Per 100,000 Population | Age Adjusted Death Rate Per 100,000 Population |
|---------------------|--------------------------|-----------------------------------|--|
| 32112 Crescent City | 1.6 | 17.2 | 9.4 |
| 32131 East Palatka | 1.8 | 33.8 | 27.0 |
| 32139 Georgetown | - | - | - |
| 32140 Florahome | 0.2 | 11.0 | 22.2 |
| 32148 Interlachen | 2.0 | 14.9 | 12.5 |
| 32177 Palatka | 4.4 | 16.9 | 14.4 |
| 32181 Pomona Park | 1.2 | 54.5 | 40.1 |
| 32187 San Mateo | 0.8 | 44.8 | 34.4 |
| 32189 Satsuma | 1.0 | 15.6 | 8.8 |
| 32666 Melrose | 0.4 | 7.2 | 6.5 |
| Putnam County | 15.0 | 20.6 | 15.9 |
| Florida | 2,548.8 | 13.8 | 9.5 |

Note: Zip Code 32193 Welaka deaths are included with 32112 Crescent City because the population data was not available to calculate the rates for that particular zip code.

Source: ESRI Business Solutions, 2006; Florida Department of Health, Bureau of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 44. All Causes Years of Potential Life Lost Under 75, Putnam County and Florida, 1999-2008.

| Year | Number of YPLL Under 75 | Rate Per 100,000 Population |
|---------------|-------------------------|-----------------------------|
| Putnam County | | |
| 1999 | 7,915 | 12,230.0 |
| 2000 | 7,570 | 11,623.0 |
| 2001 | 7,256 | 11,099.2 |
| 2002 | 7,543 | 11,488.0 |
| 2003 | 8,015 | 12,091.5 |
| 2004 | 8,911 | 13,234.1 |
| 2005 | 9,191 | 13,601.0 |
| 2006 | 8,589 | 12,608.5 |
| 2007 | 8,769 | 12,837.5 |
| 2008 | 7,661 | 11,227.9 |
| Florida | | |
| 1999 | 1,151,958 | 8,027.5 |
| 2000 | 1,184,901 | 8,054.0 |
| 2001 | 1,217,085 | 8,105.5 |
| 2002 | 1,246,588 | 8,142.9 |
| 2003 | 1,278,410 | 8,155.4 |
| 2004 | 1,288,606 | 8,014.8 |
| 2005 | 1,323,584 | 8,052.1 |
| 2006 | 1,346,411 | 8,005.3 |
| 2007 | 1,341,427 | 7,846.3 |
| 2008 | 1,341,275 | 7,825.6 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (4 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 45. All Causes Years of Potential Life Lost Under 75 by Race and Ethnicity, Putnam County and Florida, 2006-2008.

| Race / Ethnicity | Average Number of YPLL Under 75 | Average Number of Population Under 75 | Rate Per 100,000 Population |
|------------------|---------------------------------|---------------------------------------|-----------------------------|
| Putnam County | | | |
| All Races | 8,339 | 68,218 | 12,224.6 |
| Black | 1,754 | 12,018 | 14,597.1 |
| White | 6,458 | 55,303 | 11,678.3 |
| Hispanics | 393 | 6,396 | 6,144.8 |
| Florida | | | |
| All Races | 1,343,038 | 17,018,249 | 7,891.7 |
| Black | 296,270 | 2,980,478 | 9,940.4 |
| White | 1,013,620 | 13,531,007 | 7,491.1 |
| Hispanics | 193,376 | 3,691,899 | 5,237.8 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (4 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 46. Top 5 Causes of Death Years of Potential Life Lost Under 75, Putnam County and Florida, 2006-2008.

| Cause of Death | Average Number of YPLL Under 75 | Rate Per 100,000 Population |
|--|---------------------------------|-----------------------------|
| Putnam County Avg Population Under 75 = 27,106 | | |
| All Causes | 8,339 | 12,224.6 |
| Cancer (2) | 1,814 | 2,658.6 |
| Heart Disease (1) | 798 | 1,169.3 |
| CLRD (3) | 356 | 521.4 |
| Unintentional Injuries (4) | 1,440 | 2,110.6 |
| MV Crashes | 844 | 1,237.2 |
| Diabetes (6) | 431 | 631.3 |
| Florida Avg Population Under 75 = 17,018,249 | | |
| All Causes | 1,343,038 | 7,891.7 |
| Cancer (2) | 283,970 | 1,668.6 |
| Heart Disease (1) | 180,293 | 1,059.4 |
| CLRD (3) | 32,628 | 191.7 |
| Unintentional Injuries (4) | 243,102 | 1,428.5 |
| MV Crashes | 109,115 | 641.2 |
| Diabetes (6) | 34,657 | 203.6 |

Numbers in ()'s are ranking for Florida for 2006-2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (4 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 47. Crude Rates per 100,000 Population for 0-17 years of age, Putnam County and Florida, 2006-2008.

| Top 4 Causes of Death | Average Population | Number of Deaths | | Crude Rate |
|------------------------------------|--------------------|------------------|---------|------------|
| | | Total | Average | |
| Putnam County | | | | |
| All Causes | 17,629 | 49 | 16.3 | 277.9 |
| Unintentional Injury | | 17 | 5.7 | 96.4 |
| Motor Vehicle Crashes | | 7 | 2.3 | 39.7 |
| Perinatal Conditions | | 6 | 2.0 | 34.0 |
| Homicide | | 4 | 1.3 | 22.7 |
| Congenital & Chromosomal Anomalies | | 3 | 1.0 | 17.0 |
| Nephritis | | 2 | 0.7 | 11.3 |
| Florida | | | | |
| All Causes | 4,164,654 | 2,597 | 865.7 | 20.8 |
| Perinatal Conditions | | 2,510 | 836.7 | 20.1 |
| Unintentional Injury | | 1,576 | 525.3 | 12.6 |
| Motor Vehicle Crashes | | 689 | 229.7 | 5.5 |
| Homicide | | 126 | 42.0 | 1.0 |
| Congenital & Chromosomal Anomalies | | 1,175 | 391.7 | 9.4 |
| Nephritis | | 15 | 4.9 | 0.1 |

The top 5 rankings are based on the average number of deaths for Putnam County for the selected age group for 2006-2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System and the Population Estimates Query System; <http://www.Floridacharts.com>; (4 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 48. Crude Rates per 100,000 Population for 18-44 Years of Age, Putnam County and Florida, 2006-2008.

| Top 5 Causes of Death | Average Population | Number of Deaths | | Crude Rate |
|-----------------------|--------------------|------------------|----------|------------|
| | | Total | Average | |
| Putnam County | | | | |
| All Causes | 22,520 | 169 | 56.3 | 750.4 |
| Unintentional Injury | | 51 | 17.0 | 226.5 |
| Motor Vehicle Crashes | | 37 | 12.3 | 164.3 |
| Cancer | | 17 | 5.7 | 75.5 |
| Suicide | | 16 | 5.3 | 71.0 |
| Heart Diseases | | 10 | 3.3 | 44.4 |
| Homicide | | 10 | 3.3 | 44.4 |
| Florida | | | | |
| All Causes | 6,484,017 | 30,475 | 10,158.3 | 156.7 |
| Unintentional Injury | | 10,355 | 3,451.7 | 53.2 |
| Motor Vehicle Crashes | | 4,931 | 1,643.7 | 25.3 |
| Cancer | | 3,366 | 1,122.0 | 17.3 |
| Suicide | | 2,829 | 943.0 | 14.5 |
| Heart Diseases | | 2,672 | 890.7 | 13.7 |
| Homicide | | 835 | 278.2 | 12.9 |

The top 5 rankings are based on the average number of deaths for Putnam County for the selected age group for 2006-2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System and the Population Estimates Query System; <http://www.Floridacharts.com>; (4 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 49. Crude Rates per 100,000 Population for 45-64 Years of Age, Putnam County and Florida, 2006-2008.

| Top 5 Causes of Death | Average Population | Number of Deaths | | Crude Rate |
|-----------------------|--------------------|------------------|----------|------------|
| | | Total | Average | |
| Putnam County | | | | |
| All Causes | 20,375 | 629 | 209.7 | 3,087.2 |
| Cancer | | 208 | 69.3 | 1,020.9 |
| Heart Diseases | | 80 | 26.7 | 392.6 |
| Diabetes | | 44 | 14.7 | 216.0 |
| Unintentional Injury | | 38 | 12.7 | 186.5 |
| Motor Vehicle Crashes | | 17 | 5.7 | 83.4 |
| CLRD | | 37 | 12.3 | 181.6 |
| Florida | | | | |
| All Causes | 4,798,308 | 93,226 | 31,075.3 | 647.6 |
| Cancer | | 30,242 | 10,080.7 | 210.1 |
| Heart Diseases | | 18,201 | 6,067.0 | 126.4 |
| Diabetes | | 3,573 | 2,335.7 | 48.7 |
| Unintentional Injury | | 7,007 | 831.7 | 17.3 |
| Motor Vehicle Crashes | | 2,495 | 1,191.0 | 24.8 |
| CLRD | | 3,392 | 1,130.7 | 70.7 |

The top 5 rankings are based on the average number of deaths for Putnam County for the selected age group for 2006-2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System and the Population Estimates Query System; <http://www.Floridacharts.com>; (4 November, 2010).
Prepared by: WellFlorida Council, 2010.

Table 50. Crude Rates per 100,000 Population for 65+ Years of Age, Putnam County and Florida, 2006-2008.

| Top 5 Causes of Death | Average Population | Number of Deaths | | Crude Rate |
|------------------------------------|--------------------|------------------|-----------|------------|
| | | Total | Average | |
| Putnam County | | | | |
| All Causes | 14,251 | 1,872 | 624.0 | 13,136.2 |
| Cancer | | 459 | 153.0 | 3,220.9 |
| Heart Diseases | | 436 | 145.3 | 3,059.5 |
| Chronic Lower Respiratory Diseases | | 175 | 58.3 | 1,228.0 |
| Stroke | | 101 | 33.7 | 708.7 |
| Diabetes | | 82 | 27.3 | 575.4 |
| Florida | | | | |
| All Causes | 3,214,402 | 371,533 | 123,844.3 | 3,852.8 |
| Cancer | | 86,358 | 28,786.0 | 895.5 |
| Heart Diseases | | 105,185 | 35,061.7 | 1,090.8 |
| Chronic Lower Respiratory Diseases | | 24,592 | 8,197.3 | 255.0 |
| Stroke | | 21,970 | 7,323.3 | 227.8 |
| Diabetes | | 3,739 | 1,246.2 | 116.3 |

The top 5 rankings are based on the average number of deaths for Putnam County for the selected age group for 2006-2008.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System and the Population Estimates Query System; <http://www.Floridacharts.com>; (4 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 51. Age Adjusted Death Rates and Crude Rates for Suicide per 100,000 Population, Putnam County and Florida, 1999-2008.

| Area | Average Number | Age Adjusted Death Rate | Crude Rate |
|---------------|----------------|-------------------------|------------|
| 1999-2001 | | | |
| Putnam County | 14.0 | 19.2 | 19.9 |
| Florida | 2,165 | 12.8 | 13.5 |
| 2000-2002 | | | |
| Putnam County | 13.0 | 17.0 | 17.8 |
| Florida | 2,253 | 13.0 | 13.7 |
| 2001-2003 | | | |
| Putnam County | 11.0 | 13.7 | 14.9 |
| Florida | 2,305 | 13.1 | 13.7 |
| 2002-2004 | | | |
| Putnam County | 12.0 | 15.8 | 16.1 |
| Florida | 2,336 | 12.9 | 13.6 |
| 2003-2005 | | | |
| Putnam County | 14.0 | 19.5 | 19.6 |
| Florida | 2,328 | 12.6 | 13.2 |
| 2004-2006 | | | |
| Putnam County | 16.0 | 21.2 | 21.6 |
| Florida | 2,367 | 12.4 | 13.1 |
| 2005-2007 | | | |
| Putnam County | 18.0 | 23.4 | 24.2 |
| Florida | 2,429 | 12.5 | 13.2 |
| 2006-2008 | | | |
| Putnam County | 15.0 | 18.5 | 20.1 |
| Florida | 2,568 | 13.0 | 13.8 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System; <http://www.Floridacharts.com>; (4 November, 2010).
Prepared by: WellFlorida Council, 2010.

Mental Health Data Tables

Table 52. DRGs Used to Define the Hospitalizations for Mental Health Issues.

| These DRGs were used from 2005 - 3rd Quarter 2007 discharge data. | |
|---|--|
| 424 | OR Procedure with principal diagnosis of mental illness |
| 425 | Acute adjustment reactions and psychosocial dysfunction |
| 426 | Depressive neuroses |
| 427 | Neuroses except depressive |
| 428 | Disorders of personality and impulse control |
| 430 | Psychosis |
| 431 | Childhood mental disorders |
| 432 | Other mental disorders diagnoses |
| 433 | Alcohol/drug abuse of dependence, left against medical advice |
| 521 | Alcohol/drug abuse or dependence |
| 522 | Alcohol/drug abuse or dependence with rehab |
| 523 | Alcohol/drug abuse or dependence without rehab |
| From the 4th Qtr 2007 - 2009 discharge data, the following MS-DRGs were used. | |
| 876 | OR Procedure with principal diagnosis of mental illness |
| 880 | Acute adjustment reactions and psychosocial dysfunction |
| 881 | Depressive neuroses |
| 882 | Neuroses except depressive |
| 883 | Disorders of personality and impulse control |
| 885 | Psychosis |
| 886 | Behavioral & Developmental Disorders |
| 887 | Other mental disorders diagnoses |
| 894 | Alcohol/drug abuse or dependence, left against medical advice |
| 895 | Alcohol/drug abuse or dependence with rehabilitation therapy |
| 896 | Alcohol/drug abuse or dependence w/o rehabilitation therapy with MCC |
| 897 | Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC |

Source: www.caloptima.org/documents/MSDRG.pdf, October 31, 2007.

Prepared by: WellFlorida Council, 2010.

Table 53. Number and Rate of Hospitalizations per 1,000 for Mental Health Reasons for Selected Age Groups, 2005-2009.

| Area | 2005 | | 2006 | | 2007 | | 2008 | | 2009 | |
|---------------------|---------|------|---------|------|---------|------|---------|------|---------|------|
| | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| All Ages | | | | | | | | | | |
| Putnam County | 441 | 6.0 | 416 | 5.6 | 392 | 5.2 | 435 | 5.8 | 410 | 5.5 |
| Florida | 127,221 | 7.1 | 126,644 | 6.9 | 128,597 | 6.9 | 133,631 | 7.1 | 143,044 | 7.6 |
| 0 - 17 Years of Age | | | | | | | | | | |
| Putnam County | 47 | 2.7 | 51 | 2.9 | 21 | 1.2 | 34 | 1.9 | 28 | 1.6 |
| Florida | 13,365 | 3.3 | 12,919 | 3.1 | 12,450 | 3.0 | 12,519 | 3.0 | 13,464 | 3.2 |
| 18 + Years of Age | | | | | | | | | | |
| Putnam County | 394 | 7.0 | 365 | 6.4 | 371 | 6.5 | 401 | 7.0 | 382 | 6.6 |
| Florida | 113,856 | 8.2 | 113,725 | 7.9 | 116,147 | 8.0 | 121,112 | 8.3 | 129,580 | 8.8 |

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using Population Estimates System; <http://www.Floridacharts.com>; (24 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 54. Number and Rate of Emergency Department Visits per 1,000 for Mental Health Reasons for Selected Age Groups, 2005-2008.

| Area | 2005 | | 2006 | | 2007 | | 2008 | |
|---------------------|---------|-------|---------|-------|---------|-------|---------|-------|
| | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| All Ages | | | | | | | | |
| Putnam County | 6,966 | 94.3 | 7,813 | 104.8 | 7,191 | 96.1 | 9,161 | 122.2 |
| Florida | 625,651 | 34.7 | 711,091 | 38.6 | 732,339 | 39.1 | 814,463 | 43.3 |
| 0 - 17 Years of Age | | | | | | | | |
| Putnam County | 282 | 15.9 | 304 | 17.1 | 270 | 15.3 | 305 | 17.4 |
| Florida | 31,448 | 7.7 | 33,765 | 8.2 | 33,237 | 7.9 | 35,380 | 8.5 |
| 18 + Years of Age | | | | | | | | |
| Putnam County | 6,684 | 119.0 | 7,509 | 132.2 | 6,921 | 121.1 | 8,856 | 154.2 |
| Florida | 594,203 | 42.6 | 677,326 | 47.3 | 699,102 | 48.1 | 779,083 | 53.3 |

* ICD 9 Codes 290 - 317 were used in determining mental health visits. The main reason category as well as all diagnosis codes were looked at to pull off the mental health visits.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using Population Estimates System; <http://www.Floridacharts.com>; (24 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 55. Number of Involuntary Exam Initiations (Baker Acts) for Residents of Putnam County and Florida, 2003-2008.

| Area | Number | Rate Per 100,000 Persons | Number | Rate Per 100,000 Persons | Number | Rate Per 100,000 Persons |
|---------------|---------|--------------------------------|---------|--------------------------------|---------|--------------------------------|
| | 2003 | | 2004 | | 2005 | |
| Putnam County | 296 | 410.5 | 275 | 374.5 | 397 | 537.2 |
| Florida | 104,600 | 609.4 | 110,697 | 628.5 | 122,206 | 678.2 |
| | 2006 | | 2007 | | 2008 | |
| Putnam County | 416 | 558.0 | 423 | 565.4 | 413 | 551.0 |
| Florida | 120,506 | 653.5 | 122,454 | 653.7 | 131,544 | 699.3 |

Source: University of South Florida; Department of Mental Health Law and Policy, Special Report of Baker Act Data by County of Residence for Multiple Years and by Age Groups, May 2009; Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using Population Estimates System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 56. Number of Involuntary Exam Initiations (Baker Acts) for Children (ages 4 - 17) Residents of Putnam County and Florida, 2003-2008.

| Area | Number | Rate Per 100,000 Persons | Number | Rate Per 100,000 Persons | Number | Rate Per 100,000 Persons |
|---------------|--------|--------------------------------|--------|--------------------------------|--------|--------------------------------|
| | 2003 | | 2004 | | 2005 | |
| Putnam County | 36 | 261.5 | 46 | 335.0 | 59 | 419.7 |
| Florida | 17,227 | 567.2 | 18,947 | 607.5 | 19,832 | 619.5 |
| | 2006 | | 2007 | | 2008 | |
| Putnam County | 66 | 471.1 | 36 | 258.8 | 40 | 291.0 |
| Florida | 9,496 | 292.5 | 17,598 | 535.5 | 18,118 | 553.7 |

Source: University of South Florida; Department of Mental Health Law and Policy, Special Report of Baker Act Data by County of Residence for Multiple Years and by Age Groups, May 2009; Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using Population Estimates System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 57. Number of Involuntary Exam Initiations (Baker Acts) for Seniors (ages 65 - 104) Residents of Putnam County and Florida, 2003-2008.

| Area | Number | Rate Per 100,000 Persons | Number | Rate Per 100,000 Persons | Number | Rate Per 100,000 Persons |
|---------------|--------|--------------------------|--------|--------------------------|--------|--------------------------|
| | 2003 | | 2004 | | 2005 | |
| Putnam County | 3 | 22.2 | 8 | 60.4 | 17 | 122.8 |
| Florida | 8,628 | 285.3 | 8,620 | 287.2 | 8,927 | 291.5 |
| | 2006 | | 2007 | | 2008 | |
| Putnam County | 26 | 184.8 | 19 | 133.8 | 19 | 131.2 |
| Florida | 8,726 | 275.6 | 9,078 | 282.8 | 9,423 | 288.5 |

Source: University of South Florida; Department of Mental Health Law and Policy, Special Report of Baker Act Data by County of Residence for Multiple Years and by Age Groups, May 2009; Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using Population Estimates System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 58. Total Number and Rate per 100,000 Population for Domestic Violence Offenses, Putnam County and Florida, 2001 - 2008.

| Area | Number | Rate Per 100,000 | Number | Rate Per 100,000 |
|---------------|---------|------------------|---------|------------------|
| | 2001 | | 2002 | |
| Putnam County | 1,118 | 1,576.2 | 1,049 | 1,467.5 |
| Florida | 124,016 | 755.6 | 121,834 | 726.4 |
| | 2003 | | 2004 | |
| Putnam County | 825 | 1,144.0 | 426 | 580.1 |
| Florida | 120,697 | 703.2 | 119,772 | 680.0 |
| | 2005 | | 2006 | |
| Putnam County | 948 | 1,282.9 | 941 | 1,262.3 |
| Florida | 120,386 | 668.1 | 115,170 | 624.5 |
| | 2007 | | 2008 | |
| Putnam County | 856 | 1,144.1 | 870 | 1,160.6 |
| Florida | 115,150 | 614.7 | 113,123 | 601.3 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (16 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 59. Total Domestic Violence Offenses by Type, Putnam County and Florida, 2009.

| Type of Offense | Putnam County | Florida |
|---------------------|---------------|---------|
| Murder | 1 | 208 |
| Manslaughter | 0 | 24 |
| Forcible Rape | 18 | 958 |
| Forcible Sodomy | 2 | 334 |
| Forcible Fondling | 0 | 850 |
| Aggravated Assault | 170 | 20,115 |
| Aggravated Stalking | 4 | 254 |
| Simple Assault | 758 | 90,565 |
| Threat/Intimidation | 11 | 2,822 |
| Stalking | 0 | 417 |
| Total | 964 | 116,547 |

Source: Florida Department of Law Enforcement; Domestic Violence Annual Report, 2009.

Prepared by: WellFlorida Council, 2010.

Birth Related Data Tables

Table 60. Total Births by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|--------|---------|-----------|
| 1999 | | | | |
| Putnam County | 956 | 235 | 715 | 102 |
| Florida | 196,963 | 45,029 | 146,329 | 41,467 |
| 2000 | | | | |
| Putnam County | 897 | 232 | 659 | 107 |
| Florida | 204,030 | 47,271 | 150,115 | 45,840 |
| 2001 | | | | |
| Putnam County | 912 | 239 | 666 | 126 |
| Florida | 205,800 | 47,067 | 151,623 | 49,628 |
| 2002 | | | | |
| Putnam County | 892 | 224 | 658 | 117 |
| Florida | 205,580 | 46,123 | 152,127 | 51,618 |
| 2003 | | | | |
| Putnam County | 923 | 235 | 682 | 131 |
| Florida | 212,243 | 47,117 | 157,402 | 54,849 |
| 2004 | | | | |
| Putnam County | 965 | 229 | 726 | 153 |
| Florida | 218,045 | 46,998 | 160,132 | 58,513 |
| 2005 | | | | |
| Putnam County | 1,034 | 252 | 766 | 169 |
| Florida | 226,219 | 47,957 | 166,181 | 63,757 |
| 2006 | | | | |
| Putnam County | 1,072 | 261 | 796 | 186 |
| Florida | 237,166 | 50,808 | 174,147 | 70,094 |
| 2007 | | | | |
| Putnam County | 1,077 | 254 | 805 | 193 |
| Florida | 239,120 | 51,587 | 174,597 | 70,464 |
| 2008 | | | | |
| Putnam County | 1,009 | 221 | 768 | 151 |
| Florida | 231,417 | 51,362 | 167,487 | 65,999 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 61. Total Birth Rates per 1,000 Total Population by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 13.7 | 19.2 | 12.5 | 26.0 |
| Florida | 12.6 | 18.7 | 11.3 | 16.1 |
| 2000 | | | | |
| Putnam County | 12.7 | 19.0 | 11.5 | 25.6 |
| Florida | 12.7 | 19.0 | 11.4 | 17.0 |
| 2001 | | | | |
| Putnam County | 12.9 | 19.5 | 11.5 | 29.3 |
| Florida | 12.5 | 18.4 | 11.3 | 17.8 |
| 2002 | | | | |
| Putnam County | 12.5 | 18.2 | 11.3 | 26.4 |
| Florida | 12.3 | 17.6 | 11.1 | 17.8 |
| 2003 | | | | |
| Putnam County | 12.8 | 18.9 | 11.6 | 28.7 |
| Florida | 12.4 | 17.6 | 11.2 | 18.3 |
| 2004 | | | | |
| Putnam County | 13.1 | 18.2 | 12.1 | 31.4 |
| Florida | 12.4 | 16.9 | 11.1 | 18.6 |
| 2005 | | | | |
| Putnam County | 14.0 | 20.1 | 12.7 | 28.7 |
| Florida | 12.6 | 16.3 | 11.4 | 18.4 |
| 2006 | | | | |
| Putnam County | 14.4 | 20.5 | 13.1 | 29.5 |
| Florida | 12.9 | 16.8 | 11.7 | 19.2 |
| 2007 | | | | |
| Putnam County | 14.4 | 20.2 | 13.1 | 28.6 |
| Florida | 12.8 | 16.6 | 11.6 | 18.0 |
| 2008 | | | | |
| Putnam County | 13.5 | 17.6 | 12.5 | 22.7 |
| Florida | 12.3 | 16.6 | 11.0 | 16.4 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 62. Total Births by Zip Code by Race, Putnam County and Florida, 2004-2008.

| Area | 2004-2008 | | |
|---------------------|-----------|---------|---------|
| | All Races | Black | White |
| 32112 Crescent City | 617 | 87 | 519 |
| 32131 East Palatka | 242 | 62 | 175 |
| 32139 Georgetown | 64 | 4 | 59 |
| 32140 Florahome | 94 | 3 | 89 |
| 32148 Interlachen | 739 | 26 | 703 |
| 32177 Palatka | 2,017 | 835 | 1,149 |
| 32181 Pomona Park | 118 | 11 | 107 |
| 32187 San Mateo | 126 | 42 | 82 |
| 32189 Satsuma | 295 | 18 | 271 |
| 32193 Welaka | - | - | - |
| 32666 Melrose | 128 | 10 | 116 |
| Zip Code Total | 4,440 | 1,098 | 3,270 |
| Putnam County | 5,157 | 1,217 | 3,861 |
| Florida | 1,151,967 | 248,712 | 842,544 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 63. Total Infant Deaths by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 6 | 3 | 3 | - |
| Florida | 1,442 | 605 | 815 | 206 |
| 2000 | | | | |
| Putnam County | 11 | 3 | 8 | 1 |
| Florida | 1,423 | 594 | 810 | 222 |
| 2001 | | | | |
| Putnam County | 10 | 2 | 8 | - |
| Florida | 1,495 | 635 | 839 | 254 |
| 2002 | | | | |
| Putnam County | 6 | 3 | 3 | - |
| Florida | 1,548 | 629 | 892 | 234 |
| 2003 | | | | |
| Putnam County | 13 | 6 | 7 | 3 |
| Florida | 1,584 | 647 | 907 | 273 |
| 2004 | | | | |
| Putnam County | 13 | 7 | 6 | 2 |
| Florida | 1,536 | 621 | 876 | 242 |
| 2005 | | | | |
| Putnam County | 19 | 7 | 12 | 4 |
| Florida | 1,626 | 652 | 882 | 373 |
| 2006 | | | | |
| Putnam County | 11 | 6 | 5 | 1 |
| Florida | 1,713 | 653 | 974 | 399 |
| 2007 | | | | |
| Putnam County | 5 | 1 | 4 | 2 |
| Florida | 1,689 | 689 | 906 | 440 |
| 2008 | | | | |
| Putnam County | 8 | 3 | 4 | 1 |
| Florida | 1,667 | 661 | 914 | 379 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 64. Total Infant Death Rates per 1,000 Live Births by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 6.3 | 12.8 | 4.2 | - |
| Florida | 7.3 | 13.4 | 5.6 | 5.0 |
| 2000 | | | | |
| Putnam County | 12.3 | 12.9 | 12.1 | 9.3 |
| Florida | 7.0 | 12.6 | 5.4 | 4.8 |
| 2001 | | | | |
| Putnam County | 11.0 | 8.4 | 12.0 | - |
| Florida | 7.3 | 13.5 | 5.5 | 5.1 |
| 2002 | | | | |
| Putnam County | 6.7 | 13.4 | 4.6 | - |
| Florida | 7.5 | 13.6 | 5.9 | 4.5 |
| 2003 | | | | |
| Putnam County | 14.1 | 25.5 | 10.3 | 22.9 |
| Florida | 7.5 | 13.7 | 5.8 | 5.0 |
| 2004 | | | | |
| Putnam County | 13.5 | 30.6 | 8.3 | 13.1 |
| Florida | 7.0 | 13.2 | 5.5 | 4.1 |
| 2005 | | | | |
| Putnam County | 18.4 | 27.8 | 15.7 | 23.7 |
| Florida | 7.2 | 13.6 | 5.3 | 5.9 |
| 2006 | | | | |
| Putnam County | 10.3 | 23.0 | 6.3 | 5.4 |
| Florida | 7.2 | 12.9 | 5.6 | 5.7 |
| 2007 | | | | |
| Putnam County | 4.6 | 3.9 | 5.0 | 10.4 |
| Florida | 7.1 | 13.4 | 5.2 | 6.2 |
| 2008 | | | | |
| Putnam County | 7.9 | 13.6 | 5.2 | 6.6 |
| Florida | 7.2 | 12.9 | 5.5 | 5.7 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 65. Total Number of Infant Deaths and Rates per 1,000 Live Births by Race and Zip Code, Putnam County and Florida, 2004-2008.

| Area | Number | | | Rates Per 1,000 Live Births | | |
|---------------------|-----------|-------|-------|-----------------------------|-------|-------|
| | All Races | Black | White | All Races | Black | White |
| 32112 Crescent City | 9 | 3 | 6 | 14.6 | 34.5 | 11.6 |
| 32131 East Palatka | 1 | 1 | - | 4.1 | 16.1 | --- |
| 32139 Georgetown | - | - | - | --- | --- | --- |
| 32140 Florahome | 1 | - | 1 | 10.6 | --- | 11.2 |
| 32148 Interlachen | 9 | - | 9 | 12.2 | --- | 12.8 |
| 32177 Palatka | 24 | 16 | 7 | 11.9 | 19.2 | 6.1 |
| 32181 Pomona Park | 2 | - | 2 | 16.9 | --- | 18.7 |
| 32187 San Mateo | 1 | 1 | - | 7.9 | 23.8 | --- |
| 32189 Satsuma | 4 | 1 | 3 | 13.6 | 55.6 | 11.1 |
| 32193 Welaka | - | - | - | --- | --- | --- |
| 32666 Melrose | 1 | - | 1 | 7.8 | --- | 8.6 |
| Zip Code Total | 52 | 22 | 29 | 11.7 | 20.0 | 8.9 |
| Putnam County | 56 | 24 | 31 | 10.9 | 19.7 | 8.0 |
| Florida | 8,231 | 3,276 | 4,552 | 7.1 | 13.2 | 5.4 |

Source: Florida Department of Health, Office of Vital Statistics, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 66. Total Low Birthweight Births by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|--------|-----------|
| 1999 | | | | |
| Putnam County | 83 | 33 | 50 | 5 |
| Florida | 16,126 | 5,521 | 10,116 | 2,672 |
| 2000 | | | | |
| Putnam County | 88 | 32 | 55 | 10 |
| Florida | 16,284 | 5,840 | 9,897 | 2,991 |
| 2001 | | | | |
| Putnam County | 84 | 35 | 49 | 7 |
| Florida | 16,812 | 5,889 | 10,349 | 3,226 |
| 2002 | | | | |
| Putnam County | 99 | 37 | 60 | 5 |
| Florida | 17,350 | 5,889 | 10,833 | 3,504 |
| 2003 | | | | |
| Putnam County | 73 | 27 | 46 | 12 |
| Florida | 18,047 | 6,203 | 11,190 | 3,795 |
| 2004 | | | | |
| Putnam County | 106 | 41 | 65 | 13 |
| Florida | 18,670 | 6,134 | 11,570 | 4,100 |
| 2005 | | | | |
| Putnam County | 102 | 40 | 61 | 10 |
| Florida | 19,802 | 6,521 | 12,221 | 4,493 |
| 2006 | | | | |
| Putnam County | 117 | 50 | 64 | 12 |
| Florida | 20,714 | 6,822 | 12,848 | 4,948 |
| 2007 | | | | |
| Putnam County | 95 | 40 | 52 | 8 |
| Florida | 20,767 | 7,047 | 12,664 | 4,975 |
| 2008 | | | | |
| Putnam County | 95 | 35 | 58 | 14 |
| Florida | 20,369 | 6,948 | 12,365 | 4,800 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 67. Percent of Low Birthweight Births by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 8.7 | 14.0 | 7.0 | 4.9 |
| Florida | 8.2 | 12.3 | 6.9 | 6.4 |
| 2000 | | | | |
| Putnam County | 9.8 | 13.8 | 8.3 | 9.3 |
| Florida | 8.0 | 12.4 | 6.6 | 6.5 |
| 2001 | | | | |
| Putnam County | 9.2 | 14.6 | 7.4 | 5.6 |
| Florida | 8.2 | 12.5 | 6.8 | 6.5 |
| 2002 | | | | |
| Putnam County | 11.1 | 16.5 | 9.1 | 4.3 |
| Florida | 8.4 | 12.8 | 7.1 | 6.8 |
| 2003 | | | | |
| Putnam County | 7.9 | 11.5 | 6.7 | 9.2 |
| Florida | 8.5 | 13.2 | 7.1 | 6.9 |
| 2004 | | | | |
| Putnam County | 11.0 | 17.9 | 9.0 | 8.5 |
| Florida | 8.6 | 13.1 | 7.2 | 7.0 |
| 2005 | | | | |
| Putnam County | 9.9 | 15.9 | 8.0 | 5.9 |
| Florida | 8.8 | 13.6 | 7.4 | 7.0 |
| 2006 | | | | |
| Putnam County | 10.9 | 19.2 | 8.0 | 6.5 |
| Florida | 8.7 | 13.4 | 7.4 | 7.1 |
| 2007 | | | | |
| Putnam County | 8.8 | 15.7 | 6.5 | 4.1 |
| Florida | 8.7 | 13.7 | 7.3 | 7.1 |
| 2008 | | | | |
| Putnam County | 9.4 | 15.8 | 7.6 | 9.3 |
| Florida | 8.8 | 13.5 | 7.4 | 7.3 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 68. Total Number and Percent of Births That Were Low Birthweight by Race and Zip Code, Putnam County and Florida, 2004-2008.

| Area | Number | | | Percent of Total births | | |
|---------------------|-----------|--------|--------|-------------------------|-------|-------|
| | All Races | Black | White | All Races | Black | White |
| 32112 Crescent City | 42 | 16 | 26 | 6.8 | 18.4 | 5.0 |
| 32131 East Palatka | 29 | 13 | 13 | 12.0 | 21.0 | 7.4 |
| 32139 Georgetown | 3 | - | 3 | 4.7 | - | 5.1 |
| 32140 Florahome | 4 | - | 4 | 4.3 | - | 4.5 |
| 32148 Interlachen | 73 | 1 | 72 | 9.9 | 3.8 | 10.2 |
| 32177 Palatka | 234 | 137 | 91 | 11.6 | 16.4 | 7.9 |
| 32181 Pomona Park | 10 | - | 10 | 8.5 | - | 9.3 |
| 32187 San Mateo | 9 | 8 | 1 | 7.1 | 19.0 | 1.2 |
| 32189 Satsuma | 25 | 4 | 21 | 8.5 | 22.2 | 7.7 |
| 32193 Welaka | - | - | - | --- | --- | --- |
| 32666 Melrose | 9 | 3 | 6 | 7.0 | 30.0 | 5.2 |
| Zip Code Total | 438 | 182 | 247 | 9.9 | 16.6 | 7.6 |
| Putnam County | 515 | 206 | 300 | 10.0 | 16.9 | 7.8 |
| Florida | 100,322 | 33,472 | 61,668 | 8.7 | 13.5 | 7.3 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (1 December, 2010).

Prepared by: WellFlorida Council, 2010.

Table 69. Total Number of Births That Received Care in First Trimester by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|--------|---------|-----------|
| 1999 | | | | |
| Putnam County | 710 | 156 | 551 | 55 |
| Florida | 163,794 | 32,563 | 126,631 | 33,516 |
| 2000 | | | | |
| Putnam County | 671 | 153 | 515 | 61 |
| Florida | 169,059 | 34,218 | 129,438 | 36,920 |
| 2001 | | | | |
| Putnam County | 707 | 171 | 530 | 81 |
| Florida | 171,080 | 34,603 | 130,815 | 40,306 |
| 2002 | | | | |
| Putnam County | 678 | 153 | 520 | 80 |
| Florida | 173,475 | 34,902 | 132,557 | 42,897 |
| 2003 | | | | |
| Putnam County | 709 | 159 | 546 | 86 |
| Florida | 180,107 | 36,091 | 137,560 | 45,928 |
| 2004 | | | | |
| Putnam County | 626 | 131 | 487 | 87 |
| Florida | 156,879 | 29,835 | 119,589 | 41,452 |
| 2005 | | | | |
| Putnam County | 645 | 136 | 496 | 92 |
| Florida | 158,516 | 29,507 | 120,787 | 43,084 |
| 2006 | | | | |
| Putnam County | 631 | 140 | 485 | 104 |
| Florida | 165,076 | 30,808 | 125,770 | 46,358 |
| 2007 | | | | |
| Putnam County | 621 | 122 | 489 | 93 |
| Florida | 165,545 | 31,040 | 125,503 | 46,412 |
| 2008 | | | | |
| Putnam County | 553 | 100 | 441 | 68 |
| Florida | 159,426 | 30,772 | 119,979 | 42,870 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 70. Percent of the Total Births That Received Care in the First Trimester by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 74.6 | 66.7 | 77.3 | 55.0 |
| Florida | 83.9 | 73.6 | 87.1 | 81.4 |
| 2000 | | | | |
| Putnam County | 75.3 | 66.2 | 78.7 | 58.1 |
| Florida | 83.7 | 73.6 | 86.8 | 81.0 |
| 2001 | | | | |
| Putnam County | 78.2 | 72.5 | 80.2 | 65.3 |
| Florida | 84.1 | 75.1 | 87.0 | 81.7 |
| 2002 | | | | |
| Putnam County | 76.9 | 68.9 | 79.8 | 69.6 |
| Florida | 85.4 | 77.2 | 87.8 | 83.7 |
| 2003 | | | | |
| Putnam County | 77.8 | 68.8 | 80.9 | 67.7 |
| Florida | 85.8 | 78.0 | 88.2 | 84.2 |
| 2004 | | | | |
| Putnam County | 74.5 | 66.2 | 77.1 | 66.9 |
| Florida | 81.0 | 72.8 | 83.4 | 79.4 |
| 2005 | | | | |
| Putnam County | 73.5 | 67.7 | 75.0 | 63.4 |
| Florida | 78.5 | 70.8 | 80.8 | 76.0 |
| 2006 | | | | |
| Putnam County | 70.3 | 68.3 | 71.3 | 64.6 |
| Florida | 76.8 | 68.5 | 79.0 | 73.4 |
| 2007 | | | | |
| Putnam County | 67.6 | 58.9 | 70.2 | 55.7 |
| Florida | 75.9 | 67.3 | 78.4 | 73.2 |
| 2008 | | | | |
| Putnam County | 68.7 | 60.6 | 70.6 | 56.2 |
| Florida | 76.9 | 68.4 | 79.3 | 74.8 |

* The percentages are of the total births by race and ethnicity.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 71. Total Number and Percent of Births That Received Care in the First Trimester by Race and Zip Code, Putnam County and Florida, 2004-2008.

| Area | Number | | | Percent of Total births | | |
|---------------------|-----------|---------|---------|-------------------------|-------|-------|
| | All Races | Black | White | All Races | Black | White |
| 32112 Crescent City | 321 | 43 | 271 | 52.0 | 49.4 | 52.2 |
| 32131 East Palatka | 142 | 32 | 106 | 58.7 | 51.6 | 60.6 |
| 32139 Georgetown | 36 | 2 | 34 | 56.3 | 50.0 | 57.6 |
| 32140 Florahome | 63 | 2 | 60 | 67.0 | 66.7 | 67.4 |
| 32148 Interlachen | 439 | 15 | 421 | 59.4 | 57.7 | 59.9 |
| 32177 Palatka | 1211 | 422 | 766 | 60.0 | 50.5 | 66.7 |
| 32181 Pomona Park | 50 | 3 | 47 | 42.4 | 27.3 | 43.9 |
| 32187 San Mateo | 75 | 19 | 55 | 59.5 | 45.2 | 67.1 |
| 32189 Satsuma | 174 | 13 | 156 | 59.0 | 72.2 | 57.6 |
| 32193 Welaka | 0 | 0 | 0 | --- | --- | --- |
| 32666 Melrose | 83 | 7 | 75 | 64.8 | 70.0 | 64.7 |
| Zip Code Total | 2,594 | 558 | 1,991 | 58.4 | 50.8 | 60.9 |
| Putnam County | 3,076 | 629 | 2,398 | 59.6 | 51.7 | 62.1 |
| Florida | 805,442 | 151,962 | 611,628 | 69.9 | 61.1 | 72.6 |

* The percentages are of the total births by race and ethnicity.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (1 December, 2010).

Prepared by: WellFlorida Council, 2010.

Table 72. Total Number of Births That Received Late(3rd Trimester) or No Prenatal Care by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 47 | 17 | 30 | 15 |
| Florida | 6,678 | 2,653 | 3,798 | 1,712 |
| 2000 | | | | |
| Putnam County | 47 | 14 | 32 | 12 |
| Florida | 7,089 | 2,722 | 4,055 | 2,057 |
| 2001 | | | | |
| Putnam County | 33 | 16 | 16 | 4 |
| Florida | 6,886 | 2,612 | 3,932 | 2,104 |
| 2002 | | | | |
| Putnam County | 32 | 9 | 21 | 8 |
| Florida | 5,970 | 2,219 | 3,509 | 1,715 |
| 2003 | | | | |
| Putnam County | 38 | 14 | 24 | 10 |
| Florida | 5,867 | 2,157 | 3,496 | 1,693 |
| 2004 | | | | |
| Putnam County | 43 | 20 | 23 | 4 |
| Florida | 8,348 | 2,706 | 5,129 | 2,418 |
| 2005 | | | | |
| Putnam County | 46 | 15 | 29 | 8 |
| Florida | 10,626 | 3,261 | 6,760 | 3,384 |
| 2006 | | | | |
| Putnam County | 62 | 22 | 38 | 13 |
| Florida | 12,240 | 3,701 | 7,921 | 4,176 |
| 2007 | | | | |
| Putnam County | 76 | 23 | 50 | 16 |
| Florida | 13,187 | 4,097 | 8,386 | 4,253 |
| 2008 | | | | |
| Putnam County | 54 | 14 | 40 | 11 |
| Florida | 11,940 | 3,825 | 7,454 | 3,613 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).
 Prepared by: WellFlorida Council, 2010.

Table 73. Percent of the Total Births That Received Late (3rd Trimester) or No Prenatal Care by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 4.9 | 7.2 | 4.2 | 14.7 |
| Florida | 3.4 | 5.9 | 2.6 | 4.1 |
| 2000 | | | | |
| Putnam County | 5.2 | 6.0 | 4.9 | 11.2 |
| Florida | 3.5 | 5.8 | 2.7 | 4.5 |
| 2001 | | | | |
| Putnam County | 3.6 | 6.7 | 2.4 | 3.2 |
| Florida | 3.3 | 5.5 | 2.6 | 4.2 |
| 2002 | | | | |
| Putnam County | 3.6 | 4.0 | 3.2 | 6.8 |
| Florida | 2.9 | 4.8 | 2.3 | 3.3 |
| 2003 | | | | |
| Putnam County | 4.1 | 6.0 | 3.5 | 7.6 |
| Florida | 2.8 | 4.6 | 2.2 | 3.1 |
| 2004 | | | | |
| Putnam County | 4.5 | 8.7 | 3.2 | 2.6 |
| Florida | 3.8 | 5.8 | 3.2 | 4.1 |
| 2005 | | | | |
| Putnam County | 4.4 | 6.0 | 3.8 | 4.7 |
| Florida | 4.7 | 6.8 | 4.1 | 5.3 |
| 2006 | | | | |
| Putnam County | 5.8 | 8.4 | 4.8 | 7.0 |
| Florida | 5.2 | 7.3 | 4.5 | 6.0 |
| 2007 | | | | |
| Putnam County | 7.1 | 9.1 | 6.2 | 8.3 |
| Florida | 5.5 | 7.9 | 4.8 | 6.0 |
| 2008 | | | | |
| Putnam County | 5.4 | 6.3 | 5.2 | 7.3 |
| Florida | 5.2 | 7.4 | 4.5 | 5.5 |

* The percentages are of the total births by race and ethnicity.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 74. Total Number of Teen Births (15 - 17 years of age) by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 76 | 24 | 52 | 10 |
| Florida | 8,764 | 3,445 | 5,192 | 1,936 |
| 2000 | | | | |
| Putnam County | 65 | 27 | 38 | 7 |
| Florida | 8,645 | 3,522 | 5,000 | 2,019 |
| 2001 | | | | |
| Putnam County | 66 | 24 | 42 | 14 |
| Florida | 8,013 | 3,227 | 4,646 | 2,086 |
| 2002 | | | | |
| Putnam County | 47 | 15 | 32 | 10 |
| Florida | 7,428 | 2,824 | 4,494 | 1,950 |
| 2003 | | | | |
| Putnam County | 50 | 14 | 36 | 14 |
| Florida | 7,227 | 2,690 | 4,421 | 2,021 |
| 2004 | | | | |
| Putnam County | 54 | 12 | 41 | 16 |
| Florida | 7,436 | 2,647 | 4,537 | 2,211 |
| 2005 | | | | |
| Putnam County | 57 | 17 | 40 | 13 |
| Florida | 7,590 | 2,664 | 4,678 | 2,394 |
| 2006 | | | | |
| Putnam County | 64 | 25 | 38 | 9 |
| Florida | 8,135 | 2,875 | 5,003 | 2,697 |
| 2007 | | | | |
| Putnam County | 62 | 20 | 41 | 16 |
| Florida | 8,119 | 2,908 | 4,960 | 2,643 |
| 2008 | | | | |
| Putnam County | 73 | 26 | 46 | 15 |
| Florida | 7,286 | 2,651 | 4,379 | 2,291 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 75. Teen (15-17 Years of Age) Birth Rates per 1,000 Female Population 15-17 by Race and Ethnicity, Putnam County and Florida, 1999-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 1999 | | | | |
| Putnam County | 51.5 | 62.8 | 48.4 | 80.6 |
| Florida | 31.8 | 54.0 | 25.5 | 33.9 |
| 2000 | | | | |
| Putnam County | 44.3 | 71.8 | 35.6 | 52.2 |
| Florida | 28.8 | 53.2 | 22.2 | 33.8 |
| 2001 | | | | |
| Putnam County | 44.9 | 64.2 | 39.3 | 105.3 |
| Florida | 26.0 | 47.2 | 20.2 | 33.7 |
| 2002 | | | | |
| Putnam County | 32.4 | 41.0 | 30.2 | 76.3 |
| Florida | 23.6 | 40.5 | 19.1 | 30.5 |
| 2003 | | | | |
| Putnam County | 34.0 | 37.7 | 33.5 | 107.7 |
| Florida | 22.4 | 37.7 | 18.3 | 30.7 |
| 2004 | | | | |
| Putnam County | 36.1 | 35.6 | 36.1 | 113.5 |
| Florida | 21.9 | 36.6 | 17.7 | 30.9 |
| 2005 | | | | |
| Putnam County | 37.4 | 50.6 | 34.4 | 72.2 |
| Florida | 21.8 | 34.7 | 18.1 | 32.4 |
| 2006 | | | | |
| Putnam County | 42.1 | 73.3 | 32.9 | 45.7 |
| Florida | 23.0 | 36.9 | 19.0 | 34.5 |
| 2007 | | | | |
| Putnam County | 41.2 | 58.5 | 36.1 | 75.1 |
| Florida | 22.6 | 36.5 | 18.7 | 32.2 |
| 2008 | | | | |
| Putnam County | 49.3 | 76.7 | 41.2 | 70.4 |
| Florida | 20.4 | 33.7 | 16.5 | 27.2 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 76. Total Number and Percent of Hispanic Births by Selected Indicators by Zip Code, Putnam County and Florida, 2004-2008.

| Area | Total Hispanic Live Births | Hispanic Infant Deaths | | Received Care in First Trimester | | Low Birthweight Births | |
|---------------------|----------------------------|------------------------|----------------------------|----------------------------------|-------------------------|------------------------|------------------|
| | | Number | Rate Per 1,000 Live Births | Number | Percent of Total Births | Number | Percent of Total |
| 32112 Crescent City | 380 | 3 | 7.9 | 197 | 51.8 | 18 | 4.7 |
| 32131 East Palatka | 31 | - | --- | 13 | 41.9 | 3 | 9.7 |
| 32139 Georgetown | 24 | - | --- | 12 | 50.0 | 0 | --- |
| 32140 Florahome | 5 | - | --- | 1 | 20.0 | 0 | --- |
| 32148 Interlachen | 170 | 4 | 23.5 | 98 | 57.6 | 16 | 9.4 |
| 32177 Palatka | 70 | - | --- | 39 | 55.7 | 3 | 4.3 |
| 32181 Pomona Park | 36 | 2 | 55.6 | 12 | 33.3 | 4 | 11.1 |
| 32187 San Mateo | 5 | - | --- | 1 | 20.0 | 1 | 20.0 |
| 32189 Satsuma | 43 | - | --- | 19 | 44.2 | 2 | 4.7 |
| 32193 Welaka | - | - | --- | 0 | --- | 0 | --- |
| 32666 Melrose | 9 | 1 | 111.1 | 1 | 11.1 | 1 | 11.1 |
| Zip Code Total | 773 | 10 | 12.9 | 393 | 50.8 | 48 | 6.2 |
| Putnam County | 852 | 10 | 11.7 | 444 | 52.1 | 57 | 6.7 |
| Florida | 328,827 | 1,833 | 5.6 | 220,176 | 67.0 | 23,316 | 7.1 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health & Birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 77. Total Number of Repeat Births by Age of Mother, Putnam County and Florida, 1999-2008.

| Area | 15-17 years of age | 18-19 years of age | 20-24 years of age |
|---------------|--------------------|--------------------|--------------------|
| 1999 | | | |
| Putnam County | 6 | 37 | 43 |
| Florida | 940 | 4,440 | 5,562 |
| 2000 | | | |
| Putnam County | 7 | 37 | 45 |
| Florida | 945 | 4,330 | 5,482 |
| 2001 | | | |
| Putnam County | 5 | 37 | 42 |
| Florida | 825 | 4,095 | 4,920 |
| 2002 | | | |
| Putnam County | 3 | 32 | 35 |
| Florida | 773 | 3,890 | 4,663 |
| 2003 | | | |
| Putnam County | 8 | 25 | 33 |
| Florida | 732 | 3,798 | 4,530 |
| 2004 | | | |
| Putnam County | 4 | 31 | 35 |
| Florida | 735 | 3,680 | 4,415 |
| 2005 | | | |
| Putnam County | 7 | 34 | 41 |
| Florida | 707 | 3,832 | 4,539 |
| 2006 | | | |
| Putnam County | 7 | 26 | 33 |
| Florida | 792 | 3,903 | 4,695 |
| 2007 | | | |
| Putnam County | 5 | 34 | 39 |
| Florida | 761 | 4,013 | 4,774 |
| 2008 | | | |
| Putnam County | 7 | 30 | 37 |
| Florida | 713 | 3,748 | 4,461 |

Repeat births to mothers by age that had a previous birth.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System;
<http://www.Floridacharts.com/>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 78. Percent of Repeat Births to All Births by Moms Age, Putnam County and Florida, 1999-2008.

| Area | 15-17 years of age | 18-19 years of age | 15-19 years of age |
|---------------|--------------------|--------------------|--------------------|
| 1999 | | | |
| Putnam County | 7.9 | 29.6 | 21.4 |
| Florida | 10.7 | 27.5 | 22.3 |
| 2000 | | | |
| Putnam County | 10.8 | 29.6 | 23.7 |
| Florida | 10.9 | 26.2 | 21.8 |
| 2001 | | | |
| Putnam County | 7.6 | 25.3 | 19.8 |
| Florida | 10.3 | 25.3 | 20.3 |
| 2002 | | | |
| Putnam County | 6.4 | 30.2 | 22.9 |
| Florida | 10.4 | 24.7 | 20.1 |
| 2003 | | | |
| Putnam County | 16.0 | 25.8 | 22.4 |
| Florida | 10.1 | 24.4 | 19.9 |
| 2004 | | | |
| Putnam County | 7.4 | 25.4 | 19.9 |
| Florida | 9.9 | 23.1 | 18.9 |
| 2005 | | | |
| Putnam County | 12.3 | 26.0 | 21.8 |
| Florida | 9.3 | 23.1 | 18.8 |
| 2006 | | | |
| Putnam County | 10.9 | 22.2 | 18.2 |
| Florida | 9.7 | 22.5 | 18.4 |
| 2007 | | | |
| Putnam County | 8.1 | 30.9 | 22.7 |
| Florida | 9.4 | 22.8 | 18.6 |
| 2008 | | | |
| Putnam County | 9.6 | 23.3 | 18.3 |
| Florida | 9.8 | 22.3 | 18.5 |

Repeat births to mothers by age that had a previous birth. The percentages are based on the total number of births to mothers 15-17, 18-19 and 15-19 years of age.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Table 79. Total Number of Births With Medicaid as the Payment Source by Race and Ethnicity, Putnam County and Florida, 2004-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|--------|--------|-----------|
| 2004 | | | | |
| Putnam County | 559 | 167 | 384 | 90 |
| Florida | 79,882 | 25,216 | 51,523 | 22,029 |
| 2005 | | | | |
| Putnam County | 740 | 217 | 515 | 110 |
| Florida | 99,941 | 31,118 | 64,948 | 27,905 |
| 2006 | | | | |
| Putnam County | 758 | 226 | 527 | 111 |
| Florida | 103,323 | 32,396 | 67,157 | 29,451 |
| 2007 | | | | |
| Putnam County | 708 | 215 | 484 | 103 |
| Florida | 102,205 | 32,396 | 65,966 | 28,461 |
| 2008 | | | | |
| Putnam County | 732 | 197 | 524 | 97 |
| Florida | 102,339 | 32,595 | 65,743 | 27,884 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 80. Percent of Births That had Medicaid as the Payment Source by Race and Ethnicity, Putnam County and Florida, 2004-2008.

| Area | All Races | Black | White | Hispanics |
|---------------|-----------|-------|-------|-----------|
| 2004 | | | | |
| Putnam County | 57.9 | 72.9 | 52.9 | 58.8 |
| Florida | 36.6 | 53.7 | 32.2 | 37.6 |
| 2005 | | | | |
| Putnam County | 71.6 | 86.1 | 67.2 | 65.1 |
| Florida | 44.2 | 64.9 | 39.1 | 43.8 |
| 2006 | | | | |
| Putnam County | 70.7 | 86.6 | 66.2 | 59.7 |
| Florida | 43.6 | 63.8 | 38.6 | 42.0 |
| 2007 | | | | |
| Putnam County | 65.7 | 84.6 | 60.1 | 53.4 |
| Florida | 42.7 | 62.8 | 37.8 | 40.4 |
| 2008 | | | | |
| Putnam County | 72.5 | 89.1 | 68.2 | 64.2 |
| Florida | 44.2 | 63.5 | 39.3 | 42.2 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 81. Number of Births by type of Payment Source for all births, Putnam County and Florida, 2004-2008.

| Area | All Births | Medicaid | Private Insurance | Self Pay | Other | Unknown |
|---------------|------------|----------|-------------------|----------|-------|---------|
| 2004 | | | | | | |
| Putnam County | 965 | 559 | 187 | 38 | 1 | 180 |
| Florida | 218,045 | 79,882 | 86,711 | 13,891 | 1,569 | 35,992 |
| 2005 | | | | | | |
| Putnam County | 1,034 | 740 | 223 | 66 | 2 | 3 |
| Florida | 226,219 | 99,941 | 101,659 | 20,574 | 2,305 | 1,740 |
| 2006 | | | | | | |
| Putnam County | 1,072 | 758 | 232 | 78 | 1 | 3 |
| Florida | 237,166 | 103,323 | 105,205 | 24,532 | 2,556 | 1,550 |
| 2007 | | | | | | |
| Putnam County | 1,077 | 708 | 250 | 118 | 1 | - |
| Florida | 239,120 | 102,205 | 105,267 | 27,487 | 2,670 | 1,491 |
| 2008 | | | | | | |
| Putnam County | 1,009 | 732 | 213 | 62 | - | 2 |
| Florida | 231,417 | 102,339 | 101,195 | 24,009 | 2,594 | 1,280 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).
 Prepared by: WellFlorida Council, 2010.

Table 82. Percent of Births by type of Payment Source for all births, Putnam County and Florida, 2004-2008.

| Area | Medicaid | Private Insurance | Self Pay | Other | Unknown |
|---------------|----------|-------------------|----------|-------|---------|
| 2004 | | | | | |
| Putnam County | 57.9 | 19.4 | 3.9 | 0.1 | 18.7 |
| Florida | 36.6 | 39.8 | 6.4 | 0.7 | 16.5 |
| 2005 | | | | | |
| Putnam County | 71.6 | 21.6 | 6.4 | 0.2 | 0.3 |
| Florida | 44.2 | 44.9 | 9.1 | 1.0 | 0.8 |
| 2006 | | | | | |
| Putnam County | 70.7 | 21.6 | 7.3 | 0.1 | 0.3 |
| Florida | 43.6 | 44.4 | 10.3 | 1.1 | 0.7 |
| 2007 | | | | | |
| Putnam County | 65.7 | 23.2 | 11.0 | 0.1 | - |
| Florida | 42.7 | 44.0 | 11.5 | 1.1 | 0.6 |
| 2008 | | | | | |
| Putnam County | 72.5 | 21.1 | 6.1 | - | 0.2 |
| Florida | 44.2 | 43.7 | 10.4 | 1.1 | 0.6 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the birth Indicators System; <http://www.Floridacharts.com>; (12 November, 2010).
Prepared by: WellFlorida Council, 2010.

BRFSS Data Tables

Table 83. Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007.

| Indicator | 2007 Putnam County | 2007 Florida | 2002 County Measure |
|--|--------------------------|-----------------|---------------------------|
| Air Quality | | | |
| Percentage of adults who reduced or changed outdoor activity because the air quality was bad | 16.9 | 19.2 | NA |
| Alcohol Consumption | | | |
| Percentage of adults who engage in heavy or binge drinking | 13.5 | 16.2 | 18.0 |
| Antibiotic Resistance | | | |
| Percentage of adults who have heard of antibiotic resistant infections | 60.5 | 58.3 | NA |
| Arthritis | | | |
| Percentage of adults who have been told they have some form of arthritis | 31.1 | 24.3 | NA |
| Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms | 18.1 | 12.5 | NA |
| Percentage of adults who had symptoms of pain, aching, or stiffness in or around a joint | 46.3 | 37.2 | NA |
| Asthma | | | |
| Percentage of adults who currently have asthma | 7.2 | 6.2 | 8.6 |
| Cancer Screening | | | |
| Percentage of women 40 years of age and older who received a mammogram in the past year | 60.9 | 64.9 | 54.8 |
| Percentage of women 18 years of age and older who had a clinical breast exam in the past year | 65.5 | 65.0 | NA |
| Percentage of women 18 years of age and older who received a Pap test in the past year | 63.2 | 64.8 | 63.2 |
| Percentage of men 50 years of age and older who received a PSA test in the past two years | 64.4 | 72.3 | NA |
| Percentage of men 50 years of age and older who received a digital rectal exam in the past year | 54.1 | 56.3 | NA |
| Percentage of adults 50 years of age and older who received a blood stool test in the past year | 15.4 | 21.2 | 24.5 |
| Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years | 42.7 | 53.7 | 35.3 |
| Cardiovascular Disease | | | |
| Percentage of adults who have ever had a stroke | 6.3 | 3.1 | NA |
| Percentage of adults who have ever had a heart attack, angina, or coronary heart disease | 15.0 | 9.3 | NA |

NA: Data not available in 2002.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report.

Prepared by: WellFlorida Council, 2010.

Table 83 Cont. Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007.

| Indicator | 2007 Putnam County | 2007 Florida | 2002 County Measure |
|---|--------------------------|-----------------|---------------------------|
| Cholesterol Awareness | | | |
| Percentage of adults who had their cholesterol checked in the past five years | 77.8 | 78.5 | 78 |
| Percentage of adults who have diagnosed high blood cholesterol | 42.3 | 37.1 | 35.8 |
| Dental Care | | | |
| Percentage of adults who could not see a dentist in the past year because of cost | 23.9 | 19.2 | NA |
| Diabetes | | | |
| Percentage of adults with diagnosed diabetes | 12.9 | 8.7 | 11.4 |
| Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average | 65.7 | 65.7 | NA |
| Percentage of adults with diabetes who had two A1C tests in the past year | 57.9 | 71.2 | NA |
| Percentage of adults with diabetes who had an annual foot exam | 74.9 | 75.6 | NA |
| Percentage of adults with diabetes who had an annual eye exam | 64.8 | 77.4 | NA |
| Percentage of adults with diabetes who ever had diabetes self-management education | 34.1 | 51.4 | NA |
| Average age at which diabetes was diagnosed | 49.8 | 50.9 | NA |
| Disability | | | |
| Percentage of adults who are limited in any way in any usual activities because of physical, mental or emotional problems | 27.0 | 17.8 | NA |
| Percentage of adults who use special equipment because of a health problem | 10.5 | 7.1 | NA |
| Folic Acid | | | |
| Percentage of adults who take a multivitamin | 51.9 | 58.5 | NA |
| Percentage of women under age 45 who take a multivitamin | 42.7 | 56.4 | NA |
| Gastrointestinal Disease | | | |
| Percentage of adults who had diarrhea in the past 30 days | 13.6 | 14.1 | NA |
| Percentage of adults who had diarrhea in the past 30 days and who visited a doctor | 1.2 | 2.4 | NA |

NA: Data not available in 2002.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report.

Prepared by: WellFlorida Council, 2010.

Table 83 Cont. Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007.

| Indicator | 2007 Putnam County | 2007 Florida | 2002 County Measure |
|--|--------------------------|-----------------|---------------------------|
| Health Care Access & Coverage | | | |
| Percentage of adults with any type of health care insurance coverage | 72.9 | 81.4 | 78.6 |
| Percentage of adults who have a personal doctor | 75.3 | 77.1 | 73.9 |
| Percentage of adults who could not see a doctor at least once in the past year due to cost | 24.0 | 15.1 | NA |
| Percentage of adults who had a medical checkup in the past year | 75.3 | 74.6 | NA |
| Health Status & Quality of Life | | | |
| Percentage of adults with good to excellent overall health | 74.6 | 83.4 | 75.7 |
| Percentage of adults who are "very satisfied" or "satisfied" with their lives | 94.6 | 94.2 | NA |
| Percentage of adults who always or usually receive the social and emotional support they need | 80.9 | 77.9 | NA |
| Percentage of adults with good physical health | 84.6 | 88.8 | NA |
| Percentage of adults with good mental health | 88.0 | 90.3 | NA |
| Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days | 5.4 | 4.5 | NA |
| Average number of unhealthy physical days in the past 30 days | 4.9 | 3.6 | NA |
| Average number of unhealthy mental days in the past 30 days | 4.0 | 3.3 | NA |
| HIV/AIDS | | | |
| Percentage of adults less than 65 years of age who have been tested for HIV | 43.9 | 49.1 | 44.5 |
| Hypertension Awareness and Control | | | |
| Percentage of adults with diagnosed hypertension | 33.1 | 28.2 | 30.9 |
| Percentage of adults with hypertension who engage in blood pressure control measures | 96.5 | 96.4 | NA |
| Percentage of adults with hypertension who were advised by a health care provider to engage in control measures | 98.8 | 95.5 | NA |

NA: Data not available in 2002.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report.

Prepared by: WellFlorida Council, 2010.

Table 83 Cont. Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007.

| Indicator | 2007 Putnam County | 2007 Florida | 2002 County Measure |
|--|--------------------------|-----------------|---------------------------|
| Immunization | | | |
| Percentage of adults in high-risk groups who received a flu shot in the past year | 48.9 | 44.6 | NA |
| Percentage of adults in high-risk groups who have ever received a pneumonia vaccination | 39.3 | 37.0 | NA |
| Percentage of adults who received a flu shot in the past year | 33.1 | 32.7 | 27.2 |
| Percentage of adults age 65 and older who received a flu shot in the past year | 68.1 | 64.6 | 45.8 |
| Percentage of adults who have ever received a pneumonia vaccination | 29.3 | 25.9 | 26.1 |
| Percentage of adults age 65 and older who have ever received a pneumonia vaccination | 69.2 | 63.0 | 52.5 |
| Percentage of adults who were at risk and who have received a hepatitis B vaccination | NA | 43.8 | NA |
| Overweight & Obesity | | | |
| Percentage of adults who are overweight | 33.3 | 38.0 | 32.2 |
| Percentage of adults who are obese | 31.5 | 24.1 | 28.2 |
| Percentage of adults who are overweight or obese | 64.8 | 62.1 | 60.4 |
| Percentage of adults whose body weight increased by five pounds or more in the past year | 19.7 | 22.4 | NA |
| Percentage of adults whose body weight decreased by five pounds or more in the past year | 26.1 | 23.0 | NA |
| Physical Activity & Nutrition | | | |
| Percentage of adults who are sedentary | 30.9 | 25.4 | 33.3 |
| Percentage of adults who are inactive at work | 48.2 | 64.5 | 51.4 |
| Percentage of adults who consume at least five servings of fruits and vegetables a day | 26.0 | 26.2 | 23.4 |
| Percentage of adults who meet moderate physical activity recommendations | 36.2 | 34.6 | 36.1 |
| Percentage of adults who meet vigorous physical activity recommendations | 20.7 | 26.0 | 18.7 |
| Percentage of adults who had an unwanted sexual experience in the past 12 months | 7.9 | 6.7 | NA |

NA: Data not available in 2002.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report.

Prepared by: WellFlorida Council, 2010.

Table 83 Cont. Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007.

| Indicator | 2007 Putnam County | 2007 Florida | 2002 County Measure |
|--|--------------------------|-----------------|---------------------------|
| Tobacco Use & Exposure | | | |
| Percentage of adults who are current smokers | 30.2 | 19.3 | 27.5 |
| Percentage of adults who are former smokers | 23.7 | 26.2 | 25.6 |
| Percentage of adults who have ever smoked | 46.1 | 54.5 | 46.9 |
| Percentage of non-smoking adults who were exposed to secondhand smoke in the past seven days | 15.1 | 14.9 | NA |
| Percentage of adult current smokers who tried to quit smoking at least once in the past year | 62.4 | 53.2 | 48.9 |

NA: Data not available in 2002.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report.

Prepared by: WellFlorida Council, 2010.

Table 84. Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007.

| Indicator | Putnam County | | | 2007 Florida |
|---|-----------------|-----------------|--|-----------------|
| | 2002 Measure | 2007 Measure | Percent Difference (2002 - 2007) | |
| Alcohol Consumption | | | | |
| Percentage of adults who engage in heavy or binge drinking | 18.0 | 13.5 | (33.3) | 16.2 |
| Asthma | | | | |
| Percentage of adults who currently have asthma | 8.6 | 7.2 | (19.4) | 6.2 |
| Cancer Screening | | | | |
| Percentage of women 40 years of age and older who received a mammogram in the past year | 54.8 | 60.9 | 10.0 | 64.9 |
| Percentage of women 18 years of age and older who received a Pap test in the past year | 63.2 | 63.2 | - | 64.8 |
| Percentage of adults 50 years of age and older who received a blood stool test in the past year | 24.5 | 15.4 | (59.1) | 21.2 |
| Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years | 35.3 | 42.7 | 17.3 | 53.7 |
| Cholesterol Awareness | | | | |
| Percentage of adults who had their cholesterol checked in the past five years | 78.0 | 77.8 | (0.3) | 78.5 |
| Percentage of adults who have diagnosed high blood cholesterol | 35.8 | 42.3 | 15.4 | 37.1 |
| Diabetes | | | | |
| Percentage of adults with diagnosed diabetes | 11.4 | 12.9 | 11.6 | 8.7 |
| Health Care Access & Coverage | | | | |
| Percentage of adults with any type of health care insurance coverage | 78.6 | 72.9 | (7.8) | 81.4 |
| Percentage of adults who have a personal doctor | 73.9 | 75.3 | 1.9 | 77.1 |
| Health Status & Quality of Life | | | | |
| Percentage of adults with good to excellent overall health | 75.7 | 74.6 | (1.5) | 83.4 |
| HIV/AIDS | | | | |
| Percentage of adults less than 65 years of age who have been tested for HIV | 44.5 | 43.9 | (1.4) | 49.1 |
| Hypertension Awareness and Control | | | | |
| Percentage of adults with diagnosed hypertension | 30.9 | 33.1 | 6.6 | 28.2 |

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report.

Prepared by: WellFlorida Council, 2010.

Table 84 Cont. Selected BRFSS Indicators for Putnam County and Florida, 2002 and 2007.

| Indicator | Putnam County | | | 2007 Florida |
|--|-----------------|-----------------|--|-----------------|
| | 2002 Measure | 2007 Measure | Percent Difference (2002 - 2007) | |
| Immunization | | | | |
| Percentage of adults who received a flu shot in the past year | 27.2 | 33.1 | 17.8 | 32.7 |
| Percentage of adults age 65 and older who received a flu shot in the past year | 45.8 | 68.1 | 32.7 | 64.6 |
| Percentage of adults who have ever received a pneumonia vaccination | 26.1 | 29.3 | 10.9 | 25.9 |
| Percentage of adults age 65 and older who have ever received a pneumonia vaccination | 52.5 | 69.2 | 24.1 | 63.0 |
| Overweight & Obesity | | | | |
| Percentage of adults who are overweight | 32.2 | 33.3 | 3.3 | 38.0 |
| Percentage of adults who are obese | 28.2 | 31.5 | 10.5 | 24.1 |
| Percentage of adults who are overweight or obese | 60.4 | 64.8 | 6.8 | 62.1 |
| Physical Activity & Nutrition | | | | |
| Percentage of adults who are sedentary | 33.3 | 30.9 | (7.8) | 25.4 |
| Percentage of adults who are inactive at work | 51.4 | 48.2 | (6.6) | 64.5 |
| Percentage of adults who consume at least five servings of fruits and vegetables a day | 23.4 | 26.0 | 10.0 | 26.2 |
| Percentage of adults who meet moderate physical activity recommendations | 36.1 | 36.2 | 0.3 | 34.6 |
| Percentage of adults who meet vigorous physical activity recommendations | 18.7 | 20.7 | (15.3) | 26.0 |
| Tobacco Use & Exposure | | | | |
| Percentage of adults who are current smokers | 27.5 | 30.2 | 8.9 | 19.3 |
| Percentage of adults who are former smokers | 25.6 | 23.7 | (8.0) | 26.2 |
| Percentage of adults who have ever smoked | 46.9 | 46.1 | (1.7) | 54.5 |
| Percentage of adult current smokers who tried to quit smoking at least once in the past year | 48.9 | 62.4 | 21.6 | 53.2 |

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report.

Prepared by: WellFlorida Council, 2010.

Other Infectious Diseases Data Tables

Table 85. Total Gonorrhea, Chlamydia & Infectious Syphilis rates per 100,000 Population, Putnam County and Florida, 1999-2008.

| Year | Putnam County | Florida |
|------|---------------|---------|
| 1999 | 471.2 | 347.9 |
| 2000 | 466.5 | 352.0 |
| 2001 | 459.6 | 363.4 |
| 2002 | 422.5 | 381.7 |
| 2003 | 321.7 | 361.3 |
| 2004 | 437.1 | 351.2 |
| 2005 | 554.8 | 357.0 |
| 2006 | 513.8 | 399.2 |
| 2007 | 438.4 | 437.8 |
| 2008 | 657.7 | 505.1 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 86. Vaccine Preventable Disease Rates per 100,000 Population, Putnam County and Florida, 1999-2008.

| Year | Putnam County | Florida |
|------|---------------|---------|
| 1999 | 20.0 | 4.0 |
| 2000 | 7.1 | 3.6 |
| 2001 | 4.2 | 3.2 |
| 2002 | 2.8 | 3.5 |
| 2003 | 9.7 | 4.0 |
| 2004 | 16.3 | 3.4 |
| 2005 | 6.8 | 3.4 |
| 2006 | 5.4 | 3.0 |
| 2007 | 2.7 | 3.3 |
| 2008 | 6.7 | 3.7 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 87. HIV Cases Rates per 100,000 Population, Putnam County and Florida, 1999-2008.

| Year | Putnam County | Florida |
|------|---------------|---------|
| 1999 | 25.7 | 39.9 |
| 2000 | 15.6 | 35.0 |
| 2001 | 24.0 | 35.1 |
| 2002 | 23.8 | 38.1 |
| 2003 | 20.8 | 34.7 |
| 2004 | 21.8 | 32.4 |
| 2005 | 20.3 | 29.4 |
| 2006 | 17.4 | 26.6 |
| 2007 | 28.1 | 31.9 |
| 2008 | 30.7 | 37.8 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).

Environmental Data Tables

Table 88. Percent of Population With Fluoridated Water Supplies, Putnam County and Florida, 1999-2008.

| Year | Putnam County | Florida |
|------|---------------|---------|
| 1999 | 57.0 | 64.1 |
| 2000 | 57.3 | 65.1 |
| 2001 | 57.3 | 65.9 |
| 2002 | 63.1 | 68.5 |
| 2003 | 63.1 | 68.9 |
| 2004 | 63.1 | 74.1 |
| 2005 | 63.1 | 76.9 |
| 2006 | 63.3 | 77.6 |
| 2007 | 63.4 | 77.8 |
| 2008 | 63.6 | 78.7 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 89. Percent of Population With Community Water Supplies, Putnam County and Florida, 1999-2008.

| Year | Putnam County | Florida |
|------|---------------|---------|
| 1999 | 34.5 | 90.5 |
| 2000 | 32.9 | 92.1 |
| 2001 | 32.8 | 90.9 |
| 2002 | 39.9 | 90.1 |
| 2003 | 39.9 | 90.2 |
| 2004 | 39.5 | 90.1 |
| 2005 | 40.0 | 92.3 |
| 2006 | 39.8 | 90.7 |
| 2007 | 39.8 | 90.3 |
| 2008 | 39.6 | 90.5 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).

Shortage Area Data Table

Table 90. HPSA Shortage Area, and MUA 2010.

| Health Professional Shortage Area | Putnam County |
|-----------------------------------|---|
| Dental | Population Group - Score is 16 |
| | Comprehensive Health Center-Score is 23 |
| Mental Health | County - Score is 16 |
| | Comprehensive Health Center-Score is 14 |
| Primary Medical Care | Population Group-Score is 14 |
| | Comprehensive Health Center-Score is 17 |
| | Rural Health Clinic-Score is 0 |
| Medically Underserved Area | Population Group- Score is 56.8 |

Source: U.S. Department of Health and Human Services Administration, reports generated by WellFlorida; using the Shortage Areas: HPSA by State & County System; <http://www.hrsa.gov> (24 November, 2010).

Prepared by: WellFlorida Council, 2010.

Medicaid Data Tables

Table 91. Number of Medicaid Eligibles and Percent of Total Population by Zip Code, Putnam County and Florida as of December of Each Year, 2005-2009.

| Area | Total Population | Medicaid Eligibles | |
|---------------------|------------------|--------------------|---------|
| | | Number | Percent |
| 2005 | | | |
| 32112 Crescent City | 9,067 | 1,732 | 19.1 |
| 32131 East Palatka | 5,007 | 803 | 16.0 |
| 32139 Georgetown | 862 | 243 | 28.2 |
| 32140 Florahome | 1,642 | 318 | 19.4 |
| 32148 Interlachen | 11,980 | 3,089 | 25.8 |
| 32177 Palatka | 25,442 | 6,700 | 26.3 |
| 32181 Pomona Park | 2,105 | 600 | 28.5 |
| 32187 San Mateo | 1,612 | 447 | 27.7 |
| 32189 Satsuma | 5,973 | 906 | 15.2 |
| 32666 Melrose | 5,014 | 844 | 16.8 |
| Zip Code Total | 70,709 | 15,682 | 22.2 |
| Putnam County | 72,193 | 15,814 | 21.9 |
| Florida | 17,926,011 | 2,233,946 | 12.5 |
| 2006 | | | |
| 32112 Crescent City | 9,325 | 1,718 | 18.4 |
| 32131 East Palatka | 5,318 | 777 | 14.6 |
| 32139 Georgetown | 840 | 217 | 25.8 |
| 32140 Florahome | 1,810 | 275 | 15.2 |
| 32148 Interlachen | 13,403 | 2,988 | 22.3 |
| 32177 Palatka | 26,037 | 6,598 | 25.3 |
| 32181 Pomona Park | 2,203 | 561 | 25.5 |
| 32187 San Mateo | 1,785 | 464 | 26.0 |
| 32189 Satsuma | 6,420 | 884 | 13.8 |
| 32666 Melrose | 5,591 | 808 | 14.5 |
| Zip Code Total | 72,732 | 15,290 | 21.0 |
| Putnam County | 76,285 | 16,310 | 21.4 |
| Florida | 18,478,309 | 2,129,623 | 11.5 |

For this table the zip code 32193 Welaka was included with 32112 Crescent City.

Source: Agency for Health Care Administration, Medicaid Program Office, Special Report, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 91 Cont. Number of Medicaid Eligibles and Percent of Total Population by Zip Code, Putnam County and Florida as of December of Each Year, 2005-2009.

| Area | Total Population | Medicaid Eligibles | |
|---------------------|------------------|--------------------|---------|
| | | Number | Percent |
| 2007 | | | |
| 32112 Crescent City | 9,411 | 1,766 | 18.8 |
| 32131 East Palatka | 5,299 | 733 | 13.8 |
| 32139 Georgetown | 846 | 210 | 24.8 |
| 32140 Florahome | 1,845 | 276 | 15.0 |
| 32148 Interlachen | 13,771 | 2,984 | 21.7 |
| 32177 Palatka | 26,069 | 6,437 | 24.7 |
| 32181 Pomona Park | 2,226 | 546 | 24.5 |
| 32187 San Mateo | 1,642 | 433 | 26.4 |
| 32189 Satsuma | 6,575 | 868 | 13.2 |
| 32666 Melrose | 5,389 | 758 | 14.1 |
| Zip Code Total | 73,073 | 15,011 | 20.5 |
| Putnam County | 76,969 | 16,173 | 21.0 |
| Florida | 18,893,813 | 2,162,233 | 11.4 |
| 2008 | | | |
| 32112 Crescent City | 8,830 | 1,913 | 21.7 |
| 32131 East Palatka | 5,333 | 799 | 15.0 |
| 32139 Georgetown | 804 | 259 | 32.2 |
| 32140 Florahome | 1,715 | 344 | 20.1 |
| 32148 Interlachen | 13,469 | 3,265 | 24.2 |
| 32177 Palatka | 26,192 | 6,895 | 26.3 |
| 32181 Pomona Park | 2,597 | 632 | 24.3 |
| 32187 San Mateo | 1,748 | 429 | 24.5 |
| 32189 Satsuma | 6,309 | 1,001 | 15.9 |
| 32666 Melrose | 5,643 | 786 | 13.9 |
| Zip Code Total | 72,640 | 16,323 | 22.5 |
| Putnam County | 75,958 | 17,062 | 22.5 |
| Florida | 19,119,225 | 2,386,151 | 12.5 |

For this table the zip code 32193 Welaka was included with 32112 Crescent City.

Source: Agency for Health Care Administration, Medicaid Program Office, Special Report, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 91 Cont. Number of Medicaid Eligibles and Percent of Total Population by Zip Code, Putnam County and Florida as of December of Each Year, 2005-2009.

| Area | Total Population | Medicaid Eligibles | |
|---------------------|------------------|--------------------|---------|
| | | Number | Percent |
| 2009 | | | |
| 32112 Crescent City | 9,081 | 2,141 | 23.6 |
| 32131 East Palatka | 5,265 | 880 | 16.7 |
| 32139 Georgetown | 792 | 281 | 35.5 |
| 32140 Florahome | 1,701 | 362 | 21.3 |
| 32148 Interlachen | 13,377 | 3,503 | 26.2 |
| 32177 Palatka | 25,814 | 7,192 | 27.9 |
| 32181 Pomona Park | 2,572 | 675 | 26.2 |
| 32187 San Mateo | 1,715 | 471 | 27.5 |
| 32189 Satsuma | 5,958 | 1,134 | 19.0 |
| 32666 Melrose | 5,506 | 913 | 16.6 |
| Zip Code Total | 71,781 | 17,552 | 24.5 |
| Putnam County | 75,136 | 18,551 | 24.7 |
| Florida | 19,021,613 | 2,708,723 | 14.2 |

For this table the zip code 32193 Welaka was included with 32112 Crescent City.

Source: Agency for Health Care Administration, Medicaid Program Office, Special Report, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 92. Median Monthly Medicaid Enrollment Rates per 100,000 for Putnam County and Florida, 1999-2008.

| Area | Putnam County | Florida |
|------|---------------|----------|
| 1999 | 18,793.6 | 10,332.3 |
| 2000 | 20,078.8 | 11,483.8 |
| 2001 | 20,640.4 | 11,969.8 |
| 2002 | 21,049.0 | 12,535.0 |
| 2003 | 19,958.7 | 11,982.0 |
| 2004 | 19,424.0 | 12,174.9 |
| 2005 | 21,345.9 | 12,300.0 |
| 2006 | 22,143.8 | 11,858.8 |
| 2007 | 21,570.6 | 11,264.5 |
| 2008 | 24,500.1 | 14,020.7 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Resources Available System; <http://www.Floridacharts.com>; (24 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 93. Medicaid Expenditures by Type, Putnam County and Florida,
July 1, 2007 - April 30, 2008.

| Type of Medical Assistance | Putnam County | | | |
|-------------------------------|---------------|---------|-----------------|---------|
| | Clients | | Dollars | |
| | Number | Percent | Number | Percent |
| Adult Day Care | 0 | - | \$0.00 | - |
| Ambulatory Surgical | 70 | 0.4 | \$24,744.65 | 0.1 |
| Birthing Center | 67 | 0.4 | \$13,231.46 | 0.0 |
| Case Management | 55 | 0.3 | \$13,158.75 | 0.0 |
| Chiropractor Services | 9 | 0.1 | \$778.65 | 0.0 |
| Comm Mental Services | 174 | 1.0 | \$60,148.59 | 0.2 |
| Dental Care | 569 | 3.4 | \$102,526.95 | 0.4 |
| DME Dial Crossover | 292 | 1.7 | \$105,888.82 | 0.4 |
| End-Stage Renal | 13 | 0.1 | \$119,083.69 | 0.4 |
| EPSDT | 430 | 2.5 | \$36,961.41 | 0.1 |
| Family Planning | 0 | - | \$0.00 | - |
| Hearing Services | 32 | 0.2 | \$13,022.49 | 0.0 |
| HMO - Physicians Health Plan | 10,513 | 62.3 | \$5,350,996.89 | 18.8 |
| Home and Comm Based Services | 1,281 | 7.6 | \$6,119,809.76 | 21.5 |
| Home Health | 637 | 3.8 | \$463,753.32 | 1.6 |
| Hospice | 31 | 0.2 | \$325,935.43 | 1.1 |
| ICF - MR | 1 | 0.0 | \$22,242.58 | 0.1 |
| Inpatient Hospital | 4,130 | 24.5 | \$4,276,907.62 | 15.0 |
| Lab and Xray | 1,695 | 10.0 | \$150,507.02 | 0.5 |
| Medipass | 6,489 | 38.4 | \$54,591.00 | 0.2 |
| Nurse Practitioner | 539 | 3.2 | \$40,462.47 | 0.1 |
| Outpatient Hospital | 2,910 | 17.2 | \$1,339,602.74 | 4.7 |
| Physician Care | 4,755 | 28.2 | \$1,674,905.87 | 5.9 |
| Podiatry | 249 | 1.5 | \$20,887.26 | 0.1 |
| Portable Xray | 52 | 0.3 | \$1,060.55 | 0.0 |
| Practitioner Crossover | 0 | - | \$0.00 | - |
| Prescribed Drugs | 4,423 | 26.2 | \$4,647,528.36 | 16.3 |
| Primary Care Management | 0 | - | \$0.00 | - |
| Rural Health | 3,378 | 20.0 | \$701,323.09 | 2.5 |
| Rural Hospital Swing Bed | 0 | - | \$0.00 | - |
| SNF | 332 | 2.0 | \$2,433,148.37 | 8.6 |
| State Mental Hospital | 0 | - | \$0.00 | - |
| Therapy Services | 100 | 0.6 | \$87,924.75 | 0.3 |
| Transportation | 638 | 3.8 | \$165,237.32 | 0.6 |
| Unassigned | 348 | 2.1 | \$0.00 | - |
| Visual | 835 | 4.9 | \$78,110.79 | 0.3 |
| Total | 16,879 | 100 | \$28,444,480.65 | 100 |

Source: Agency for Health Care Administration Medicaid Management Information System Recap of
Welfare Medical Assistance Report, July 2007- April 30, 2008.

Prepared by: WellFlorida Council, 2010.

Table 93 Cont. Medicaid Expenditures by Type, Putnam County and Florida,
July 1, 2007 - April 30, 2008.

| Type of Medical Assistance | Florida | | | |
|-------------------------------|-----------|---------|---------------------|---------|
| | Clients | | Dollars | |
| | Number | Percent | Number | Percent |
| Adult Day Care | 0 | - | \$0.00 | - |
| Ambulatory Surgical | 35,669 | 1.2 | \$12,879,891.10 | 0.1 |
| Birthing Center | 1,872 | 0.1 | \$1,035,701.22 | 0.0 |
| Case Management | 56,254 | 1.9 | \$17,927,648.22 | 0.2 |
| Chiropractor Services | 7,341 | 0.2 | \$863,333.95 | 0.0 |
| Comm Mental Services | 58,358 | 1.9 | \$92,303,968.60 | 0.9 |
| Dental Care | 284,706 | 9.5 | \$81,004,362.52 | 0.8 |
| DME Dial Crossover | 41,084 | 1.4 | \$30,430,870.03 | 0.3 |
| End-Stage Renal | 1,462 | 0.0 | \$11,232,224.31 | 0.1 |
| EPSDT | 334,737 | 11.2 | \$47,239,469.03 | 0.5 |
| Family Planning | 0 | - | \$0.00 | - |
| Hearing Services | 17,505 | 0.6 | \$3,266,947.77 | 0.0 |
| HMO - Physicians Health Plan | 2,043,785 | 68.3 | \$2,212,181,089.40 | 21.6 |
| Home and Comm Based Services | 248,690 | 8.3 | \$972,322,216.62 | 9.5 |
| Home Health | 106,825 | 3.6 | \$236,338,749.75 | 2.3 |
| Hospice | 17,275 | 0.6 | \$240,868,534.49 | 2.4 |
| ICF - MR | 3,567 | 0.1 | \$273,447,188.21 | 2.7 |
| Inpatient Hospital | 348,000 | 11.6 | \$1,793,631,268.10 | 17.6 |
| Lab and Xray | 423,873 | 14.2 | \$45,964,308.42 | 0.4 |
| Medipass | 941,595 | 31.5 | \$18,050,245.24 | 0.2 |
| Nurse Practitioner | 219,682 | 7.3 | \$44,224,850.49 | 0.4 |
| Outpatient Hospital | 897,353 | 30.0 | \$457,975,078.28 | 4.5 |
| Physician Care | 1,295,246 | 43.3 | \$578,905,694.00 | 5.7 |
| Podiatry | 38,843 | 1.3 | \$2,990,410.34 | 0.0 |
| Portable Xray | 29,236 | 1.0 | \$1,519,877.92 | 0.0 |
| Practitioner Crossover | 1,037 | 0.0 | \$29,076.42 | 0.0 |
| Prescribed Drugs | 988,104 | 33.0 | \$529,499,499.54 | 5.2 |
| Primary Care Management | 0 | - | \$0.00 | - |
| Rural Health | 201,450 | 6.7 | \$60,670,030.52 | 0.6 |
| Rural Hospital Swing Bed | 43 | 0.0 | \$877,808.59 | 0.0 |
| SNF | 90,623 | 3.0 | \$1,960,599,411.37 | 19.2 |
| State Mental Hospital | 200 | 0.0 | \$8,162,327.87 | 0.1 |
| Therapy Services | 56,293 | 1.9 | \$105,219,755.52 | 1.0 |
| Transportation | 138,937 | 4.6 | \$32,405,567.58 | 0.3 |
| Unassigned | 2,087 | 0.1 | \$217,803.33 | 0.0 |
| Visual | 158,917 | 5.3 | \$15,743,285.65 | 0.2 |
| Total | 2,993,576 | | \$10,220,028,494.40 | |

Source: Agency for Health Care Administration Medicaid Management Information System Recap of
Welfare Medical Assistance Report, July 2007- April 30, 2008.

Prepared by: WellFlorida Council, 2010.

Bed and Physician Availability Data Tables

Table 94. The Rate of Hospital Beds per 100,000 Population, Putnam County and Florida, 2002-2008.

| Area | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|---------------|-------|-------|-------|-------|-------|-------|-------|
| Putnam County | 197.3 | 195.5 | 192.0 | 190.8 | 189.1 | 188.5 | 188.1 |
| Florida | 334.3 | 329.6 | 323.5 | 320.4 | 315.6 | 314.0 | 316.9 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).
Prepared by: WellFlorida Council, 2010.

Table 95. The Rate of Nursing Home Beds per 100,000 Population, Putnam County and Florida, 2002-2008.

| Area | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|---------------|-------|-------|-------|-------|-------|-------|-------|
| Putnam County | 471.5 | 467.3 | 458.9 | 456.0 | 452.1 | 450.4 | 449.6 |
| Florida | 493.4 | 484.4 | 472.9 | 459.6 | 447.8 | 440.3 | 437.6 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).
Prepared by: WellFlorida Council, 2010.

Table 96. The Rate of Physicians by Type per 100,000 Population, Putnam County and Florida, Fiscal Years, 2002-03 - 2008-09.

| Type of Physician | 2002-03 | 2003-04 | 2004-05 | 2005-06 | 2006-07 | 2007-08 | 2008-09 |
|----------------------------|---------|---------|---------|---------|---------|---------|---------|
| Putnam County | | | | | | | |
| Family Practice Physicians | 9.8 | 9.7 | 9.5 | 9.5 | 8.0 | 9.4 | 9.3 |
| Internists | 14.0 | 13.9 | 13.6 | 10.8 | 21.5 | 18.7 | 18.7 |
| OB/GYN | 7.0 | 6.9 | 6.8 | 8.1 | 5.4 | 5.3 | 5.3 |
| Pediatricians | 2.8 | 2.8 | 2.7 | 2.7 | 5.4 | 5.3 | 6.7 |
| Total Physicians | 82.5 | 84.6 | 106.2 | 102.8 | 110.0 | 109.6 | 116.1 |
| Florida | | | | | | | |
| Family Practice Physicians | 16.0 | 17.3 | 17.4 | 16.6 | 17.4 | 18.1 | 20.1 |
| Internists | 46.1 | 46.0 | 46.8 | 45.2 | 47.0 | 49.0 | 51.8 |
| OB/GYN | 10.5 | 10.5 | 10.4 | 9.5 | 9.7 | 9.9 | 10.5 |
| Pediatricians | 17.9 | 17.9 | 18.1 | 17.1 | 17.7 | 19.9 | 20.0 |
| Total Physicians | 223.5 | 251.6 | 279.0 | 279.7 | 267.4 | 283.1 | 298.6 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).

Prepared by: WellFlorida Council, 2010.

Dental Data Tables

Table 97. The Rate of Licensed Dentists per 100,000 Population, Putnam County and Florida, Fiscal Years 2002-03 - 2008-09.

| Area | 2002-03 | 2003-04 | 2004-05 | 2005-06 | 2006-07 | 2007-08 | 2008-09 |
|---------------|---------|---------|---------|---------|---------|---------|---------|
| Putnam County | 18.2 | 16.6 | 16.3 | 17.6 | 20.1 | 22.7 | 22.7 |
| Florida | 52.5 | 62.0 | 63.8 | 61.4 | 62.8 | 60.9 | 62.6 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).

Prepared by: WellFlorida Council, 2010.

Table 98. Access to Dental Care by Low Income Persons, Percentages of Population Below Poverty, Putnam County and Florida, 1999-2008.

| Year | Putnam County | Florida |
|------|---------------|---------|
| 1999 | 26.5 | 20.5 |
| 2000 | 30.0 | 21.7 |
| 2001 | 26.2 | 23.2 |
| 2002 | 22.9 | 24.8 |
| 2003 | 26.8 | 24.7 |
| 2004 | 27.7 | 25.5 |
| 2005 | 31.0 | 25.2 |
| 2006 | 27.7 | 24.4 |
| 2007 | 28.4 | 25.6 |
| 2008 | 30.0 | 28.7 |

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (18 November, 2010).

Prepared by: WellFlorida Council, 2010.

Inpatient Hospital Utilization Data Tables

Table 99. Total Number and Percent of Discharges and Patient Days by Zip Code for Putnam County Residents and Florida, Calendar Years 2005-2009.

| Area | Discharges | Percent of Discharges | Patient Days | Percent of Patient Days | ALOS * |
|---------------------|------------|-----------------------|--------------|-------------------------|--------|
| 2005 | | | | | |
| 32112 Crescent City | 1,145 | 9.3 | 5,389 | 9.2 | 4.7 |
| 32131 East Palatka | 702 | 5.7 | 3,613 | 6.2 | 5.1 |
| 32139 Georgetown | 233 | 1.9 | 1,120 | 1.9 | 4.8 |
| 32140 Florahome | 281 | 2.3 | 1,303 | 2.2 | 4.6 |
| 32148 Interlachen | 2,112 | 17.1 | 9,724 | 16.6 | 4.6 |
| 32177 Palatka | 4,948 | 40.1 | 22,709 | 38.8 | 4.6 |
| 32181 Pomona Park | 531 | 4.3 | 2,508 | 4.3 | 4.7 |
| 32187 San Mateo | 432 | 3.5 | 2,200 | 3.8 | 5.1 |
| 32189 Satsuma | 877 | 7.1 | 4,238 | 7.2 | 4.8 |
| 32193 Welaka | 203 | 1.6 | 1,027 | 1.8 | 5.1 |
| 32666 Melrose | 881 | 7.1 | 4,625 | 7.9 | 5.2 |
| Zip Code Total | 12,345 | 100.0 | 58,456 | 100.0 | 4.7 |
| Putnam County | 12,345 | | 58,456 | | 4.7 |
| Florida | 2,447,682 | | 11,869,119 | | 4.8 |
| 2006 | | | | | |
| 32112 Crescent City | 1,162 | 9.5 | 4,858 | 8.4 | 4.2 |
| 32131 East Palatka | 703 | 5.7 | 3,598 | 6.2 | 5.1 |
| 32139 Georgetown | 234 | 1.9 | 1,077 | 1.9 | 4.6 |
| 32140 Florahome | 253 | 2.1 | 1,263 | 2.2 | 5.0 |
| 32148 Interlachen | 2,078 | 17.0 | 9,968 | 17.2 | 4.8 |
| 32177 Palatka | 4,874 | 39.8 | 22,834 | 39.5 | 4.7 |
| 32181 Pomona Park | 582 | 4.8 | 2,826 | 4.9 | 4.9 |
| 32187 San Mateo | 450 | 3.7 | 2,162 | 3.7 | 4.8 |
| 32189 Satsuma | 857 | 7.0 | 3,939 | 6.8 | 4.6 |
| 32193 Welaka | 265 | 2.2 | 1,227 | 2.1 | 4.6 |
| 32666 Melrose | 784 | 6.4 | 4,106 | 7.1 | 5.2 |
| Zip Code Total | 12,242 | 100.0 | 57,858 | 100.0 | 4.7 |
| Putnam County | 12,245 | | 57,858 | | 4.7 |
| Florida | 2,462,177 | | 11,802,422 | | 4.8 |

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 99 Cont. Total Number and Percent of Discharges and Patient Days by Zip Code for Putnam County Residents and Florida, Calendar Years 2005-

| Area | Discharges | Percent of Discharges | Patient Days | Percent of Patient Days | ALOS * |
|---------------------|------------|-----------------------|--------------|-------------------------|--------|
| 2007 | | | | | |
| 32112 Crescent City | 1,134 | 9.5 | 5,477 | 9.3 | 4.8 |
| 32131 East Palatka | 691 | 5.8 | 3,090 | 5.3 | 4.5 |
| 32139 Georgetown | 253 | 2.1 | 1,236 | 2.1 | 4.9 |
| 32140 Florahome | 275 | 2.3 | 1,289 | 2.2 | 4.7 |
| 32148 Interlachen | 2,093 | 17.5 | 10,160 | 17.3 | 4.9 |
| 32177 Palatka | 4,638 | 38.8 | 22,907 | 39.0 | 4.9 |
| 32181 Pomona Park | 494 | 4.1 | 2,433 | 4.1 | 4.9 |
| 32187 San Mateo | 415 | 3.5 | 2,232 | 3.8 | 5.4 |
| 32189 Satsuma | 945 | 7.9 | 4,390 | 7.5 | 4.6 |
| 32193 Welaka | 232 | 1.9 | 1,347 | 2.3 | 5.8 |
| 32666 Melrose | 777 | 6.5 | 4,120 | 7.0 | 5.3 |
| Zip Code Total | 11,947 | 100.0 | 58,681 | 100.0 | 4.9 |
| Putnam County | 11,947 | | 58,681 | | 4.9 |
| Florida | 2,474,190 | | 11,820,721 | | 4.8 |
| 2008 | | | | | |
| 32112 Crescent City | 974 | 8.4 | 5,093 | 8.5 | 5.2 |
| 32131 East Palatka | 716 | 6.2 | 3,842 | 6.4 | 5.4 |
| 32139 Georgetown | 222 | 1.9 | 1,137 | 1.9 | 5.1 |
| 32140 Florahome | 290 | 2.5 | 1,586 | 2.7 | 5.5 |
| 32148 Interlachen | 2,074 | 17.8 | 10,128 | 17.0 | 4.9 |
| 32177 Palatka | 4,472 | 38.4 | 22,962 | 38.5 | 5.1 |
| 32181 Pomona Park | 485 | 4.2 | 2,577 | 4.3 | 5.3 |
| 32187 San Mateo | 408 | 3.5 | 2,195 | 3.7 | 5.4 |
| 32189 Satsuma | 876 | 7.5 | 4,220 | 7.1 | 4.8 |
| 32193 Welaka | 238 | 2.0 | 1,420 | 2.4 | 6.0 |
| 32666 Melrose | 886 | 7.6 | 4,412 | 7.4 | 5.0 |
| Zip Code Total | 11,641 | 100.0 | 59,572 | 100.0 | 5.1 |
| Putnam County | 11,641 | | 59,572 | | 5.1 |
| Florida | 2,482,310 | | 11,900,274 | | 4.8 |

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 99 Cont. Total Number and Percent of Discharges and Patient Days by Zip Code for Putnam County Residents and Florida, Calendar Years 2005-

| Area | Discharges | Percent of Discharges | Patient Days | Percent of Patient Days | ALOS * |
|---------------------|------------|-----------------------|--------------|-------------------------|--------|
| 2009 | | | | | |
| 32112 Crescent City | 1,075 | 9.4 | 5,204 | 9.0 | 4.8 |
| 32131 East Palatka | 709 | 6.2 | 3,635 | 6.3 | 5.1 |
| 32139 Georgetown | 250 | 2.2 | 1,297 | 2.3 | 5.2 |
| 32140 Florahome | 280 | 2.5 | 1,389 | 2.4 | 5.0 |
| 32148 Interlachen | 1,895 | 16.7 | 8,545 | 14.9 | 4.5 |
| 32177 Palatka | 4,316 | 37.9 | 22,408 | 39.0 | 5.2 |
| 32181 Pomona Park | 510 | 4.5 | 3,271 | 5.7 | 6.4 |
| 32187 San Mateo | 412 | 3.6 | 2,099 | 3.6 | 5.1 |
| 32189 Satsuma | 847 | 7.4 | 4,368 | 7.6 | 5.2 |
| 32193 Welaka | 205 | 1.8 | 968 | 1.7 | 4.7 |
| 32666 Melrose | 877 | 7.7 | 4,329 | 7.5 | 4.9 |
| Zip Code Total | 11,376 | 100.0 | 57,513 | 100.0 | 5.1 |
| Putnam County | 11,376 | | 57,513 | | 5.1 |
| Florida | 2,514,758 | | 11,900,910 | | 4.7 |

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 100. Total Number and Percent of Discharges and Patient Days by Payor Source, Putnam County and Florida, Calendar Years 2005-2009.

| Payor | Putnam County | | | | Florida | | | |
|-------------------|---------------|---------|--------------|---------|------------|---------|--------------|---------|
| | Discharges | | Patient Days | | Discharges | | Patient Days | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 2005 | | | | | | | | |
| Medicare | 5,886 | 47.7 | 33,000 | 56.5 | 1,029,229 | 42.0 | 5,925,844 | 49.9 |
| Medicaid | 2,894 | 23.4 | 11,565 | 19.8 | 440,126 | 18.0 | 1,998,317 | 16.8 |
| Private Insurance | 2,518 | 20.4 | 9,961 | 17.0 | 712,643 | 29.1 | 2,807,915 | 23.7 |
| VA/Champus | 130 | 1.1 | 541 | 0.9 | 29,098 | 1.2 | 121,541 | 1.0 |
| Self Pay/Charity | 781 | 6.3 | 2,881 | 4.9 | 188,625 | 7.7 | 778,056 | 6.6 |
| All Others * | 136 | 1.1 | 508 | 0.9 | 47,961 | 2.0 | 237,446 | 2.0 |
| Total | 12,345 | 100.0 | 58,456 | 100.0 | 2,447,682 | 100.0 | 11,869,119 | 100.0 |
| 2006 | | | | | | | | |
| Medicare | 5,834 | 47.7 | 32,601 | 56.3 | 1,019,191 | 41.4 | 5,767,782 | 48.9 |
| Medicaid | 2,786 | 22.8 | 10,261 | 17.7 | 441,625 | 17.9 | 1,994,501 | 16.9 |
| Private Insurance | 2,519 | 20.6 | 10,442 | 18.0 | 711,560 | 28.9 | 2,782,404 | 23.6 |
| VA/Champus | 120 | 1.0 | 787 | 1.4 | 31,938 | 1.3 | 163,876 | 1.4 |
| Self Pay/Charity | 806 | 6.6 | 2,961 | 5.1 | 207,347 | 8.4 | 831,026 | 7.0 |
| All Others * | 177 | 1.4 | 806 | 1.4 | 50,516 | 2.1 | 262,833 | 2.2 |
| Total | 12,242 | 100.0 | 57,858 | 100.0 | 2,462,177 | 100.0 | 11,802,422 | 100.0 |
| 2007 | | | | | | | | |
| Medicare | 5,464 | 45.7 | 32,025 | 54.6 | 1,017,288 | 41.1 | 5,739,032 | 48.6 |
| Medicaid | 2,745 | 23.0 | 11,745 | 20.0 | 445,311 | 18.0 | 2,010,926 | 17.0 |
| Private Insurance | 2,516 | 21.1 | 10,139 | 17.3 | 714,184 | 28.9 | 2,786,774 | 23.6 |
| VA/Champus | 142 | 1.2 | 650 | 1.1 | 40,525 | 1.6 | 167,954 | 1.4 |
| Self Pay/Charity | 905 | 7.6 | 3,298 | 5.6 | 204,618 | 8.3 | 828,978 | 7.0 |
| All Others * | 175 | 1.5 | 824 | 1.4 | 52,264 | 2.1 | 287,057 | 2.4 |
| Total | 11,947 | 100.0 | 58,681 | 100.0 | 2,474,190 | 100.0 | 11,820,721 | 100.0 |

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 100 Cont. Total Number and Percent of Discharges and Patient Days by Payor Source, Putnam County and Florida, Calendar Years 2005-2009.

| Payor | Putnam County | | | | Florida | | | |
|-------------------|---------------|---------|--------------|---------|------------|---------|--------------|---------|
| | Discharges | | Patient Days | | Discharges | | Patient Days | |
| | Number | Percent | Number | Percent | Number | Percent | Number | Percent |
| 2008 | | | | | | | | |
| Medicare | 5,594 | 48.1 | 35,344 | 59.3 | 1,031,814 | 41.6 | 5,790,863 | 48.7 |
| Medicaid | 2,631 | 22.6 | 10,337 | 17.4 | 456,381 | 18.4 | 2,075,363 | 17.4 |
| Private Insurance | 2,319 | 19.9 | 9,633 | 16.2 | 704,135 | 28.4 | 2,779,973 | 23.4 |
| VA/Champus | 154 | 1.3 | 663 | 1.1 | 37,235 | 1.5 | 156,380 | 1.3 |
| Self Pay/Charity | 804 | 6.9 | 3,021 | 5.1 | 202,900 | 8.2 | 830,878 | 7.0 |
| All Others * | 139 | 1.2 | 574 | 1.0 | 49,845 | 2.0 | 266,817 | 2.2 |
| Total | 11,641 | 100.0 | 59,572 | 100.0 | 2,482,310 | 100.0 | 11,900,274 | 100.0 |
| 2009 | | | | | | | | |
| Medicare | 5,563 | 48.9 | 31,529 | 54.8 | 1,059,175 | 42.1 | 5,790,118 | 48.7 |
| Medicaid | 2,576 | 22.6 | 11,854 | 20.6 | 497,075 | 19.8 | 2,229,099 | 18.7 |
| Private Insurance | 2,163 | 19.0 | 9,510 | 16.5 | 667,378 | 26.5 | 2,661,084 | 22.4 |
| VA/Champus | 128 | 1.1 | 723 | 1.3 | 39,782 | 1.6 | 162,315 | 1.4 |
| Self Pay/Charity | 851 | 7.5 | 3,441 | 6.0 | 205,672 | 8.2 | 806,924 | 6.8 |
| All Others * | 95 | 0.8 | 456 | 0.8 | 45,676 | 1.8 | 251,370 | 2.1 |
| Total | 11,376 | 100.0 | 57,513 | 100.0 | 2,514,758 | 100.0 | 11,900,910 | 100.0 |

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 101. Number of Discharges and Patient Days for the Top 10 DRGs Per Year, Putnam County, Calendar Years 2005-2009.

| Diagnosis-Related Group (DRG) | Discharges | Patient Days | ALOS * |
|--|------------|--------------|--------|
| 2005 | | | |
| Normal Newborn (391) | 733 | 1,371 | 1.9 |
| Vaginal Delivery without Complicating Diagnoses (373) | 556 | 1,049 | 1.9 |
| Heart Failure and Shock (127) | 398 | 1,980 | 5.0 |
| Chest Pain (143) | 372 | 721 | 1.9 |
| Chronic Obstructive Pulmonary Disease (088) | 341 | 1,500 | 4.4 |
| Simple Pneumonia & Pleurisy Age >17 W CC (089) | 330 | 1,849 | 5.6 |
| Septicemia, Age Greater than 17 (416) | 303 | 2,131 | 7.0 |
| Psychoses (430) | 274 | 2,079 | 7.6 |
| Atherosclerosis with CC (132) | 239 | 581 | 2.4 |
| Esophagitis, Gastroent & Mis Digestive Disorders Age > 17 W CC (182) | 211 | 913 | 4.3 |
| All Others | 8,588 | 44,282 | 5.2 |
| Total | 12,345 | 58,456 | 4.7 |
| 2006 | | | |
| Normal Newborn (391) | 697 | 1,290 | 1.9 |
| Vaginal Delivery without Complicating Diagnoses (373) | 578 | 1,148 | 2.0 |
| Heart Failure and Shock (127) | 388 | 1,998 | 5.1 |
| Chronic Obstructive Pulmonary Disease (088) | 359 | 1,674 | 4.7 |
| Chest Pain (143) | 354 | 645 | 1.8 |
| Septicemia, Age Greater than 17 (416) | 243 | 1,626 | 6.7 |
| Simple Pneumonia & Pleurisy Age >17 W CC (089) | 242 | 1,294 | 5.3 |
| Psychoses (430) | 242 | 1,854 | 7.7 |
| Atherosclerosis with CC (132) | 236 | 648 | 2.7 |
| Major Joint Replacement or Reattachment of the Lower Extremity (544) | 223 | 1,051 | 4.7 |
| All Others | 8,680 | 44,630 | 5.1 |
| Total | 12,242 | 57,858 | 4.7 |

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 101 Cont. Number of Discharges and Patient Days for the Top 10 DRGs Per Year, Putnam County, Calendar Years 2005-2009.

| Diagnosis-Related Group (DRG) | Discharges | Patient Days | ALOS * |
|---|------------|--------------|--------|
| 2007 | | | |
| Normal Newborn (391) | 674 | 1,312 | 1.9 |
| Vaginal Delivery without Complicating Diagnoses (373) | 526 | 1,046 | 2.0 |
| Heart Failure and Shock (127) | 376 | 2,146 | 5.7 |
| Chronic Obstructive Pulmonary Disease (088) | 359 | 1,654 | 4.6 |
| Chest Pain (143) | 311 | 659 | 2.1 |
| Septicemia w/o MV96+ Hours Age Greater than 17 (576) | 290 | 1,932 | 6.7 |
| Major Joint Replacement or Reattachment of the Lower Extremity (544) | 254 | 1,199 | 4.7 |
| Psychoses (430) | 233 | 2,025 | 8.7 |
| Cesarean Section w/o CC (371) | 227 | 583 | 2.6 |
| Neonate with other significant problems (390) | 200 | 478 | 2.4 |
| All Others | 8,497 | 45,647 | 5.4 |
| Total | 11,947 | 58,681 | 4.9 |
| 2008 | | | |
| Normal Newborn (795) | 661 | 1,326 | 2.0 |
| Vaginal Delivery W/O Complicating Diagnoses (775) | 545 | 1,171 | 2.1 |
| Chest Pain (313) | 254 | 555 | 2.2 |
| Psychoses (885) | 244 | 2,044 | 8.4 |
| Esophagitis, Gastroent & Mis Digestive Disorders W/O MCC (392) | 236 | 865 | 3.7 |
| Circulatory disorders except AMI, w card cath w/o MCC (287) | 224 | 869 | 3.9 |
| Septicemia w/o MV 96+ hours with CC/MCC (871) | 205 | 1,786 | 8.7 |
| Major Joint Replacement or Reattachment of Lower Extremity W/O MCC(470) | 200 | 819 | 4.1 |
| Cesarean Section w/o CC/MCC (766) | 189 | 478 | 2.5 |
| Cellulitis w/o MCC (603) | 188 | 857 | 4.6 |
| All Others | 8,695 | 48,802 | 5.6 |
| Total | 11,641 | 59,572 | 5.1 |

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 101 Cont. Number of Discharges and Patient Days for the Top 10 DRGs Per Year, Putnam County, Calendar Years 2005-2009.

| Diagnosis-Related Group (DRG) | Discharges | Patient Days | ALOS * |
|---|------------|--------------|--------|
| 2009 | | | |
| Normal Newborn (795) | 609 | 1,287 | 2.1 |
| Vaginal Delivery W/O Complicating Diagnoses (775) | 503 | 1,097 | 2.2 |
| Major Joint Replacement or Reattachment of Lower Extremity W/O MCC(470) | 252 | 1,048 | 4.2 |
| Septicemia w/o MV 96+ hours with CC/MCC (871) | 220 | 1,719 | 7.8 |
| Psychoses (885) | 213 | 1,595 | 7.5 |
| Cesarean Section w/o CC/MCC (766) | 202 | 539 | 2.7 |
| Esophagitis, Gastroent & Mis Digestive Disorders W/O MCC (392) | 199 | 744 | 3.7 |
| Neonate with other significant problems (794) | 183 | 442 | 2.4 |
| Circulatory disorders except AMI, w card cath w/o MCC (287) | 179 | 651 | 3.6 |
| Perc cardiovascular proc w drug-eluting stent w/o MCC (247) | 170 | 295 | 1.7 |
| All Others | 8,646 | 48,096 | 5.6 |
| Total | 11,376 | 57,513 | 5.1 |

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2004-2008.

Prepared by: WellFlorida Council, 2010.

Table 102. Number of Avoidable Discharges and Rate Per 1,000 population 0 - 64 Years of Age by Zip Code, Putnam County and Florida, 2005-2009.

| Area | Average Population 0-64 years of age | Total Avoidable Discharges | Average Discharges | Rate Per 1,000 Population |
|---------------------|---|-------------------------------|-----------------------|------------------------------|
| 2005-2007 | | | | |
| 32112 Crescent City | 6,913 | 371 | 124 | 17.9 |
| 32131 East Palatka | 4,328 | 189 | 63 | 14.6 |
| 32139 Georgetown | 588 | 58 | 19 | 32.9 |
| 32140 Florahome | 1,493 | 75 | 25 | 16.7 |
| 32148 Interlachen | 10,928 | 653 | 218 | 19.9 |
| 32177 Palatka | 21,903 | 1,444 | 481 | 22.0 |
| 32181 Pomona Park | 1,708 | 130 | 43 | 25.4 |
| 32187 San Mateo | 1,324 | 132 | 44 | 33.2 |
| 32189 Satsuma | 4,582 | 210 | 70 | 15.3 |
| 32666 Melrose | 4,396 | 217 | 72 | 16.5 |
| Zip Code Total | 58,015 | 3,479 | 1,160 | 20.0 |
| Putnam County | 61,124 | 3,478 | 1,159 | 19.0 |
| Florida | 15,332,434 | 657,908 | 219,303 | 14.3 |
| 2006-2008 | | | | |
| 32112 Crescent City | 6,986 | 338 | 113 | 16.1 |
| 32131 East Palatka | 4,395 | 175 | 58 | 13.3 |
| 32139 Georgetown | 595 | 57 | 19 | 32.0 |
| 32140 Florahome | 1,533 | 70 | 23 | 15.2 |
| 32148 Interlachen | 11,232 | 644 | 215 | 19.1 |
| 32177 Palatka | 22,085 | 1,325 | 442 | 20.0 |
| 32181 Pomona Park | 1,728 | 133 | 44 | 25.7 |
| 32187 San Mateo | 1,340 | 131 | 44 | 32.6 |
| 32189 Satsuma | 4,744 | 215 | 72 | 15.1 |
| 32666 Melrose | 4,506 | 215 | 72 | 15.9 |
| Zip Code Total | 59,143 | 3,303 | 1,101 | 18.6 |
| Putnam County | 62,150 | 3,303 | 1,101 | 17.7 |
| Florida | 15,461,561 | 629,221 | 209,740 | 13.6 |

For this table the zip code 32193 Welaka was included with 32112 Crescent City.

Source: Agency for Health Care Administration, Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 102 Cont. Number of Avoidable Discharges and Rate Per 1,000 population 0 - 64 Years of Age by Zip Code, Putnam County and Florida, 2005-2009.

| Area | Average Population 0-64 years of age | Total Avoidable Discharges | Average Discharges | Rate Per 1,000 Population |
|---------------------|---|-------------------------------|-----------------------|------------------------------|
| 2007-2009 | | | | |
| 32112 Crescent City | 6,886 | 321 | 107 | 15.5 |
| 32131 East Palatka | 4,371 | 176 | 59 | 13.4 |
| 32139 Georgetown | 577 | 63 | 21 | 36.4 |
| 32140 Florahome | 1,500 | 77 | 26 | 17.1 |
| 32148 Interlachen | 11,196 | 623 | 208 | 18.5 |
| 32177 Palatka | 21,978 | 1,311 | 437 | 19.9 |
| 32181 Pomona Park | 1,794 | 122 | 41 | 22.7 |
| 32187 San Mateo | 1,329 | 130 | 43 | 32.6 |
| 32189 Satsuma | 4,599 | 227 | 76 | 16.5 |
| 32666 Melrose | 4,465 | 243 | 81 | 18.1 |
| Zip Code Total | 58,696 | 3,293 | 1,098 | 18.7 |
| Putnam County | 61,657 | 3,293 | 1,098 | 17.8 |
| Florida | 15,600,895 | 644,476 | 214,825 | 13.8 |

For this table the zip code 32193 Welaka was included with 32112 Crescent City.

Source: Agency for Health Care Administration, Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 103. Total Number and Percent of Avoidable Discharges and Patient Days by Payor Source for < 65 Years of Age, Putnam County and Florida, Calendar Years 2005-2009.

| Payor | Discharges | | Patient Days | |
|----------------------|------------|---------|--------------|---------|
| | Number | Percent | Number | Percent |
| Putnam County - 2005 | | | | |
| Medicare | 314 | 24.5 | 1,821 | 28.3 |
| Medicaid | 379 | 29.6 | 1,943 | 30.2 |
| Private Insurance | 379 | 29.6 | 1,833 | 28.5 |
| VA/Champus | 19 | 1.5 | 113 | 1.8 |
| Self Pay/Charity | 184 | 14.4 | 686 | 10.7 |
| All Others * | 7 | 0.5 | 30 | 0.5 |
| Total | 1,282 | 100.0 | 6,426 | 100.0 |
| Florida - 2005 | | | | |
| Medicare | 38,670 | 16.1 | 233,687 | 20.3 |
| Medicaid | 62,908 | 26.1 | 303,898 | 26.4 |
| Private Insurance | 91,342 | 38.0 | 401,226 | 34.8 |
| VA/Champus | 4,205 | 1.7 | 19,048 | 1.7 |
| Self Pay/Charity | 36,528 | 15.2 | 158,962 | 13.8 |
| All Others * | 6,919 | 2.9 | 35,399 | 3.1 |
| Total | 240,572 | 100.0 | 1,152,220 | 100.0 |
| Putnam County - 2006 | | | | |
| Medicare | 259 | 24.5 | 1,440 | 28.2 |
| Medicaid | 300 | 28.4 | 1,359 | 26.6 |
| Private Insurance | 324 | 30.7 | 1,465 | 28.7 |
| VA/Champus | 10 | 0.9 | 58 | 1.1 |
| Self Pay/Charity | 146 | 13.8 | 681 | 13.3 |
| All Others * | 16 | 1.5 | 99 | 1.9 |
| Total | 1,055 | 100.0 | 5,102 | 100.0 |
| Florida - 2006 | | | | |
| Medicare | 35,808 | 17.4 | 207,868 | 21.9 |
| Medicaid | 52,603 | 25.5 | 245,773 | 25.8 |
| Private Insurance | 72,226 | 35.1 | 304,693 | 32.0 |
| VA/Champus | 3,795 | 1.8 | 16,494 | 1.7 |
| Self Pay/Charity | 35,192 | 17.1 | 145,210 | 15.3 |
| All Others * | 6,350 | 3.1 | 31,002 | 3.3 |
| Total | 205,974 | 100.0 | 951,040 | 100.0 |

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 103 Cont. Total Number and Percent of Avoidable Discharges and Patient Days by Payor Source for < 65 Years of Age, Putnam County and Florida, Calendar Years 2005-2009.

| Payor | Discharges | | Patient Days | |
|----------------------|------------|---------|--------------|---------|
| | Number | Percent | Number | Percent |
| Putnam County - 2007 | | | | |
| Medicare | 305 | 26.7 | 1,532 | 28.2 |
| Medicaid | 327 | 28.6 | 1,654 | 30.5 |
| Private Insurance | 291 | 25.5 | 1,332 | 24.5 |
| VA/Champus | 26 | 2.3 | 128 | 2.4 |
| Self Pay/Charity | 182 | 15.9 | 739 | 13.6 |
| All Others * | 11 | 1.0 | 43 | 0.8 |
| Total | 1,142 | 100.0 | 5,428 | 100.0 |
| Florida - 2007 | | | | |
| Medicare | 37,221 | 17.6 | 222,546 | 22.2 |
| Medicaid | 53,088 | 25.1 | 261,762 | 26.2 |
| Private Insurance | 73,383 | 34.7 | 311,648 | 31.2 |
| VA/Champus | 5,037 | 2.4 | 23,060 | 2.3 |
| Self Pay/Charity | 35,753 | 16.9 | 148,503 | 14.8 |
| All Others * | 6,880 | 3.3 | 32,952 | 3.3 |
| Total | 211,362 | 100.0 | 1,000,471 | 100.0 |
| Putnam County - 2008 | | | | |
| Medicare | 318 | 28.8 | 1,962 | 34.9 |
| Medicaid | 338 | 30.6 | 1,582 | 28.1 |
| Private Insurance | 257 | 23.2 | 1,293 | 23.0 |
| VA/Champus | 25 | 2.3 | 158 | 2.8 |
| Self Pay/Charity | 154 | 13.9 | 577 | 10.3 |
| All Others * | 14 | 1.3 | 54 | 1.0 |
| Total | 1,106 | 100.0 | 5,626 | 100.0 |
| Florida - 2008 | | | | |
| Medicare | 37,758 | 17.8 | 216,798 | 22.2 |
| Medicaid | 55,293 | 26.1 | 261,546 | 26.8 |
| Private Insurance | 71,519 | 33.8 | 300,840 | 30.8 |
| VA/Champus | 4,671 | 2.2 | 20,648 | 2.1 |
| Self Pay/Charity | 35,797 | 16.9 | 144,812 | 14.8 |
| All Others * | 6,847 | 3.2 | 31,176 | 3.2 |
| Total | 211,885 | 100.0 | 975,820 | 100.0 |

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 103 Cont. Total Number and Percent of Avoidable Discharges and Patient Days by Payor Source for < 65 Years of Age, Putnam County and Florida, Calendar Years 2005-2009.

| Payor | Discharges | | Patient Days | |
|----------------------|------------|---------|--------------|---------|
| | Number | Percent | Number | Percent |
| Putnam County - 2009 | | | | |
| Medicare | 289 | 27.7 | 1,568 | 32.3 |
| Medicaid | 308 | 29.5 | 1,481 | 30.6 |
| Private Insurance | 231 | 22.1 | 991 | 20.4 |
| VA/Champus | 21 | 2.0 | 78 | 1.6 |
| Self Pay/Charity | 192 | 18.4 | 705 | 14.5 |
| All Others * | 4 | 0.4 | 24 | 0.5 |
| Total | 1,045 | 100.0 | 4,847 | 100.0 |
| Florida - 2009 | | | | |
| Medicare | 40,501 | 18.3 | 217,037 | 22.4 |
| Medicaid | 62,236 | 28.1 | 278,280 | 28.7 |
| Private Insurance | 69,064 | 31.2 | 281,169 | 29.0 |
| VA/Champus | 4,876 | 2.2 | 20,073 | 2.1 |
| Self Pay/Charity | 38,296 | 17.3 | 144,190 | 14.9 |
| All Others * | 6,256 | 2.8 | 28,163 | 2.9 |
| Total | 221,229 | 100.0 | 968,912 | 100.0 |

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 104. Top 10 Reasons for Avoidable Discharges for < 65 Years of Age, Putnam County, Calendar Years 2005-2009.

| Avoidable Reason | Number | Percent of Total (N) |
|--|--------|----------------------|
| 2005 (N=1282) | | |
| Dehydration - volume depletion | 422 | 32.9 |
| Bacterial Pneumonia | 163 | 12.7 |
| Cellulitis | 107 | 8.3 |
| Congestive Heart Failure | 105 | 8.2 |
| Chronic Obstructive Pulmonary Disease | 102 | 8.0 |
| Asthma | 92 | 7.2 |
| Convulsions "B" | 47 | 3.7 |
| Diabetes "B" | 46 | 3.6 |
| Diabetes "A" | 38 | 3.0 |
| Kidney/Urinary Infection | 32 | 2.5 |
| 2006 (N=1055) | | |
| Dehydration - volume depletion | 408 | 38.7 |
| Cellulitis | 138 | 13.1 |
| Chronic Obstructive Pulmonary Disease | 121 | 11.5 |
| Congestive Heart Failure | 101 | 9.6 |
| Asthma | 68 | 6.4 |
| Diabetes "A" | 48 | 4.5 |
| Diabetes "B" | 43 | 4.1 |
| Convulsions "B" | 40 | 3.8 |
| Kidney/Urinary Infection | 40 | 3.8 |
| Hypertension | 29 | 2.7 |
| 2007 (N=1142) | | |
| Dehydration - volume depletion | 343 | 30.0 |
| Cellulitis | 157 | 13.7 |
| Chronic Obstructive Pulmonary Disease | 137 | 12.0 |
| Congestive Heart Failure | 109 | 9.5 |
| Asthma | 69 | 6.0 |
| Diabetes "A" | 60 | 5.3 |
| Kidney/Urinary Infection | 48 | 4.2 |
| Hypertension | 44 | 3.9 |
| Grand mal status and other epileptic convulsions | 41 | 3.6 |
| Diabetes "B" | 34 | 3.0 |

Source: Agency for Health Care Administration, Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 104 Cont. Top 10 Reasons for Avoidable Discharges for < 65 Years of Age, Putnam County, Calendar Years 2005-09.

| Avoidable Reason | Number | Percent of Total (N) |
|--|--------|----------------------|
| 2008 (N=1106) | | |
| Dehydration - volume depletion | 400 | 36.2 |
| Cellulitis | 157 | 14.2 |
| Chronic Obstructive Pulmonary Disease | 134 | 12.1 |
| Congestive Heart Failure | 103 | 9.3 |
| Asthma | 69 | 6.2 |
| Grand mal status and other epileptic convulsions | 50 | 4.5 |
| Kidney/Urinary Infection | 48 | 4.3 |
| Diabetes "A" | 46 | 4.2 |
| Diabetes "B" | 41 | 3.7 |
| Hypertension | 26 | 2.4 |
| 2009 (N=1045) | | |
| Dehydration - volume depletion | 322 | 30.8 |
| Chronic Obstructive Pulmonary Disease | 178 | 17.0 |
| Cellulitis | 140 | 13.4 |
| Asthma | 86 | 8.2 |
| Congestive Heart Failure | 86 | 8.2 |
| Kidney/Urinary Infection | 57 | 5.5 |
| Diabetes "A" | 40 | 3.8 |
| Diabetes "B" | 34 | 3.3 |
| Grand mal status and other epileptic convulsions | 33 | 3.2 |
| Hypertension | 30 | 2.9 |

Source: Agency for Health Care Administration, Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Emergency Department Data Tables

Table 105. Number and Percent of Emergency Department Visits by Payor Source, Putnam County and Florida, Calendar Years 2005-2008.

| Payor Source | Putnam County | | Florida | |
|------------------|---------------|---------|-----------|---------|
| | Number | Percent | Number | Percent |
| 2005 | | | | |
| Medicare | 4,073 | 15.5 | 775,816 | 14.5 |
| Medicaid | 7,614 | 29.0 | 1,229,845 | 22.9 |
| Private | 5,539 | 21.1 | 1,688,157 | 31.5 |
| VA/Champus | 222 | 0.8 | 70,852 | 1.3 |
| Self Pay/Charity | 7,623 | 29.1 | 1,392,053 | 25.9 |
| All Others * | 1,142 | 4.4 | 208,331 | 3.9 |
| Total | 26,213 | 100.0 | 5,365,054 | 100.0 |
| 2006 | | | | |
| Medicare | 5,057 | 19.3 | 784,675 | 14.3 |
| Medicaid | 10,250 | 39.1 | 1,235,915 | 22.5 |
| Private | 6,593 | 25.2 | 1,708,746 | 31.1 |
| VA/Champus | 320 | 1.2 | 91,709 | 1.7 |
| Self Pay/Charity | 9,922 | 37.9 | 1,472,183 | 26.8 |
| All Others * | 1,356 | 5.2 | 206,422 | 3.8 |
| Total | 33,498 | 127.8 | 5,499,650 | 100.0 |
| 2007 | | | | |
| Medicare | 5,194 | 19.8 | 788,967 | 14.4 |
| Medicaid | 10,775 | 41.1 | 1,219,933 | 22.3 |
| Private | 6,908 | 26.4 | 1,658,987 | 30.3 |
| VA/Champus | 308 | 1.2 | 86,421 | 1.6 |
| Self Pay/Charity | 10,335 | 39.4 | 1,517,670 | 27.7 |
| All Others * | 1,271 | 4.8 | 202,091 | 3.7 |
| Total | 34,791 | 132.7 | 5,474,069 | 100.0 |
| 2008 | | | | |
| Medicare | 4,958 | 18.9 | 836,426 | 14.8 |
| Medicaid | 10,236 | 39.0 | 1,350,498 | 23.9 |
| Private | 5,917 | 22.6 | 1,629,408 | 28.9 |
| VA/Champus | 325 | 1.2 | 93,456 | 1.7 |
| Self Pay/Charity | 9,726 | 37.1 | 1,546,720 | 27.4 |
| All Others * | 941 | 3.6 | 188,231 | 3.3 |
| Total | 32,103 | 122.5 | 5,644,739 | 100.0 |

* All Others include Workers Compensation, Other State/Local Government, Other, Kidcare and Unknown.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2008.

Prepared by: WellFlorida Council, 2010.

Table 106. Number and Percent of the Main Reason for Emergency Department Visit by Year, Putnam County, Calendar Years 2005-2008.

| ICD 9 Code | Number | Percent |
|---|--------|---------|
| 2005 | | |
| Pain in Limb (729.5) | 1,256 | 4.8 |
| Cough (786.2) | 1,246 | 4.8 |
| Fever (780.6) | 1,190 | 4.5 |
| Unspecified aftercare (V58.89) | 1,012 | 3.9 |
| Backache, unspecified (724.5) | 879 | 3.4 |
| Chest Pain, Unspecified (786.50) | 817 | 3.1 |
| Headache (784.0) | 795 | 3.0 |
| Abdominal pain, unspecified site (789.00) | 793 | 3.0 |
| Abdominal pain other specified site (789.09) | 581 | 2.2 |
| Rash and other nonspecific skin eruption (782.1) | 531 | 2.0 |
| All Others | 17,113 | 65.3 |
| Total | 26,213 | 100.0 |
| 2006 | | |
| Fever (780.6) | 1,562 | 4.7 |
| Pain in Limb (729.5) | 1,409 | 4.2 |
| Cough (786.2) | 1,273 | 3.8 |
| Unspecified aftercare (V58.89) | 1,152 | 3.4 |
| Chest Pain, Unspecified (786.50) | 1,135 | 3.4 |
| Headache (784.0) | 927 | 2.8 |
| Backache, unspecified (724.5) | 909 | 2.7 |
| Abdominal pain, unspecified site (789.00) | 905 | 2.7 |
| Abdominal pain other specified site (789.09) | 851 | 2.5 |
| Unspecified disorder of the teeth and supporting structures (525.9) | 789 | 2.4 |
| All Others | 22,586 | 67.4 |
| Total | 33,498 | 100.0 |

Source: Agency for Health Care Administration Emergency Department Data, 2005-2008.

Prepared by: WellFlorida Council, 2010.

Table 106 Cont. Number and Percent of the Main Reason for Emergency Department Visit by Year, Putnam County, Calendar Years 2005-2009.

| ICD 9 Code | Number | Percent |
|---|--------|---------|
| 2007 | | |
| Fever (780.6) | 1,709 | 4.9 |
| Pain in Limb (729.5) | 1,527 | 4.4 |
| Chest Pain, Unspecified (786.50) | 1,281 | 3.7 |
| Cough (786.2) | 1,182 | 3.4 |
| Unspecified aftercare (V58.89) | 1,128 | 3.2 |
| Headache (784.0) | 1,050 | 3.0 |
| Abdominal pain, unspecified site (789.00) | 1,006 | 2.9 |
| Abdominal pain other specified site (789.09) | 901 | 2.6 |
| Unspecified disorder of the teeth and supporting structures (525.9) | 875 | 2.5 |
| Lumbago (724.2) | 855 | 2.5 |
| All Others | 23,277 | 66.9 |
| Total | 34,791 | 100.0 |
| 2008 | | |
| Pain in Limb (729.5) | 1,805 | 5.6 |
| Abdominal pain, unspecified site (789.00) | 1,199 | 3.7 |
| Cough (786.2) | 1,188 | 3.7 |
| Chest Pain, Unspecified (786.50) | 1,178 | 3.7 |
| Fever (780.6) | 1,125 | 3.5 |
| Backache, unspecified (724.5) | 946 | 2.9 |
| Unspecified disorder of the teeth and supporting structures (525.9) | 941 | 2.9 |
| Unspecified aftercare (V58.89) | 936 | 2.9 |
| Headache (784.0) | 895 | 2.8 |
| Abdominal pain other specified site (789.09) | 812 | 2.5 |
| All Others | 21,078 | 65.7 |
| Total | 32,103 | 100.0 |

Source: Agency for Health Care Administration Emergency Department Data, 2005-2008.

Prepared by: WellFlorida Council, 2010.

Table 107. Number of Avoidable ED Visits and Rate Per 1,000 population by Zip Code, Putnam County and Florida, 2005-2009.*

| Area | Average Population | Total Avoidable ED Visits | Average ED Visits | Rate Per 1,000 Population |
|---------------------|--------------------|---------------------------|-------------------|---------------------------|
| 2005-2007 | | | | |
| 32112 Crescent City | 9,143 | 3,870 | 1,290 | 141.1 |
| 32131 East Palatka | 5,244 | 2,941 | 980 | 186.9 |
| 32139 Georgetown | 829 | 495 | 165 | 199.1 |
| 32140 Florahome | 1,743 | 1,031 | 344 | 197.2 |
| 32148 Interlachen | 13,200 | 9,472 | 3,157 | 239.2 |
| 32177 Palatka | 25,911 | 23,147 | 7,716 | 297.8 |
| 32181 Pomona Park | 2,341 | 1,661 | 554 | 236.5 |
| 32187 San Mateo | 1,700 | 1,529 | 510 | 299.7 |
| 32189 Satsuma | 6,247 | 3,136 | 1,045 | 167.3 |
| 32666 Melrose | 5,429 | 2,597 | 866 | 159.5 |
| Zip Code Total | 72,171 | 49,879 | 16,626 | 230.4 |
| Putnam County | 75,308 | 49,860 | 16,620 | 220.7 |
| Florida | 18,687,794 | 7,178,515 | 2,392,838 | 128.0 |
| 2006-2008 | | | | |
| 32112 Crescent City | 9,189 | 3,813 | 1,271 | 138.3 |
| 32131 East Palatka | 5,317 | 2,930 | 977 | 183.7 |
| 32139 Georgetown | 830 | 514 | 171 | 206.4 |
| 32140 Florahome | 1,790 | 995 | 332 | 185.3 |
| 32148 Interlachen | 13,548 | 9,269 | 3,090 | 228.1 |
| 32177 Palatka | 26,099 | 22,247 | 7,416 | 284.1 |
| 32181 Pomona Park | 2,342 | 1,612 | 537 | 229.4 |
| 32187 San Mateo | 1,725 | 1,544 | 515 | 298.4 |
| 32189 Satsuma | 6,435 | 3,308 | 1,103 | 171.4 |
| 32666 Melrose | 5,541 | 2,573 | 858 | 154.8 |
| Zip Code Total | 72,815 | 48,805 | 16,268 | 223.4 |
| Putnam County | 76,404 | 48,769 | 16,256 | 212.8 |
| Florida | 18,830,449 | 7,220,904 | 2,406,968 | 127.8 |

* ED Visits are classified into four categories using the NYU Algorithm: (1) Non Emergent, (2) Emergent/primary care treatable, (3) Emergent/emergency department care required but preventable/avoidable, (4) Emergent/emergency department care required, not preventable/avoidable. Therefore, the first three were combined to create the total number of avoidable ED visits.

For this table zip code 32193 Welaka was included with 32112 Crescent City.

Source: Broward Regional Health Planning Council,

<http://healthdata.brhpc.org/Default.aspx?pid=nyualgo>, July 2010; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.

Table 107 Cont. Number of Avoidable ED Visits and Rate Per 1,000 population by Zip Code, Putnam County and Florida, 2005-2009.*

| Area | Average Population | Total Avoidable ED Visits | Average ED Visits | Rate Per 1,000 Population |
|---------------------|--------------------|---------------------------|-------------------|---------------------------|
| 2007-2009 | | | | |
| 32112 Crescent City | 9,107 | 4,100 | 1,367 | 150.1 |
| 32131 East Palatka | 5,299 | 3,083 | 1,028 | 193.9 |
| 32139 Georgetown | 814 | 515 | 172 | 210.9 |
| 32140 Florahome | 1,754 | 1,028 | 343 | 195.4 |
| 32148 Interlachen | 13,539 | 9,615 | 3,205 | 236.7 |
| 32177 Palatka | 26,025 | 22,790 | 7,597 | 291.9 |
| 32181 Pomona Park | 2,465 | 1,712 | 571 | 231.5 |
| 32187 San Mateo | 1,702 | 1,630 | 543 | 319.3 |
| 32189 Satsuma | 6,281 | 3,505 | 1,168 | 186.0 |
| 32666 Melrose | 5,513 | 2,552 | 851 | 154.3 |
| Zip Code Total | 72,498 | 50,530 | 16,843 | 232.3 |
| Putnam County | 76,021 | 50,517 | 16,839 | 221.5 |
| Florida | 19,011,550 | 7,515,221 | 2,505,074 | 131.8 |

* ED Visits are classified into four categories using the NYU Algorithm: (1) Non Emergent, (2) Emergent/primary care treatable, (3) Emergent/emergency department care required but preventable/avoidable, (4) Emergent/emergency department care required, not preventable/avoidable. Therefore, the first three were combined to create the total number of avoidable ED visits.

For this table zip code 32193 Welaka was included with 32112 Crescent City.

Source: Broward Regional Health Planning Council,

<http://healthdata.brhpc.org/Default.aspx?pid=nyualgo>, July 2010; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2010.