



2012

***Mobilizing for Action through
Planning and Partnerships
(MAPP) Technical Appendix Report***

Marion County



Table of Contents

List of Key Health Assessment Indicator Maps	3
List of Data Tables	4
Technical Report Summary.....	10
Introduction.....	10
Demographics and Socioeconomics	10
Population	10
Economic Characteristics	11
Educational Attainment.....	12
Mortality and Morbidity	12
Racial and Ethnic Disparity	13
Birth Outcomes	13
Mental Health	14
Behavioral Risk Factors.....	15
Health Care Access and Utilization	16
County Health Rankings	17
Life Expectancy	18
List of Key Health Assessment Indicator Maps	21
Technical Report Data Tables	31
Population Data.....	31
Poverty Data	56
Income Data.....	70
Unemployment Data	71
Business and Employees Data	72
Education Data.....	76
Language Spoken Data	79
Uninsured Data.....	83
Mortality Data	86

Mental Health Data.....	126
Birth Related Data	131
CDC's Behavioral Risk Factors Surveillance System (BRFSS) Data	154
Other Infectious Diseases Data	160
Environmental Data.....	162
Shortage Area Data.....	163
Medicaid Data.....	164
Bed and Physician Availability Data.....	170
Dental Data.....	171
Inpatient Hospital Utilization Data.....	172
Emergency Department (ED) Data.....	189
New Uninsured Data Released	196
County Health Rankings Data	197
Life Expectancy Data.....	198
Technical Notes	200
Census Data Percentages.....	200
Crude Versus Age-Adjusted Mortality Rates	200
Death Data	201
Emergency Department (ED) Data.....	201
Health Professional Shortage Areas (HPSA) Data	201
Maps.....	202
Medically Underserved Areas & Populations (MUAs & MUPs) Data.....	202
Small Area Health Insurance Estimates	203
Zip Codes	203

List of Key Health Assessment Indicator Maps

Map 1. Zip Code Boundaries and Major Municipalities for Marion County	21
Map 2. Poverty Rate by Zip Code for Marion County	22
Map 3. Percent of Population Uninsured by Zip Code for Marion County.....	23
Map 4. Heart Disease Death Rates by Zip Code for Marion County	24
Map 5. Cancer Death Rates by Zip Code for Marion County	25
Map 6. Chronic Lower Respiratory Disease Death Rates by Zip Code for Marion County	26
Map 7. Stroke Death Rates by Zip Code for Marion County	27
Map 8. Unintentional Injury Death Rates by Zip Code for Marion County	28
Map 9. Motor Vehicle Crash Death Rates by Zip Code for Marion County	29
Map 10. Diabetes Death Rates by Zip Code for Marion County	30

List of Data Tables

Table 1. Total Population and Projected Populations, Marion County and Florida, 2000-2030	31
Table 2. Estimates of Population by City, Marion County and Florida, April 1, 2009.....	32
Table 3. Total Population by Race for Selected Ages, Marion County and Florida, Census 2010	33
Table 4. Total Population by Ethnicity and Race, Marion County and Florida, Census 2010.....	34
Table 5. Total Population by Selected Demographics, Marion County and Florida, Census 2010	35
Table 6. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010	36
Table 7. Total Population by Race, by Zip Code, Marion County and Florida, 2010.....	47
Table 8. Total Population by Ethnicity, by Zip Code, Marion County and Florida, 2010	50
Table 9. Total Population by Gender, by Zip Code, Marion County and Florida, 2010.....	51
Table 10. Total Population by Urban and Rural Designation, by Zip Code, Marion County and Florida, 2010	52
Table 11. Total Population in Group Quarters by Zip Code, Marion County and Florida, 2010.....	53
Table 12. Total Family Population, Family Households and Average Family Size by Zip Code, Marion County and Florida, 2010.....	54
Table 13. Total Household Population, Total Households and Average Household Size by Zip Code, Marion County and Florida, 2010.....	55
Table 14. Number and Percent of Persons in Poverty by Selected Ages, Marion County and Florida, 2010	56
Table 15. Total Population by Selected Poverty Characteristics, Marion County and Florida, 2009.....	57
Table 16. Number and Percent of Persons by Level of Poverty by Zip Code, Marion County and Florida, 2010	58
Table 17. Number and Percent of Children 0-17 Years of Age by Level of Poverty, by Zip Code, Marion County and Florida, 2010.....	60
Table 18. Number and Percent of Adults 18-64 Years of Age by Level of Poverty, by Zip Code, Marion County and Florida, 2010.....	61
Table 19. Number and Percent of Seniors 65+ Years of Age by Level of Poverty, by Zip Code, Marion County and Florida, 2010.....	62
Table 20. Number and Percent of Persons by Gender in Poverty, by Zip Code, Marion County and Florida, 2010.....	63
Table 21. Number and Percent of White and Black Persons in Poverty, by Zip Code, Marion County and Florida, 2010	64
Table 22. Number and Percent of Hispanic Persons in Poverty, by Zip Code, Marion County and Florida, 2010	65
Table 23. Number and Percent of Households and Family Households in Poverty, by Zip Code, Marion County and Florida, 2010.....	66

Table 24. Number and Percent of Households by Level of Poverty, by Zip Code, Marion County and Florida, 2010.....	67
Table 25. Number and Percent of Family Households by Level of Poverty, by Zip Code, Marion County and Florida, 2010	68
Table 26. Median Household Income, Average Household Income and Per Capita Income by Zip Code, Marion County and Florida, 2010.....	70
Table 27. Unemployment Rates by Year, Marion County and Florida, 2004-2010	71
Table 28. Unemployment Rates by Month, Marion County and Florida, 2010-2011.....	71
Table 29. Number of Employees in Non-Governmental Businesses by Size of Business, Marion County and Florida, 2002	72
Table 30. Number of Non-Governmental Businesses by Size of Business, by Zip Code, Marion County and Florida, 2008	73
Table 31. Retail Trade and Service (Non-Governmental) Businesses by Zip Code, Marion County and Florida, 2008.....	74
Table 32. Top 10 Major Private Sector Employers in Marion County, 2011	75
Table 33. Number and Percent of the Population 25+ Years of Age by Level of School Completed and by Gender, by Zip Code, Marion County and Florida, 2010	76
Table 34. Estimated Number and Percent of Population 5 and Older by Language Spoken, by Zip Code, Marion County and Florida, 2010.....	79
Table 35. Estimated Number and Percent of Population 5 and Older That Speak Other Languages and How Well They Speak English, by Zip Code, Marion County and Florida, 2010.....	80
Table 36. Estimated Number and Percent of Households That Are Lingolistically Isolated, by Zip Code, Marion County and Florida, 2010.....	82
Table 37. Estimated Number of Uninsured Non Elderly, Marion County and Florida, 2010	83
Table 38. Estimated Number of Uninsured Non Elderly Population by Zip Code, Marion County and Florida, 2010.....	84
Table 39. Number and Percent Uninsured by Age Groups for All Income Levels, Marion County and Florida, 2007	85
Table 40. Top 10 Causes of Death Rates for All Races, Marion County and Florida, 2000-2009	86
Table 41. Top 11 Causes of Death Rates for White Races, Marion County and Florida, 2000-2009.....	90
Table 42. Top 10 Causes of Death Rates for Black Races, Marion County and Florida, 2000-2009.....	95
Table 43. Top 9 Causes of Death Rates for Hispanics, Marion County and Florida, 2000-2009	99
Table 44. Age Adjusted Death Rates Per 100,000 Population for 10 Leading Causes of Death in Marion County by Race and Ethnicity, Marion County and Florida, 2007-2009	103
Table 45. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for All Causes of Death, by Zip Code, Marion County and Florida, 2005-2009.....	104
Table 46. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Heart Disease, by Zip Code, Marion County and Florida, 2005-2009	105

Table 47. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Cancer, by Zip Code, Marion County and Florida, 2005-2009	106
Table 48. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for CLRD, by Zip Code, Marion County and Florida, 2005-2009	107
Table 49. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Stroke, by Zip Code, Marion County and Florida, 2005-2009	108
Table 50. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Unintentional Injuries, by Zip Code, Marion County and Florida, 2005-2009	109
Table 51. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for MV Crashes, by Zip Code, Marion County and Florida, 2005-2009	110
Table 52. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Diabetes, by Zip Code, Marion County and Florida, 2005-2009	111
Table 53. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Alzheimer's Disease, by Zip Code, Marion County and Florida, 2005-2009	112
Table 54. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Nephritis, by Zip Code, Marion County and Florida, 2005-2009	113
Table 55. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Liver Disease, by Zip Code, Marion County and Florida, 2005-2009	114
Table 56. Crude and Age Adjusted Death Rates Per 100,000 Population for All Races for Suicide, by Zip Code, Marion County and Florida, 2005-2009	115
Table 57. Selected Causes of Deaths for Infants Under 1 and Rates Per 100,000 Total Births by Year, Marion County and Florida, 2000-2009	116
Table 58. Infant Death Rates for SIDS and SUIDS Per 100,000 Total Live Births by Year, Marion County and Florida, 2000-2009.....	117
Table 59. All Causes Years of Potential Life Lost Under 75, Marion County and Florida, 2000-2009.....	118
Table 60. Top 5 Causes of Death Years of Potential Life Lost Under 75, Marion County and Florida, 2007-2009.....	119
Table 61. All Causes Years of Potential Life Lost Under 75 by Race and Ethnicity, Marion County and Florida, 2007-2009.	120
Table 62. Crude Rates for Selected Causes of Death Per 100,000 Population for 0-17 Years of Age, Marion County and Florida, 2007-2009	121
Table 63. Crude Rates for Selected Causes of Death Per 100,000 Population for 18-44 Years of Age, Marion County and Florida, 2007-2009	122
Table 64. Crude Rates for Selected Causes of Death Per 100,000 Population for 45-64 Years of Age, Marion County and Florida, 2007-2009	123
Table 65. Crude Rates for Selected Causes of Death Per 100,000 Population for 65 + Years of Age, Marion County and Florida, 2007-2009.	124

Table 66. Age Adjusted Death Rates for Suicide Per 100,000 Population, Marion County and Florida, 2000-2009.....	125
Table 67. DRGs Used to Define the Hospitalizations for Mental Health Issues	126
Table 68. Number and Rate of Hospitalizations Per 1,000 Population for Mental Health Reasons for Selected Age Groups, Marion County and Florida, 2005-2009.....	127
Table 69. Number and Rate of Emergency Department Visits Per 1,000 Population for Mental Health Reasons for Selected Age Groups, Marion County and Florida, 2005-2009	127
Table 70. Number of Involuntary Exam Initiations (Baker Acts) by Selected Age Groups for Residents of Marion County and Florida, 2003-2008.....	128
Table 71. Total Number and Rate Per 100,000 Population for Domestic Violence Offenses, Marion County and Florida, 2000-2009	129
Table 72. Total Domestic Violence Offenses by Type, Marion County and Florida, 2009	130
Table 73. Total Births by Race and Ethnicity, Marion County and Florida, 2000-2009.....	131
Table 74. Total Birth Rates Per 1,000 Total Population by Race and Ethnicity, Marion County and Florida, 2000-2009	132
Table 75. Total Infant Deaths by Race and Ethnicity, Marion County and Florida, 2000-2009	133
Table 76. Total Infant Death Rates Per 1,000 Live Births by Race and Ethnicity, Marion County and Florida, 2000-2009	134
Table 77. Total Low Birthweight Births by Race and Ethnicity, Marion County and Florida, 2000-2009.....	135
Table 78. Percent of Low Birthweight Births by Race and Ethnicity, Marion County and Florida, 2000-2009.....	136
Table 79. Total Number of Births That Received Care in First Trimester by Race and Ethnicity, Marion County and Florida, 2000-2009	137
Table 80. Percent of the Total Births That Received Care in the First Trimester by Race and Ethnicity, Marion County and Florida, 2000-2009	138
Table 81. Total Number of Births That Received Late (3 rd Trimester) or no Prenatal Care by Race and Ethnicity, Marion County and Florida, 2000-2009	139
Table 82. Percent of the Total Births That Received Late (3 rd Trimester) or no Prenatal Care by Race and Ethnicity, Marion County and Florida, 2000-2009	140
Table 83. Total Number of Teen Births (15-17 Years of Age) by Race and Ethnicity, Marion County and Florida, 2000-2009	141
Table 84. Teen (15-17 Years of Age) Birth Rates Per 1,000 Female Population 15-17 by Race and Ethnicity, Marion County and Florida, 2000-2009.....	142
Table 85. Total Number of Repeat Births by Age of Mother, Marion County and Florida, 2000-2009.....	143
Table 86. Percent of Repeat Births to All Births by Moms Age, Marion County and Florida, 2000-2009.....	144

Table 87. Total Number of Births With Medicaid as the Payment Source by Race and Ethnicity, Marion County and Florida, 2004-2009	145
Table 88. Percent of Births That had Medicaid as the Payment Source by Race and Ethnicity, Marion County and Florida, 2004-2009	146
Table 89. Number of Births by Type of Payment Source for All Births, Marion County and Florida, 2004-2009.....	147
Table 90. Percent of Births by Type of Payment Source for All Births, Marion County and Florida, 2004-2009.....	148
Table 91. Total Births by Zip Code by Race, Marion County and Florida, 2005-2009.....	149
Table 92. Total Number of Infant Deaths and Rates Per 1,000 Live Births by Race and Zip Code, Marion County and Florida, 2005-2009	150
Table 93. Total Number and Percent of Births That Were Low Birthweight by Race and Zip Code, Marion County and Florida, 2005-2009	151
Table 94. Total Number and Percent of Births That Received Care in the First Trimester by Race and Zip Code, Marion County and Florida, 2005-2009	152
Table 95. Total Number and Percent of Births That Received Late or No Prenatal Care by Race and Zip Code, Marion County and Florida, 2005-2009	153
Table 96. Comparison of Selected BRFSS Indicators for Marion County and Florida, 2002, 2007 and 2010.	154
Table 97. Total Gonorrhea, Chlamydia & Infectious Syphilis Cases and Rates Per 100,000 Population, Marion County and Florida, 2000-2009	160
Table 98. Selected Vaccine Preventable Disease Cases and Rates Per 100,000 Population, Marion County and Florida, 2000-2009	160
Table 99. HIV Cases and Rates Per 100,000 Population, Marion County and Florida, 2000-2009.....	161
Table 100. AIDS Cases and Rates Per 100,000 Population, Marion County and Florida, 2000-2009.....	161
Table 101. Percent of Total Population With Community Water Supplies, Marion County and Florida, 1999-2008.....	162
Table 102. Percent of Community Water Supply Population With Fluoridated Water Supplies, Marion County and Florida, 1999-2008	162
Table 103. HPSA Shortage Area, and MUA, 2011	163
Table 104. Number of Medicaid Eligibles and Percent of Total Population by Zip Code, Marion County and Florida as of December of Each Year 2005-2010	164
Table 105. Median Monthly Medicaid Enrollment Rates Per 100,000 for Marion County and Florida, 2000-2009.....	167
Table 106. Medicaid Expenditures by Type, Marion County and Florida, July 1, 2007–April 30, 2008	168

Table 107. The Rate of Hospital Beds Per 100,000 Population, Marion County and Florida, 2002-2009.....	170
Table 108. The Rate of Nursing Home Beds Per 100,000 Population, Marion County and Florida, 2002-2009.....	170
Table 109. The Rate of Physicians by Type Per 100,000 Population, Marion County and Florida, Fiscal Years, 2002-03 – 2009-10	170
Table 110. Access to Dental Care by Low Income Persons, Percentages of Population Below Poverty, Marion County and Florida, 2000-2009	171
Table 111. The Number and Rate of Licensed Dentists Per 100,000 Population, Marion County and Florida, Fiscal Year Ending 2002-03 – 2009-10	171
Table 112. Total Number and Percent of Discharges and Patient Days by Zip Code for Marion County Residents and Florida, Calendar Years 2005-2009	172
Table 113. Total Number and Percent of Discharges and Patient Days by Payor Source, Marion County Residents and Florida, Calendar Years 2005-2009	177
Table 114. Number of Discharges and Patient Days for the Top 10 DRGS Per Year, Marion County, Calendar Years 2005-2009	178
Table 115. Number of Avoidable Discharges and Rate Per 1,000 Population 0-64 Years of Age by Zip Code, Marion County and Florida, 2005-2009	181
Table 116. Total Number and Percent of Avoidable Discharges and Patient Days by Payor Source for < 65 Years of Age, Marion County, Calendar Years 2005-09.....	184
Table 117. Top 10 Reasons for Avoidable Discharges for < 65 Years of Age, Marion County, Calendar Years 2005-09	187
Table 118. Number and Percent of Emergency Department Visits by Payor Source, Marion County, Calendar Years 2005-09.....	189
Table 119. Number and Percent of the Main Reason of Emergency Department Visits by Year, Marion County, Calendar Years 2005-09.	191
Table 120. Number of Avoidable ED Visits and Rate Per 1,000 Population by Zip Code, Marion County and Florida, 2005-2009.....	193
Table 121. Number and Percent Uninsured by Age Groups for All Income Levels, Marion County and Florida, 2008 and 2009	196
Table 122. Marion County Health Rankings Compared to Florida, 2011	197
Table 123. Life Expectancy by Gender and Race, Marion County, Florida and United States, 1987-2007.....	198

Technical Report Summary

Introduction

The *Marion Community Health Status Assessment Technical Report Summary* highlights key findings from the *Marion Community Health Status Assessment Technical Report*. The assessment data were compiled and tabulated from multiple sources including the United States Census Bureau, the Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System (BRFSS), the Florida Department of Health's Office of Vital Statistics, and Florida's Agency for Health Care Administration (AHCA). Other sources not listed in the technical report, such as the Population Health Institute (University of Wisconsin) and the Robert Wood Johnson Foundation also aided in the analyses.

Health needs assessment is the process of systematically gathering and analyzing data relevant to the health and well-being of a community. Such data can help to identify unmet needs and emerging needs.

Data from this report can be used to explore and understand the health needs of Marion County and its various communities and sub-populations, plan interventions, and apply for continuing and new program funding. The following summary is broken down into several components:

- Demographics and socioeconomic status
- Mortality and morbidity
- Behavioral risk factors
- Health care access and utilization
- County health rankings and life expectancy

Many of the data tables in the technical report contain standardized rates for the purpose of comparing Marion County to the state of Florida as a whole. It is advisable to interpret these rates with caution when incidence rates are low (the number of new cases are small); thus small variations from year to year can result in substantial shifts in the standardized rates. The data presented in this summary include references to specific tables in the report so that users can see the numbers and the rates in context.

Demographics and Socioeconomics

As population dynamics change over time, so do the health and health care needs of communities. It is therefore important to periodically review key demographic and socioeconomic indicators to understand current health issues, and anticipate future health needs. The *Marion Community Health Status Assessment Technical Report* includes data on current population and its distribution by age, gender, and racial group by political region (county zip code). It also provides estimates on future population growth in addition to statistics on education, employment, income, and poverty status. It is important to note that these indicators can significantly affect populations through a variety of mechanisms including material deprivation, psychosocial stress, barriers to health care access, and heightened risk of acute and/or chronic illness. Noted below are some of the key findings from the Marion County demographic and socioeconomic profile.

Population

Population growth can fuel the demand for health care services and can magnify successes and failures a community has in terms of health behaviors and health outcomes.

- The 2010 Census places the population of Marion County at 331,298 residents. While the state population grew by 17.6 percent (15,982,378 in 2000 to 18,801,310 in 2010), Marion County had a much faster growth of 27.95 percent since the 2000 Census. By 2020, estimated growth will put the population at 398,204 residents, a little over twenty percent increase over 2010 population when the state population is estimated to grow by 13 percent over the same period (Technical Appendix Report Table 1, 3).
- The 2010 Census puts the White population in Marion County at 81 percent and Black population at 12.3 percent, while the state of Florida has 75% Whites and 16% Blacks. 10.9 percent of residents in Marion County are Hispanic or Latino whereas Florida average is 22.5 percent (Technical Appendix Report Table 4). Marion County is less racially and ethnically diverse than the state with over 23% lower Black population and over 51% lower Hispanic population as compared to Florida.
- As per the 2010 Census, 19.4 percent of the county's population is between 0 to 17 years old; 54.9 percent is between 18-64 years; 25.8 percent is above 65 years as compared to 17.3% in Florida; 11.5 percent is above 75 years as compared to 8.1% in Florida and 2.8 percent is above 85 years of age as compared to 2.3% in Florida (Technical Appendix Report Table 5).
- The population of children (0-17 years) in Marion County is over 9 percent less than the state but the county has a larger share of ageing population. The population of those above 65 years of age is more than 49 percent greater than the state; of those above 75 years of age is more than 41 percent greater than the state; and of those above 85 years of age is more than 21 percent greater than the state (Technical Appendix Report Table 5).
- Females outnumber males in Marion County— 92 males per 100 females (Technical Appendix Report Table 5).
- More Marion County residents live in rural areas compared to the state. In Marion County, 38.9 percent of the population resides in rural designations compared to the 10.7 percent for the state—a difference of over 260%. (Technical Appendix Report Table 10).

Economic Characteristics

Marion County is significantly afflicted with poverty. While there is considerable debate over the exact mechanism, it is generally agreed that poverty affects health adversely.

- The 2009 American Community Survey (Technical Appendix Report Table 15) estimated that 15.6 percent of Marion county residents live at or below 100 percent of poverty as compared to the state of Florida as a whole (14.9 percent).
- The 2010 Small Area Income and Poverty Estimates (Technical Appendix Report Table 14), further highlight the poverty among children, with 30.8 percent of individuals under the age of 18 living in poverty as compared to 23.6 percent in the state—a difference of over 30 percent. These recently released statistics also show 19.6% Marion County residents in poverty as compared to 16.5% at the state level.
- Based on the 2000 Census, the Ocala Zip Code Tabulation Areas (ZCTA) of 34474 and 34475, Citra (ZCTA 32113) and Reddick (ZCTA 32686) are the poorest areas of the county with between 18 to 27% residents living below poverty threshold. 36.9% children live at or below the poverty threshold in Ocala ZCTA of 34475 (Map 2, Technical Appendix Report Table 16, 17).
- Poverty affects minorities disproportionately with 26.9% Black residents and 23% Hispanic residents estimated to live in poverty as compared to 10.8% White residents in the county (Technical Appendix Report Table 21, 22).
- For year 2010, Marion County's per capita income (\$21,158) was 17 percent lower than the state of Florida (\$25,768). The median and average household incomes for Marion County were

\$39,724 and \$50,350 respectively—20 percent and 21.9 percent lower than the state of Florida (\$49,910 and \$64,516 respectively)(Technical Appendix Report Table 26).

- Unemployment rates in Marion County increased by 200 percent (4.6 % in 2004 vs. 13.8% in 2010) as compared to a 144 percent increase in Florida (4.7 % in 2004 vs. 11.5% in 2010). The unemployment at the county level exceeds the state in any given year since 2006. (Technical Appendix Report Table 27).
- In 2008, 88.6 percent of non-governmental business establishments in Marion County had less than 20 employees; 16.8 percent of private business establishments were retail trade and 44.7 percent belonged to service sector (Technical Appendix Report Tables 30, 31).

Educational Attainment

- According to year 2010 estimates (Technical Appendix Report Table 33), 21.8 percent of the adults over the age of twenty five in Marion County did not have a high school diploma, a difference of over 8% from the state where 20.7% have no high school diploma.
- Compared to the state (50.5%), higher percentage of county residents had completed high school (58.1%).
- 30% fewer Marion County residents have college degrees compared to the state—20.1% in Marion County vs. 29.4 % in Florida. Note that “college degree” includes Associate degrees, Bachelor’s degrees, Master’s degrees, Professional school degrees as well as Doctorate degrees.

Mortality and Morbidity

The most direct measures of health and well-being in a community are the rates of disease and death. In Marion County, as in Florida and the rest of the United States, premature disease and death are primarily attributable to chronic health issues. That is, medical conditions that develop throughout the life course and typically require careful management for prolonged periods of time. Marion County compares unfavorably to the state of Florida in terms of rates of several diseases and death. Noted below are some of the key facts of mortality and morbidity in Marion County.

- Heart Disease tops the leading causes of death in the state as well as Marion County (Technical Appendix Report Table 40).
- The top ten leading causes of death in 2009 (Technical Appendix Report Table 40) in Marion County are 1) Heart Disease, 2) Cancer, 3) Chronic Lower Respiratory Diseases (CLRD), 4) Unintentional Injuries, including motor vehicle accidents, 5) Stroke 6) Alzheimer’s Disease 7) Diabetes 8) Nephritis 9) Suicide and 10) Liver Disease.
- As seen in maps 4-10 and Technical Appendix Report Tables 45-56, the county areas encompassing ZCTAs 32113 Citra, 32617 Anthony, 32702 Altoona experience highest age-adjusted death rates (AADR) for various causes of mortality.
- During 2007-2009, when adjusting for age, residents of Marion County fare worse than the state as a whole on AADRs for nine of the top ten causes of death (Technical Appendix Report Table 44) with an exception of AADR for stroke. The overall age-adjusted mortality rate in between 2007-2009 for Marion County was 8.8 percent higher than the state (725.6 per 100,000 for Marion vs. 666.7 per 100,000 for the state).
- During 2007-2009, the AADR for liver disease in Marion County was over 28% higher than that of Florida (13.2 in Marion County vs. 10.2 in Florida); more than 19% higher for CLRD (44.2 in Marion County vs. 37.1 in Florida); more than 18% higher for suicide (16.2 in Marion County vs. 13.7 in Florida); more than 17% higher than that of Florida for Alzheimer’s disease (18.6 in Marion County vs. 15.8 in Florida); more than 15% higher for unintentional injuries (50.7 in

Marion County vs. 44.0 in Florida); more than 14% higher for nephritis (12.8 in Marion County vs. 11.2 in Florida); more than 13% higher for Cancer (182.4 in Marion County vs. 160.7 in Florida); close to 10% higher for heart disease (176.5 in Marion County vs. 155.0 in Florida) and more than 9% higher for diabetes (21.9 in Marion County vs. 20.0 in Florida).

Racial and Ethnic Disparity

- Cancer, heart disease, diabetes, stroke and unintentional injuries figured in the top causes of deaths for Black, White and Hispanic residents. Suicide, influenza and liver disease made it to the top causes for White residents only. Hypertension and homicide were among unique top ten causes of deaths for Blacks (Technical Appendix Report Tables 41, 42, 43).
- During 2007-2009 (Technical Appendix Report Table 44), Blacks in Marion County have a 14% higher overall age-adjusted mortality rate compared to Whites (815.7 and 710.6 per 100,000 respectively). The Hispanics have an overall AADR of over 26 percent lower (519.2 per 100,000) than Whites and over 36 percent lower than Blacks.
- During 2007-2009 (Technical Appendix Report Table 44), Blacks had AADR for diabetes at over 118 percent greater than Whites (42.7 and 19.5 per 100,000 respectively); Blacks had AADR for nephritis at over 150 percent greater than Whites (28.1 and 11.2 per 100,000 respectively); AADR for stroke at over 56 percent greater than Whites (45.4 and 29.1 per 100,000 respectively); AADR for heart disease at over 22 percent greater than Whites (211.2 and 172.2 per 100,000 respectively); and AADR for Alzheimer's at over 26 percent greater than Whites (23.1 and 18.2 per 100,000 respectively).
- On the other hand, CLRD, unintentional injuries and suicide affect Whites disproportionately. During 2007-2009, the age-adjusted death rate for CLRD among White residents was more than 74 percent greater than Black residents and more than 160 percent greater than Hispanic residents — Black (26.0), White (45.3) and Hispanic (17.4) (Technical Appendix Report Table 44). During 2007-2009, the AADR for unintentional injuries among White residents was more than 60 percent greater than Black residents and more than 48 percent greater than Hispanic residents — Black (33.1), White (53.1) and Hispanic (35.7) (Technical Appendix Report Table 44). A disparity was also seen among AADR (per 100,000) for suicide where White residents have an AADR more than 300 percent greater than Black residents—AADR for White was 17.6, Black was 4.3.
- While Hispanic residents had AADRs lower than their White and Black counterparts on the top ten causes of mortality in the county, the age-adjusted death rate for liver disease among Hispanic residents was more than 98 percent greater than Florida's Hispanic average— 8.2 in Marion County Hispanics vs. 16.3 in Florida Hispanics. The AADR for Marion County's Hispanics were also greater than their state counterparts for stroke, unintentional injuries, Alzheimer's disease and suicide (Technical Appendix Report Table 44).

Birth Outcomes

In 2009, there were 3,584 births in Marion County (Technical Appendix Report Table 73). While there may be notable discrepancies in standardized rates between the state and county figures, it is important to note that the actual numbers in any given year are small. Key findings with regards to birth outcomes include:

- Birth rates (rate per 1,000 residents) in Marion County have trended lower than Florida between 2000 and 2009. In 2009, Marion County had overall birth rate of 10.8 births per 1,000 residents compared to Florida's birth rate of 11.8. Birth rate for Hispanics outpaced that of Blacks and Whites in the county between 2001 and 2008 (Technical Appendix Report Table 74).

- Early access to prenatal care has been relatively poor in Marion County compared to the state since 2000 (Technical Appendix Report Table 80). While 62.2 percent women received care in the first trimester in Marion County, 69.5 percent women in the state received care in the first trimester during 2005-2009 (Technical Appendix Report Table 94)—11% poorer than the state. Racial and ethnic disparities are evident in access to prenatal care with 54.9% Black, 63.8% White and 56.8% Hispanics receiving prenatal care during first trimester.
- The 2005-2009 infant mortality rates per 1,000 live births show racial disparity—Blacks have an infant mortality rate more than 122 percent greater than the Whites. The infant mortality rates for Blacks, Whites and Hispanics in the county are higher than the state— Marion County Blacks 15.6, Marion County Whites 7.0, Marion County Hispanics 5.7; Florida Blacks 13.2 ,Florida Whites 5.3 and Florida Hispanics 5.8 (Technical Appendix Report Table 92).
- The percentage of low birthweight newborns also demonstrates a pattern of racial disparity. The percentage of low birthweight among Blacks was more than 86% greater than Whites—13.4 percent of Black births were low birthweight as compared to 7.2% White births from 2005-2009 (Technical Appendix Report Table 93). The Hispanics in Marion County had 5.8% low birthweight as compared to 7.1% for the state's Hispanics for this same period.
- Between 2001 and 2009, teen birth rates (births to mothers aged 15-17) in Marion County have surpassed the state every year. In 2009, Marion County had teen birth rate 46.62 percent higher than the state (26.1 births per 1,000 teen females compared to 17.8 per 1,000 teen females for the state) (Technical Appendix Report Table 84). Teen birth rate was also higher among the minority population of the county— Black (44.6) and Hispanic (28.8) compared to Whites (22.3).

Mental Health

Reviewing hospital discharge data is one way to gauge the health status of a community. The National Institute of Mental Health estimates that approximately 26.2 percent of the adult population in the United States suffers from a diagnosable mental illness in a given year. Common mental health disorders such as anxiety and depression are associated with a variety of other public health issues including substance abuse, domestic violence and suicide.

- Marion County has had a lower overall rate of hospitalizations for mental health reasons compared to the state from 2005-2009 (Technical Appendix Report Table 68). However, the hospitalization rate increased by over 34% between 2005 and 2009 for the county when the state experienced an increase of 7% (Marion County: 4.6 and 6.2 hospitalizations per one thousand in 2005 and 2009 respectively; Florida: 7.1 and 7.6 hospitalizations per one thousand in 2005 and 2009 respectively).
- The rate of emergency department visits per 1,000 for mental health reasons displayed increase of 71 percent in Marion County (48.7 in 2005 and 83.4 in 2009) as opposed to an increase of nearly 37 percent at the state level (34.7 in 2005 and 47.7 in 2009) (Technical Appendix Report Table 69).
- In children between 4-17 years, the rate of Baker Act (involuntary exam) initiations in Marion County has been consistently higher than the state—in 2008, it was 904.3 vs. 553.7—63% difference (Technical Appendix Report Table 70). In seniors, this rate has been consistently lower than the state since 2003 and was 241.9 in Marion County as compared to 288.5 in Florida for the year 2008 (Technical Appendix Report Table 70).
- Since 2000, domestic violence offense rates (per 100,000) for Marion County have been consistently higher than the state. In 2009, Marion County had a domestic violence offense rate that was more than 45% greater than the state— 899.2 and 619.3 respectively (Technical Appendix Report Table 71).

Behavioral Risk Factors

Florida Department of Health conducts the Behavioral Risk Factor Surveillance System (BRFSS) with financial and technical assistance from the Centers for Disease Control and Prevention (CDC). This state-based telephone surveillance system collects data on individual risk behaviors and preventive health practices related to the leading causes of morbidity and mortality in the United States. The most recent data available for Marion County is for 2010. Below are some highlights from the BRFSS data (Technical Appendix Report Table 96).

- The reported health status and quality of life indicators show that Marion County is doing significantly worse than the state on 2010 measures for percentage of adults with good to excellent overall health (77.1% vs. 82.9%).
- As an indicator of healthcare access and coverage, 80.4% of adults reported having any type of health insurance coverage as compared to 83% in the state of Florida in 2010. Significantly higher percentage of adults reported that they could not see a doctor at least once in the past year due to cost in Marion County as compared to Florida—25.2% in Marion County vs. 17.3% in the state.
- A significantly higher percentage of adults and seniors reported having ever received a pneumonia vaccination in the county—41.3% adults and 76.9% seniors in the county compared to 30.6% and 69.9% in the state respectively.
- In 2007, 36.1 percent Marion County residents met moderate physical activity recommendations and 21.9 percent met vigorous physical activity recommendations.
- In 2010, 41.5 percent adults had diagnosed high blood cholesterol in the county as compared to 38.6% in the state.
- Over twelve percent adults were diagnosed with diabetes in Marion County in the year 2010 as compared to 10.4 percent in the state—over 17 % greater than the state.
- 38.4 percent of adults in Marion County were diagnosed with hypertension in the year 2010 (20 percent increase over 2002 measures). This indicator continues to be higher than the percentage for Florida (34.3 percent in the year 2010).
- Marion County saw a significant decrease in the percentage of adults age 50 and older who receive blood stool test for colorectal cancer—26.7% in 2007 and 17.7% in 2010—a decrease of 33 percent.
- The county significantly improved on prostate cancer screening—from 65.2% in 2007 to 82.4% in 2010—over 13% higher than the state which had reported that 72.6% men 50 years or older had received a PSA test in the past two years.
- Significantly lower percentage of women 18 years of age and older had received a pap test in the past year—45.7% in Marion County vs. 57.1% in the state for the year 2010.
- Marion County had fewer percentages of adults who had never smoked compared to the state—45.9% and 53% respectively in 2010.
- In 2010, Marion County fared significantly worse on measures of oral health as compared to the state—55.9% adults visited a dentist or dental clinic compared to 64.7% in state; 64.7% adults had a permanent tooth removed because of tooth decay or gum disease compared to 53% in the state; 51.6% adults had their teeth cleaned in the past year compared to 60.9% in the state.
- New measures on disability rates in Marion County were added as part of BRFSS indicators in 2007. Available data for 2010 show that the percentage of Marion County residents who are limited in any way because of physical, mental or emotional problems is significantly higher than the state—30.6% in Marion County vs. 24.3% adults in the state. The percentage of adults who use special equipment because of a health problem was also higher in the county—15% vs. 9.3%

in the state.

Health Care Access and Utilization

Although health insurance and access to health care do not necessarily prevent illness, early intervention and long term management resources can help to maintain a quality of life and minimize premature death. It is therefore useful to consider insurance coverage and health care access in a community health needs assessment. The *Marion Community Health Status Assessment Technical Report* includes data on insurance coverage, both public and private, Medicaid enrollment, and health care expenditures by payor source. Key findings from these data sets are presented below.

- The Florida Health Insurance Study (FHIS) initiated by the Florida legislature provides reliable estimates of the percentage and number of Floridians without health insurance. It focuses on Floridians under age 65; since virtually all Americans age 65 or older have some health coverage through Medicare. According to the 2004 FHIS, 20.3 percent of the population was uninsured in Marion County, which is little more than five percent higher than the percentage of uninsured Floridians (Technical Appendix Report Table 37). As seen in Map 3, Ocala ZCTAs of 34473, 34474 and 34475 have the highest percentage of uninsured residents in the county—25.1%, 22.5% and 24.6% respectively.
- The Census Bureau's Small Area Health Insurance Estimates (SAHIE) program produces estimates of health insurance coverage for states and all counties. According to the 2007 estimates, 25.3 percent of the Marion County adult population was uninsured compared to 24.2% for Florida (Technical Appendix Report Table 37).
- In October 2011, SAHIE released 2008 and 2009 estimates of health insurance coverage by age at the county-level (Technical Appendix Report Table 121). In the year 2009, estimated, 24 percent of the Marion County adult population was uninsured compared to 24.9% for Florida.
- Medicaid enrollees increase by over 25% between 2005 and 2010 in Marion County—from 13.6% in 2005 to 17.1% in 2010; which was similar to Florida's increase of over 24%—from 12.5% in 2005 to 15.6% in 2010 (Technical Appendix Report Table 104).
- Little over twenty one percent clients requested medical assistance for HMO Physicians Health Plan, over 17% for prescription drugs, over 15% for inpatient hospital and over 13% for home and community based services. Total Medicaid expenditures in Marion County for the period of July 2007-April 2008 exceeded 75 million dollars (\$75,128,793.24) and that for the state exceeded ten billion dollars (\$10,220,028,494.40) (Technical Appendix Report Table 106).
- The rate of hospital and nursing home beds per 100,000 population was lower in Marion County as compared to Florida for any year between 2002 and 2009. The rate of hospital beds per 100,000 population in Marion County in the year 2009 was 238.5 compared to Florida's 319.1 (Technical Appendix Report Table 107). The rate of nursing home beds per 100,000 population in Marion County in the year 2009 was 414.8 compared to Florida's 438.6 (Technical Appendix Report Table 108).
- The rate of total physicians per 100,000 residents (fiscal year 2008-09) is more than 61 percent lower in Marion County than in Florida. The rates are 116.1 and 298.6, respectively (Technical Appendix Report Table 95).
- The rate of licensed dentists per 100,000 is more than 41 percent lower in Marion County (fiscal year 2009-10), 36.3 as compared to 61.9 for the state (Technical Appendix Report Table 111).
- In 2009, there were a total of 49,929 hospital discharges in Marion County. 47.8 percent of these had Medicare as their payor source, 19% had Medicaid as payor source, 23.6% had private insurance as payor source, 1.2% had VA/Champus as payor source and 6.9% were self pay/

charity (Technical Appendix Report Table 113).

- The most frequent reason of hospitalization was associated with septicemia and psychoses (Technical Appendix Report Table 114).
- In 2009, Marion County had an avoidable discharge rate (per 1,000 residents) of 13.7, which was slightly more than Florida rate of 14.2 (Technical Appendix Report Table 115). A little over 30 percent of the year 2009 avoidable discharges were paid for by Medicaid; 21.8% were paid for by Medicare; 25.5% were paid for by private insurance in Marion County (Technical Appendix Report Table 116). The top five reasons for avoidable hospitalizations in 2009 were: 1) Dehydration/volume depletion; 2) Cellulitis; 3) Chronic Obstructive Pulmonary Disease; 4) Congestive heart failure; 5) Asthma (Technical Appendix Report Table 117).
- In 2009, Medicaid was the largest payor source for avoidable emergency department(ED) visits in Marion County. From 2005 to 2009, number of avoidable ED visits has increased by over 12 percent with 34 % being reimbursed by Medicaid in 2009 in Marion County as compared to 28.2% for the same year for the state of Florida (Technical Appendix Report Table 118).
- The highest rate of avoidable ED visits per 1,000 population was observed in ZCTA 32617 Anthony and 32195 Weirsdale—898.2 and 877.9 respectively when the county's rate was 182.5 and the state's rate was 142 in the year 2009—a difference of over 380 percent (Technical Appendix Report Table 120).

County Health Rankings

The County Health Rankings are a key component of the Mobilizing Action Toward Community Health (MATCH) collaboration project between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute. Counties receive a rank relative to the health of other counties in the state. Counties having high ranks, e.g. 1 or 2, are considered to be the “healthiest.” Health is viewed as a multi-factorial construct. Counties are ranked relative to the health of other counties in the same state on the following summary measures:

- I. Health Outcomes--rankings are based on an equal weighting of one length of life (mortality) measure and four quality of life (morbidity) measures.
- II. Health Factors--rankings are based on weighted scores of four types of factors:
 - a. Health behaviors (6 measures)
 - b. Clinical care (5 measures)
 - c. Social and economic (7 measures)
 - d. Physical environment (4 measures)


The Rankings are available for years 2010 and 2011. In the year 2010, Marion County ranked 36th for health factors and 45th for health outcomes. In the following year (Technical Appendix Report Table 122), Marion County's ranking fell to 44th for health factors and 49th for health outcomes. It is notable that Marion County has significantly worse rates than the state of Florida as a whole on the measures of premature deaths, poor or fair health, poor physical health days, poor mental health days, motor vehicle crash death rate, teen birth rate and children in poverty. On the other hand the county is faring significantly better than the state of Florida on the measure of preventable hospital stays as seen in the table below.

Measure	Marion County	State	National benchmark (90 th percentile)
Premature death: Years of potential life lost before the age of 75 per 100,000 population (age-adjusted)	9,414	7,896	5,564
Poor or fair health: The percent of adults reporting poor or fair health (age-adjusted)	20%	16%	10%
Poor physical health days: Average number of physically unhealthy days reported in past 30 days (age-adjusted).	4.5	3.5	2.6
Poor mental health days: Average number of mentally unhealthy days reported in past 30 days (age-adjusted).	4.7	3.5	2.3
Motor vehicle crash death rate: Motor vehicle crash deaths per 100,000	28	19	12
Teen birth rate per 1000 females in ages 15-19 years	61	45	22
Preventable hospital stays: Hospitalization rate for ambulatory care-sensitive conditions per 1,000 Medicare enrollees	51	65	52
Children in poverty: Percent of children under age 18 in poverty	27%	18%	11%

Source: University of Wisconsin Population Health Institute, September 2011


Life Expectancy

In June 2011, a study by the Institute for Health Metrics and Evaluation (IHME) at the University of Washington released a complete time series for life expectancy for all US counties from 1987 to 2007 for each sex, for all races combined, for Whites, and for Blacks. Nationally, life expectancy increased 4.3 years for men and 2.4 years for women between 1987 and 2007. Given below are graphical illustrations of overall life expectancy rates for Marion County residents in comparison with their state counterparts as well as all US males and females from 1987-2007. Life expectancy of White men in Marion County was 74.6 years, nearly 1.5 years behind the state and national average in 2007. Black men in Marion County lived nearly five to six years shorter than their White counterparts at the county-level and slightly over 3 years behind the national and the state average for Black men (Technical Appendix Report Table 123).




Source: Institute for Health Metrics and Evaluation, Adult Life Expectancy by US County 1987-2007.

Across the last two decades from 1987-2007, the life expectancies for both Black and White women in Marion County were lower than their respective state and national averages. Life expectancy for Black women in 2007 was 76.6 years in Marion County. Racial disparity is evidenced again as Black Marion County women live nearly 5-6 years shorter than their White counterpart in the county (81.4 years in 2007), state (82.3 years in 2007) and nation (81.2 years in 2007).




Source: Institute for Health Metrics and Evaluation, Adult Life Expectancy by US County 1987-2007.

The life expectancy for women in Marion County took a downward plunge at the beginning of the first decade of 21st century but showed a steady increase after 2005. The life expectancies for both men and women in Marion County are significantly below the state average as seen in the graphs below, in addition to men lagging behind the national average for life expectancy.



Source: Institute for Health Metrics and Evaluation, Adult Life Expectancy by US County 1987-2007.




Source: Institute for Health Metrics and Evaluation, Adult Life Expectancy by US County 1987-2007.

Researchers at IHME suggest looking at high rates of obesity, tobacco use, and other preventable risk factors for an early death as the leading drivers of the gap.

List of Key Health Assessment Indicator Maps

Map 1. Zip Code Boundaries and Major Municipalities for Marion County.


Marion County Zip Codes and Major Municipalities




Source: Florida Geographic Library 2007;
National Atlas of the United States, 2004;
ESRI Business Solutions, 2009

Map 2. Poverty Rate by Zip Code for Marion County.


Marion County Poverty Rate by Zip Code




Map 3. Percent of Population Uninsured by Zip Code for Marion County.



Map 4. Heart Disease Death Rates by Zip Code for Marion County.




Map 5. Cancer Death Rates by Zip Code for Marion County.




Source: Florida Department of Health, Office of Vital Statistics, 2005-2009; Florida Geographic Library 2007;
National Atlas of the United States, 2004; ESRI Business Solutions, 2007 & 2009

Map 6. Chronic Lower Respiratory Disease Death Rates by Zip Code for Marion County.





Map 7. Stroke Death Rates by Zip Code for Marion County.



Source: Florida Department of Health, Office of Vital Statistics, 2005-2009; Florida Geographic Library 2007; National Atlas of the United States, 2004; ESRI Business Solutions, 2007 & 2009


Map 8. Unintentional Injury Death Rates by Zip Code for Marion County.

Marion County Unintentional Injury Death Rates




Source: Florida Department of Health, Office of Vital Statistics, 2005-2009. Florida Geographic Library 2007; National Atlas of the United States, 2004; ESRI Business Solutions, 2007 & 2009

Map 9. Motor Vehicle Crash Death Rates by Zip Code for Marion County.



Source: Florida Department of Health, Office of Vital Statistics, 2005-2009; Florida Geographic Library 2007; National Atlas of the United States, 2004; ESRI Business Solutions, 2007 & 2009

Map 10. Diabetes Death Rates by Zip Code for Marion County.



Source: Florida Department of Health, Office of Vital Statistics, 2005-2009; Florida Geographic Library 2007;
 National Atlas of the United States, 2004; ESRI Business Solutions, 2007 & 2009

Technical Report Data Tables

Population Data

Table 1. Total Population and Projected Populations, Marion County and Florida, 2000-2030.

	Year	Marion County	Florida
Population	2000 Census	258,916	15,982,378
	2009 Estimate	330,440	18,750,483
	2015 Projections	360,707	19,881,179
	2020 Projections	398,204	21,246,926
	2025 Projections	434,781	22,573,559
	2030 Projections	469,280	23,821,251
Percent Change from 2000 Census	To 2009 Estimate	27.6	17.3
	To 2015 Projections	39.3	24.4
	To 2020 Projections	53.8	32.9
	To 2025 Projections	67.9	41.2
	To 2030 Projections	81.2	49.0
Percent Change from 2009 Estimate	To 2015 Projections	9.2	6.0
	To 2020 Projections	20.5	13.3
	To 2025 Projections	31.6	20.4
	To 2030 Projections	42.0	27.0

Source: Bureau of Economic Business Resources: University of Florida, Population Projections by Age, Sex, Race and Hispanic Origin for Florida and Its Counties, 2009-2030.

Prepared by: WellFlorida Council, 2011.

Table 2. Estimates of Population by City, Marion County and Florida: April 1, 2009.

Area	April 1, 2000 Census	April 1, 2009 Estimate	Total Change	Number of Inmates	April 1, 2009 Less Inmates	Percent of County/State
Belleview	3,478	4,030	552	6	4,024	1.2
Dunnellon	1,898	2,023	125	0	2,023	0.6
McIntosh	453	433	-20	0	433	0.1
Ocala	45,943	54,599	8,656	165	54,434	16.7
Reddick	571	500	-71	0	500	0.2
Total Incorporated	52,343	61,585	9,242	171	61,414	18.8
Unincorporated	206,573	268,855	62,282	4,309	264,546	81.2
Marion County	258,916	330,440	71,524	4,480	325,960	1.8
Incorporated	7,904,403	9,526,780	1,662,377	17,371	9,509,409	51.1
Unincorporated	8,078,421	9,223,703	1,145,282	109,088	9,114,615	48.9
Florida	15,982,824	18,750,483	2,767,659	126,459	18,624,024	100.0

Source: Bureau of Economic Business Research, University of Florida, Florida Estimates of Population, 2009.

Prepared by: WellFlorida Council, 2011.

Table 3. Total Population by Race for Selected Ages, Marion County and Florida, 2010.

Race	Marion County		Florida	
	Number	Percent	Number	Percent
Total Population				
White Alone	268,284	81.0	14,109,162	75.0
Black or African American Alone	40,828	12.3	2,999,862	16.0
American Indian and Alaska Native Alone	1,309	0.4	71,458	0.4
Asian Alone	4,407	1.3	454,821	2.4
Native Hawaiian and Other Pacific Islander Alone	144	0.0	12,286	0.1
Some Other Race Alone	9,512	2.9	681,144	3.6
Two or More Races	6,814	2.1	472,577	2.5
Total Population	331,298	100.0	18,801,310	100.0
18+ Population				
White Alone	223,439	83.6	11,493,069	77.7
Black or African American Alone	29,004	10.9	2,136,430	14.4
American Indian and Alaska Native Alone	1,015	0.4	53,788	0.4
Asian Alone	3,440	1.3	355,858	2.4
Native Hawaiian and Other Pacific Islander Alone	108	0.0	9,299	0.1
Some Other Race Alone	6,364	2.4	475,221	3.2
Two or More Races	3,747	1.4	275,554	1.9
Total 18+ Population	267,117	100.0	14,799,219	100.0
0-17 Population				
White Alone	44,845	69.9	2,616,093	65.4
Black or African American Alone	11,824	18.4	863,432	21.6
American Indian and Alaska Native Alone	294	0.5	17,670	0.4
Asian Alone	967	1.5	98,963	2.5
Native Hawaiian and Other Pacific Islander Alone	36	0.1	2,987	0.1
Some Other Race Alone	3,148	4.9	205,923	5.1
Two or More Races	3,067	4.8	197,023	4.9
Total 0-17 Population	64,181	100.0	4,002,091	100.0

Source: US Census Bureau, 2010 Census Redistricting Data (Public Law 94-171) Summary File.

Prepared by: WellFlorida Council, 2011.

Table 4. Total Population by Ethnicity and Race, Marion County and Florida, 2010.

Race	Marion County		Florida	
	Number	Percent	Number	Percent
Total Population				
White Alone	268,284	81.0	14,109,162	75.0
Black or African American Alone	40,828	12.3	2,999,862	16.0
American Indian and Alaska Native Alone	1,309	0.4	71,458	0.4
Asian Alone	4,407	1.3	454,821	2.4
Native Hawaiian and Other Pacific Islander Alone	144	0.0	12,286	0.1
Some Other Race Alone	9,512	2.9	681,144	3.6
Two or More Races	6,814	2.1	472,577	2.5
Total Population	331,298	100.0	18,801,310	100.0
Hispanic or Latino Population				
White Alone	23,148	64.1	3,224,440	76.3
Black or African American Alone	1,491	4.1	148,762	3.5
American Indian and Alaska Native Alone	326	0.9	24,193	0.6
Asian Alone	70	0.2	9,605	0.2
Native Hawaiian and Other Pacific Islander Alone	23	0.1	2,561	0.1
Some Other Race Alone	8,865	24.5	632,682	15.0
Two or More Races	2,214	6.1	181,563	4.3
Total Hispanic or Latino Population	36,137	100.0	4,223,806	100.0
Non Hispanic Non Latino Population				
White Alone	245,136	83.1	10,884,722	74.7
Black or African American Alone	39,337	13.3	2,851,100	19.6
American Indian and Alaska Native Alone	983	0.3	47,265	0.3
Asian Alone	4,337	1.5	445,216	3.1
Native Hawaiian and Other Pacific Islander Alone	121	0.0	9,725	0.1
Some Other Race Alone	647	0.2	48,462	0.3
Two or More Races	4,600	1.6	291,014	2.0
Total Non Hispanic Non Latino Population	295,161	100.0	14,577,504	100.0
Total Population by Ethnicity				
Hispanic or Latino	36,137	10.9	4,223,806	22.5
Non Hispanic Non Latino	295,161	89.1	14,577,504	77.5
Total Population	331,298	100.0	18,801,310	100.0

Source: US Census Bureau, 2010 Census Redistricting Data (Public Law 94-171) Summary File.

Prepared by: WellFlorida Council, 2011.

Table 5. Total Population by Selected Demographics, Marion County and Florida, 2010.

Selected Demographic	Marion County		Florida	
	Number	Percent of Total	Number	Percent of Total
Total Population	331,298	--	18,801,310	--
Gender				
Male	158,993	48.0	9,189,355	48.9
Female	172,305	52.0	9,611,955	51.1
Ages				
0-4	17,112	5.2	1,073,506	5.7
5-9	17,413	5.3	1,080,255	5.7
10-14	18,029	5.4	1,130,847	6.0
15-24	35,369	10.7	2,457,140	13.1
25-34	31,810	9.6	2,289,545	12.2
35-44	35,855	10.8	2,431,254	12.9
45-54	44,391	13.4	2,741,493	14.6
55-64	46,001	13.9	2,337,668	12.4
65-74	47,094	14.2	1,727,940	9.2
75-84	28,822	8.7	1,097,537	5.8
85+	9,402	2.8	434,125	2.3
75+	38,224	11.5	1,531,662	8.1
0-64	245,980	74.2	15,541,708	82.7
65+	85,318	25.8	3,259,602	17.3
0-17	64,181	19.4	4,002,091	21.3
18+	267,117	80.6	14,799,219	78.7
18-64	181,799	54.9	11,539,617	61.4
25+	243,375	73.5	13,059,562	69.5
5-17	47,069	14.2	2,928,585	15.6
Women 25-44	35,078	10.6	2,362,192	12.6
Women 15-44	52,464	15.8	3,560,982	18.9

Source: U.S. Census Bureau; 2010 Demographic Profile Summary File, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	0-4 Years of Age		5-9 Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	364	5.1	401	5.6
32134 Ft. McCoy	11,910	534	4.5	589	4.9
32179 Ocklawaha	9,907	503	5.1	537	5.4
32195 Weirsdale	5,615	278	5.0	292	5.2
32617 Anthony	4,134	265	6.4	280	6.8
32686 Reddick	6,940	404	5.8	445	6.4
34420 Belleview	15,317	835	5.5	838	5.5
34431 Dunnellon	7,905	299	3.8	302	3.8
34432 Dunnellon	12,506	379	3.0	398	3.2
34470 Ocala	20,404	1,303	6.4	1,219	6.0
34471 Ocala	29,004	1,859	6.4	1,680	5.8
34472 Ocala	24,330	1,669	6.9	1,630	6.7
34473 Ocala	15,214	812	5.3	832	5.5
34474 Ocala	14,771	589	4.0	582	3.9
34475 Ocala	14,650	919	6.3	886	6.0
34476 Ocala	18,305	459	2.5	466	2.5
34479 Ocala	12,931	858	6.6	889	6.9
34480 Ocala	18,665	1,150	6.2	1,166	6.2
34481 Ocala	18,655	344	1.8	347	1.9
34482 Ocala	19,598	1,063	5.4	1,063	5.4
34488 Silver Springs	9,486	468	4.9	499	5.3
34491 Summerfield	29,515	1,381	4.7	1,424	4.8
Zip Code Total	326,865	16,735	5.1	16,765	5.1
Marion County	343,804	17,514	5.1	17,612	5.1
Florida	18,917,612	1,131,953	6.0	1,109,714	5.9

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	10-14 Years of Age		15-24 Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	419	5.9	857	12.1
32134 Ft. McCoy	11,910	643	5.4	1,160	9.7
32179 Ocklawaha	9,907	567	5.7	956	9.6
32195 Weirsdale	5,615	301	5.4	568	10.1
32617 Anthony	4,134	284	6.9	498	12.0
32686 Reddick	6,940	482	6.9	790	11.4
34420 Belleview	15,317	837	5.5	1,637	10.7
34431 Dunnellon	7,905	307	3.9	718	9.1
34432 Dunnellon	12,506	414	3.3	807	6.5
34470 Ocala	20,404	1,153	5.7	2,260	11.1
34471 Ocala	29,004	1,643	5.7	4,086	14.1
34472 Ocala	24,330	1,592	6.5	3,039	12.5
34473 Ocala	15,214	946	6.2	1,520	10.0
34474 Ocala	14,771	609	4.1	1,712	11.6
34475 Ocala	14,650	852	5.8	2,415	16.5
34476 Ocala	18,305	488	2.7	888	4.9
34479 Ocala	12,931	889	6.9	1,522	11.8
34480 Ocala	18,665	1,190	6.4	2,339	12.5
34481 Ocala	18,655	357	1.9	663	3.6
34482 Ocala	19,598	1,123	5.7	2,128	10.9
34488 Silver Springs	9,486	558	5.9	975	10.3
34491 Summerfield	29,515	1,473	5.0	2,719	9.2
Zip Code Total	326,865	17,127	5.2	34,257	10.5
Marion County	343,804	18,021	5.2	35,679	10.4
Florida	18,917,612	1,091,478	5.8	2,336,232	12.3

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	25-34 Years of Age		35-44 Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	890	12.5	920	13.0
32134 Ft. McCoy	11,910	959	8.1	1,271	10.7
32179 Ocklawaha	9,907	836	8.4	1,092	11.0
32195 Weirsdale	5,615	515	9.2	612	10.9
32617 Anthony	4,134	505	12.2	554	13.4
32686 Reddick	6,940	693	10.0	828	11.9
34420 Belleview	15,317	1,601	10.5	1,659	10.8
34431 Dunnellon	7,905	621	7.9	716	9.1
34432 Dunnellon	12,506	709	5.7	885	7.1
34470 Ocala	20,404	2,345	11.5	2,261	11.1
34471 Ocala	29,004	3,397	11.7	3,251	11.2
34472 Ocala	24,330	2,742	11.3	3,126	12.8
34473 Ocala	15,214	1,369	9.0	1,568	10.3
34474 Ocala	14,771	1,595	10.8	1,683	11.4
34475 Ocala	14,650	2,035	13.9	2,213	15.1
34476 Ocala	18,305	707	3.9	1,073	5.9
34479 Ocala	12,931	1,436	11.1	1,797	13.9
34480 Ocala	18,665	2,074	11.1	2,134	11.4
34481 Ocala	18,655	604	3.2	814	4.4
34482 Ocala	19,598	2,218	11.3	2,538	13.0
34488 Silver Springs	9,486	857	9.0	1,099	11.6
34491 Summerfield	29,515	2,570	8.7	2,967	10.1
Zip Code Total	326,865	31,278	9.6	35,061	10.7
Marion County	343,804	32,633	9.5	36,724	10.7
Florida	18,917,612	2,305,256	12.2	2,366,986	12.5

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	45-54 Years of Age		55-64 Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	1,129	15.9	1,024	14.4
32134 Ft. McCoy	11,910	1,842	15.5	2,048	17.2
32179 Ocklawaha	9,907	1,421	14.3	1,699	17.1
32195 Weirsdale	5,615	870	15.5	871	15.5
32617 Anthony	4,134	651	15.7	562	13.6
32686 Reddick	6,940	1,133	16.3	1,100	15.9
34420 Belleview	15,317	2,337	15.3	2,142	14.0
34431 Dunnellon	7,905	1,120	14.2	1,318	16.7
34432 Dunnellon	12,506	1,397	11.2	1,949	15.6
34470 Ocala	20,404	2,768	13.6	2,564	12.6
34471 Ocala	29,004	4,182	14.4	3,550	12.2
34472 Ocala	24,330	3,155	13.0	2,736	11.2
34473 Ocala	15,214	1,834	12.1	2,079	13.7
34474 Ocala	14,771	1,904	12.9	2,128	14.4
34475 Ocala	14,650	1,957	13.4	1,545	10.5
34476 Ocala	18,305	1,723	9.4	2,904	15.9
34479 Ocala	12,931	2,016	15.6	1,604	12.4
34480 Ocala	18,665	3,052	16.4	2,515	13.5
34481 Ocala	18,655	1,423	7.6	3,065	16.4
34482 Ocala	19,598	2,816	14.4	2,830	14.4
34488 Silver Springs	9,486	1,341	14.1	1,436	15.1
34491 Summerfield	29,515	3,876	13.1	4,589	15.5
Zip Code Total	326,865	43,947	13.4	46,258	14.2
Marion County	343,804	46,254	13.5	49,079	14.3
Florida	18,917,612	2,728,246	14.4	2,394,856	12.7

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	65-74 Years of Age		75-84 Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	628	8.8	341	4.8
32134 Ft. McCoy	11,910	1,691	14.2	894	7.5
32179 Ocklawaha	9,907	1,308	13.2	736	7.4
32195 Weirsdale	5,615	736	13.1	437	7.8
32617 Anthony	4,134	348	8.4	139	3.4
32686 Reddick	6,940	643	9.3	307	4.4
34420 Belleview	15,317	1,716	11.2	1,245	8.1
34431 Dunnellon	7,905	1,310	16.6	842	10.7
34432 Dunnellon	12,506	2,678	21.4	2,199	17.6
34470 Ocala	20,404	2,086	10.2	1,615	7.9
34471 Ocala	29,004	2,357	8.1	1,873	6.5
34472 Ocala	24,330	2,181	9.0	1,790	7.4
34473 Ocala	15,214	2,198	14.4	1,602	10.5
34474 Ocala	14,771	1,959	13.3	1,443	9.8
34475 Ocala	14,650	904	6.2	619	4.2
34476 Ocala	18,305	4,614	25.2	3,946	21.6
34479 Ocala	12,931	1,021	7.9	638	4.9
34480 Ocala	18,665	1,564	8.4	1,056	5.7
34481 Ocala	18,655	4,466	23.9	4,679	25.1
34482 Ocala	19,598	2,232	11.4	1,203	6.1
34488 Silver Springs	9,486	1,227	12.9	741	7.8
34491 Summerfield	29,515	4,444	15.1	3,145	10.7
Zip Code Total	326,865	42,311	12.9	31,490	9.6
Marion County	343,804	44,848	13.0	33,254	9.7
Florida	18,917,612	1,717,540	9.1	1,197,643	6.3

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	85+ Years of Age		75+ Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	130	1.8	471	6.6
32134 Ft. McCoy	11,910	279	2.3	1,173	9.8
32179 Ocklawaha	9,907	252	2.5	988	10.0
32195 Weirsdale	5,615	135	2.4	572	10.2
32617 Anthony	4,134	48	1.2	187	4.5
32686 Reddick	6,940	115	1.7	422	6.1
34420 Belleview	15,317	470	3.1	1,715	11.2
34431 Dunnellon	7,905	352	4.5	1,194	15.1
34432 Dunnellon	12,506	691	5.5	2,890	23.1
34470 Ocala	20,404	830	4.1	2,445	12.0
34471 Ocala	29,004	1,126	3.9	2,999	10.3
34472 Ocala	24,330	670	2.8	2,460	10.1
34473 Ocala	15,214	454	3.0	2,056	13.5
34474 Ocala	14,771	567	3.8	2,010	13.6
34475 Ocala	14,650	305	2.1	924	6.3
34476 Ocala	18,305	1,037	5.7	4,983	27.2
34479 Ocala	12,931	261	2.0	899	7.0
34480 Ocala	18,665	425	2.3	1,481	7.9
34481 Ocala	18,655	1,893	10.1	6,572	35.2
34482 Ocala	19,598	384	2.0	1,587	8.1
34488 Silver Springs	9,486	285	3.0	1,026	10.8
34491 Summerfield	29,515	927	3.1	4,072	13.8
Zip Code Total	326,865	11,636	3.6	43,126	13.2
Marion County	343,804	12,186	3.5	45,440	13.2
Florida	18,917,612	537,708	2.8	1,735,351	9.2

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	0-64 Years of Age		65+ Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	6,004	84.5	1,099	15.5
32134 Ft. McCoy	11,910	9,046	76.0	2,864	24.0
32179 Ocklawaha	9,907	7,611	76.8	2,296	23.2
32195 Weirsdale	5,615	4,307	76.7	1,308	23.3
32617 Anthony	4,134	3,599	87.1	535	12.9
32686 Reddick	6,940	5,875	84.7	1,065	15.3
34420 Belleview	15,317	11,886	77.6	3,431	22.4
34431 Dunnellon	7,905	5,401	68.3	2,504	31.7
34432 Dunnellon	12,506	6,938	55.5	5,568	44.5
34470 Ocala	20,404	15,873	77.8	4,531	22.2
34471 Ocala	29,004	23,648	81.5	5,356	18.5
34472 Ocala	24,330	19,689	80.9	4,641	19.1
34473 Ocala	15,214	10,960	72.0	4,254	28.0
34474 Ocala	14,771	10,802	73.1	3,969	26.9
34475 Ocala	14,650	12,822	87.5	1,828	12.5
34476 Ocala	18,305	8,708	47.6	9,597	52.4
34479 Ocala	12,931	11,011	85.2	1,920	14.8
34480 Ocala	18,665	15,620	83.7	3,045	16.3
34481 Ocala	18,655	7,617	40.8	11,038	59.2
34482 Ocala	19,598	15,779	80.5	3,819	19.5
34488 Silver Springs	9,486	7,233	76.2	2,253	23.8
34491 Summerfield	29,515	20,999	71.1	8,516	28.9
Zip Code Total	326,865	241,428	73.9	85,437	26.1
Marion County	343,804	253,516	73.7	90,288	26.3
Florida	18,917,612	15,464,721	81.7	3,452,891	18.3

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	0-17 Years of Age		18+ Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	1,465	20.6	5,638	79.4
32134 Ft. McCoy	11,910	2,208	18.5	9,702	81.5
32179 Ocklawaha	9,907	1,952	19.7	7,955	80.3
32195 Weirsdale	5,615	1,068	19.0	4,547	81.0
32617 Anthony	4,134	988	23.9	3,146	76.1
32686 Reddick	6,940	1,622	23.4	5,318	76.6
34420 Belleview	15,317	3,057	20.0	12,260	80.0
34431 Dunnellon	7,905	1,139	14.4	6,766	85.6
34432 Dunnellon	12,506	1,480	11.8	11,026	88.2
34470 Ocala	20,404	4,379	21.5	16,025	78.5
34471 Ocala	29,004	6,285	21.7	22,719	78.3
34472 Ocala	24,330	5,949	24.5	18,381	75.5
34473 Ocala	15,214	3,171	20.8	12,043	79.2
34474 Ocala	14,771	2,251	15.2	12,520	84.8
34475 Ocala	14,650	3,339	22.8	11,311	77.2
34476 Ocala	18,305	1,724	9.4	16,581	90.6
34479 Ocala	12,931	3,170	24.5	9,761	75.5
34480 Ocala	18,665	4,282	22.9	14,383	77.1
34481 Ocala	18,655	1,271	6.8	17,384	93.2
34482 Ocala	19,598	3,985	20.3	15,613	79.7
34488 Silver Springs	9,486	1,908	20.1	7,578	79.9
34491 Summerfield	29,515	5,179	17.5	24,336	82.5
Zip Code Total	326,865	61,872	18.9	264,993	81.1
Marion County	343,804	64,899	18.9	278,905	81.1
Florida	18,917,612	4,019,724	21.2	14,897,888	78.8

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	18-64 Years of Age		25+ Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	4,539	63.9	5,062	71.3
32134 Ft. McCoy	11,910	6,838	57.4	8,984	75.4
32179 Ocklawaha	9,907	5,659	57.1	7,344	74.1
32195 Weirsdale	5,615	3,239	57.7	4,176	74.4
32617 Anthony	4,134	2,611	63.2	2,807	67.9
32686 Reddick	6,940	4,253	61.3	4,819	69.4
34420 Belleview	15,317	8,829	57.6	11,170	72.9
34431 Dunnellon	7,905	4,262	53.9	6,279	79.4
34432 Dunnellon	12,506	5,458	43.6	10,508	84.0
34470 Ocala	20,404	11,494	56.3	14,469	70.9
34471 Ocala	29,004	17,363	59.9	19,736	68.0
34472 Ocala	24,330	13,740	56.5	16,400	67.4
34473 Ocala	15,214	7,789	51.2	11,104	73.0
34474 Ocala	14,771	8,551	57.9	11,279	76.4
34475 Ocala	14,650	9,483	64.7	9,578	65.4
34476 Ocala	18,305	6,984	38.2	16,004	87.4
34479 Ocala	12,931	7,841	60.6	8,773	67.8
34480 Ocala	18,665	11,338	60.7	12,820	68.7
34481 Ocala	18,655	6,346	34.0	16,944	90.8
34482 Ocala	19,598	11,794	60.2	14,221	72.6
34488 Silver Springs	9,486	5,325	56.1	6,986	73.6
34491 Summerfield	29,515	15,820	53.6	22,518	76.3
Zip Code Total	326,865	179,556	54.9	241,981	74.0
Marion County	343,804	188,617	54.9	254,978	74.2
Florida	18,917,612	11,444,997	60.5	13,248,235	70.0

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	5-17 Years of Age		0 - 2 Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	1,101	15.5	214	3.0
32134 Ft. McCoy	11,910	1,674	14.1	308	2.6
32179 Ocklawaha	9,907	1,449	14.6	316	3.2
32195 Weirsdale	5,615	790	14.1	164	2.9
32617 Anthony	4,134	723	17.5	158	3.8
32686 Reddick	6,940	1,218	17.6	242	3.5
34420 Belleview	15,317	2,222	14.5	500	3.3
34431 Dunnellon	7,905	840	10.6	167	2.1
34432 Dunnellon	12,506	1,101	8.8	223	1.8
34470 Ocala	20,404	3,076	15.1	774	3.8
34471 Ocala	29,004	4,426	15.3	1,154	4.0
34472 Ocala	24,330	4,280	17.6	939	3.9
34473 Ocala	15,214	2,359	15.5	474	3.1
34474 Ocala	14,771	1,662	11.3	355	2.4
34475 Ocala	14,650	2,420	16.5	554	3.8
34476 Ocala	18,305	1,265	6.9	274	1.5
34479 Ocala	12,931	2,312	17.9	503	3.9
34480 Ocala	18,665	3,132	16.8	679	3.6
34481 Ocala	18,655	927	5.0	212	1.1
34482 Ocala	19,598	2,922	14.9	628	3.2
34488 Silver Springs	9,486	1,440	15.2	263	2.8
34491 Summerfield	29,515	3,798	12.9	815	2.8
Zip Code Total	326,865	45,137	13.8	9,916	3.0
Marion County	343,804	47,385	13.8	10,388	3.0
Florida	18,917,612	2,887,771	15.3	677,671	3.6

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 6 Cont. Total Population by Selected Age Groups, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	Women 25 - 44 Years of Age		Women 15 - 44 Years of Age	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	873	12.3	1,281	18.0
32134 Ft. McCoy	11,910	1,114	9.4	1,698	14.3
32179 Ocklawaha	9,907	996	10.1	1,444	14.6
32195 Weirsdale	5,615	593	10.6	857	15.3
32617 Anthony	4,134	528	12.8	754	18.2
32686 Reddick	6,940	786	11.3	1,169	16.8
34420 Belleview	15,317	1,642	10.7	2,443	15.9
34431 Dunnellon	7,905	753	9.5	1,111	14.1
34432 Dunnellon	12,506	822	6.6	1,195	9.6
34470 Ocala	20,404	2,326	11.4	3,508	17.2
34471 Ocala	29,004	3,392	11.7	5,412	18.7
34472 Ocala	24,330	3,077	12.6	4,596	18.9
34473 Ocala	15,214	1,543	10.1	2,300	15.1
34474 Ocala	14,771	1,408	9.5	2,115	14.3
34475 Ocala	14,650	1,972	13.5	3,130	21.4
34476 Ocala	18,305	949	5.2	1,398	7.6
34479 Ocala	12,931	1,648	12.7	2,426	18.8
34480 Ocala	18,665	2,155	11.5	3,298	17.7
34481 Ocala	18,655	726	3.9	1,044	5.6
34482 Ocala	19,598	2,345	12.0	3,340	17.0
34488 Silver Springs	9,486	979	10.3	1,433	15.1
34491 Summerfield	29,515	2,796	9.5	4,133	14.0
Zip Code Total	326,865	33,423	10.2	50,085	15.3
Marion County	343,804	34,882	10.1	52,213	15.2
Florida	18,917,612	2,312,531	12.2	3,452,113	18.2

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 7. Total Population by Race, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	American Indian		Asian/Pacific Islander	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	42	0.6	45	0.6
32134 Ft. McCoy	11,910	170	1.4	64	0.5
32179 Ocklawaha	9,907	82	0.8	42	0.4
32195 Weirsdale	5,615	18	0.3	60	1.1
32617 Anthony	4,134	32	0.8	19	0.5
32686 Reddick	6,940	19	0.3	34	0.5
34420 Belleview	15,317	85	0.6	115	0.8
34431 Dunnellon	7,905	14	0.2	92	1.2
34432 Dunnellon	12,506	50	0.4	117	0.9
34470 Ocala	20,404	61	0.3	316	1.5
34471 Ocala	29,004	91	0.3	939	3.2
34472 Ocala	24,330	71	0.3	353	1.5
34473 Ocala	15,214	78	0.5	168	1.1
34474 Ocala	14,771	83	0.6	509	3.4
34475 Ocala	14,650	62	0.4	126	0.9
34476 Ocala	18,305	47	0.3	335	1.8
34479 Ocala	12,931	53	0.4	174	1.3
34480 Ocala	18,665	68	0.4	415	2.2
34481 Ocala	18,655	42	0.2	153	0.8
34482 Ocala	19,598	93	0.5	196	1.0
34488 Silver Springs	9,486	57	0.6	61	0.6
34491 Summerfield	29,515	117	0.4	152	0.5
Zip Code Total	326,865	1,435	0.4	4,485	1.4
Marion County	343,804	1,521	0.4	4,567	1.3
Florida	18,917,612	78,253	0.4	437,309	2.3

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 7 Cont. Total Population by Race, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	Black		Multi-Racial	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	1,591	22.4	125	1.8
32134 Ft. McCoy	11,910	251	2.1	191	1.6
32179 Ocklawaha	9,907	365	3.7	206	2.1
32195 Weirsdale	5,615	493	8.8	83	1.5
32617 Anthony	4,134	642	15.5	105	2.5
32686 Reddick	6,940	2,617	37.7	118	1.7
34420 Belleview	15,317	737	4.8	402	2.6
34431 Dunnellon	7,905	396	5.0	159	2.0
34432 Dunnellon	12,506	847	6.8	179	1.4
34470 Ocala	20,404	2,335	11.4	447	2.2
34471 Ocala	29,004	4,393	15.1	577	2.0
34472 Ocala	24,330	4,688	19.3	925	3.8
34473 Ocala	15,214	1,667	11.0	555	3.6
34474 Ocala	14,771	1,408	9.5	301	2.0
34475 Ocala	14,650	7,246	49.5	365	2.5
34476 Ocala	18,305	665	3.6	269	1.5
34479 Ocala	12,931	1,583	12.2	284	2.2
34480 Ocala	18,665	1,647	8.8	393	2.1
34481 Ocala	18,655	636	3.4	223	1.2
34482 Ocala	19,598	3,657	18.7	444	2.3
34488 Silver Springs	9,486	346	3.6	163	1.7
34491 Summerfield	29,515	1,422	4.8	452	1.5
Zip Code Total	326,865	39,632	12.1	6,966	2.1
Marion County	343,804	40,694	11.8	7,166	2.1
Florida	18,917,612	2,902,619	15.3	571,322	3.0

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 7 Cont. Total Population by Race, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	White		Other	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	5,163	72.7	137	1.9
32134 Ft. McCoy	11,910	11,190	94.0	44	0.4
32179 Ocklawaha	9,907	9,073	91.6	139	1.4
32195 Weirsdale	5,615	4,925	87.7	36	0.6
32617 Anthony	4,134	3,217	77.8	119	2.9
32686 Reddick	6,940	3,974	57.3	178	2.6
34420 Belleview	15,317	13,564	88.6	414	2.7
34431 Dunnellon	7,905	7,130	90.2	114	1.4
34432 Dunnellon	12,506	11,067	88.5	246	2.0
34470 Ocala	20,404	16,798	82.3	447	2.2
34471 Ocala	29,004	22,213	76.6	791	2.7
34472 Ocala	24,330	16,945	69.6	1,348	5.5
34473 Ocala	15,214	11,114	73.1	1,632	10.7
34474 Ocala	14,771	12,070	81.7	400	2.7
34475 Ocala	14,650	6,461	44.1	390	2.7
34476 Ocala	18,305	16,743	91.5	246	1.3
34479 Ocala	12,931	10,603	82.0	234	1.8
34480 Ocala	18,665	15,697	84.1	445	2.4
34481 Ocala	18,655	17,440	93.5	161	0.9
34482 Ocala	19,598	14,303	73.0	905	4.6
34488 Silver Springs	9,486	8,791	92.7	68	0.7
34491 Summerfield	29,515	26,697	90.5	675	2.3
Zip Code Total	326,865	265,178	81.1	9,169	2.8
Marion County	343,804	280,286	81.5	9,570	2.8
Florida	18,917,612	14,115,506	74.6	812,603	4.3

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 8. Total Population by Ethnicity, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	Hispanic		Non Hispanic	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	450	6.3	6,653	93.7
32134 Ft. McCoy	11,910	415	3.5	11,495	96.5
32179 Ocklawaha	9,907	518	5.2	9,389	94.8
32195 Weirsdale	5,615	342	6.1	5,273	93.9
32617 Anthony	4,134	329	8.0	3,805	92.0
32686 Reddick	6,940	592	8.5	6,348	91.5
34420 Belleview	15,317	1,711	11.2	13,606	88.8
34431 Dunnellon	7,905	558	7.1	7,347	92.9
34432 Dunnellon	12,506	951	7.6	11,555	92.4
34470 Ocala	20,404	1,855	9.1	18,549	90.9
34471 Ocala	29,004	2,701	9.3	26,303	90.7
34472 Ocala	24,330	4,232	17.4	20,098	82.6
34473 Ocala	15,214	5,463	35.9	9,751	64.1
34474 Ocala	14,771	1,607	10.9	13,164	89.1
34475 Ocala	14,650	1,228	8.4	13,422	91.6
34476 Ocala	18,305	1,323	7.2	16,982	92.8
34479 Ocala	12,931	1,080	8.4	11,851	91.6
34480 Ocala	18,665	1,697	9.1	16,968	90.9
34481 Ocala	18,655	955	5.1	17,700	94.9
34482 Ocala	19,598	2,782	14.2	16,816	85.8
34488 Silver Springs	9,486	388	4.1	9,098	95.9
34491 Summerfield	29,515	2,821	9.6	26,694	90.4
Zip Code Total	326,865	33,998	10.4	292,867	89.6
Marion County	343,804	35,401	10.3	308,403	89.7
Florida	18,917,612	4,179,396	22.1	14,738,216	77.9

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 9. Total Population by Gender, by Zip Code, Marion County and Florida, 2010.

Area	Total Population	Males		Females	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	7,103	3,572	50.3	3,531	49.7
32134 Ft. McCoy	11,910	6,030	50.6	5,880	49.4
32179 Ocklawaha	9,907	4,915	49.6	4,992	50.4
32195 Weirsdale	5,615	2,766	49.3	2,849	50.7
32617 Anthony	4,134	2,117	51.2	2,017	48.8
32686 Reddick	6,940	3,398	49.0	3,542	51.0
34420 Belleview	15,317	7,393	48.3	7,924	51.7
34431 Dunnellon	7,905	3,775	47.8	4,130	52.2
34432 Dunnellon	12,506	5,867	46.9	6,639	53.1
34470 Ocala	20,404	9,506	46.6	10,898	53.4
34471 Ocala	29,004	13,770	47.5	15,234	52.5
34472 Ocala	24,330	11,469	47.1	12,861	52.9
34473 Ocala	15,214	7,199	47.3	8,015	52.7
34474 Ocala	14,771	7,555	51.1	7,216	48.9
34475 Ocala	14,650	7,495	51.2	7,155	48.8
34476 Ocala	18,305	8,400	45.9	9,905	54.1
34479 Ocala	12,931	6,252	48.3	6,679	51.7
34480 Ocala	18,665	8,995	48.2	9,670	51.8
34481 Ocala	18,655	8,363	44.8	10,292	55.2
34482 Ocala	19,598	9,822	50.1	9,776	49.9
34488 Silver Springs	9,486	4,721	49.8	4,765	50.2
34491 Summerfield	29,515	14,273	48.4	15,242	51.6
Zip Code Total	326,865	157,653	48.2	169,212	51.8
Marion County	343,804	166,019	48.3	177,785	51.7
Florida	18,917,612	9,231,203	48.8	9,686,409	51.2

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 10. Total Population by Urban and Rural Designation, by Zip Code, Marion County and Florida, 2010.

Area	Total Population (2010)	Urban		Rural	
		Estimated Number (2010)	Percent (2000)	Estimated Number (2010)	Percent (2000)
32113 Citra	7,103	0	0.0	7,103	100.0
32134 Ft. McCoy	11,910	0	0.0	11,910	100.0
32179 Ocklawaha	9,907	2,077	21.0	7,830	79.0
32195 Weirsdale	5,615	2,183	38.9	3,432	61.1
32617 Anthony	4,134	0	0.0	4,134	100.0
32686 Reddick	6,940	0	0.0	6,940	100.0
34420 Belleview	15,317	11,217	73.2	4,100	26.8
34431 Dunnellon	7,905	2,041	25.8	5,864	74.2
34432 Dunnellon	12,506	3,403	27.2	9,103	72.8
34470 Ocala	20,404	20,404	100.0	0	0.0
34471 Ocala	29,004	29,004	100.0	0	0.0
34472 Ocala	24,330	22,892	94.1	1,438	5.9
34473 Ocala	15,214	10,668	70.1	4,546	29.9
34474 Ocala	14,771	12,368	83.7	2,403	16.3
34475 Ocala	14,650	11,780	80.4	2,870	19.6
34476 Ocala	18,305	9,304	50.8	9,001	49.2
34479 Ocala	12,931	11,637	90.0	1,294	10.0
34480 Ocala	18,665	13,933	74.7	4,732	25.4
34481 Ocala	18,655	12,504	67.0	6,151	33.0
34482 Ocala	19,598	8,043	41.0	11,555	59.0
34488 Silver Springs	9,486	1,728	18.2	7,758	81.8
34491 Summerfield	29,515	20,112	68.1	9,403	31.9
Zip Code Total	326,865	205,173	62.8	121,692	37.2
Marion County	343,804	210,030	61.1	133,774	38.9
Florida	18,917,612	16,895,319	89.3	2,022,293	10.7

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P05; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 11. Total Population in Group Quarters by Zip Code, Marion County and Florida, 2010.

Area	Total Population	Total Group Quarters Population	Percent of Total Population
32113 Citra	7,103	624	8.8
32134 Ft. McCoy	11,910	99	0.8
32179 Ocklawaha	9,907	47	0.5
32195 Weirsdale	5,615	25	0.4
32617 Anthony	4,134	15	0.4
32686 Reddick	6,940	88	1.3
34420 Belleview	15,317	125	0.8
34431 Dunnellon	7,905	128	1.6
34432 Dunnellon	12,506	91	0.7
34470 Ocala	20,404	310	1.5
34471 Ocala	29,004	1,323	4.6
34472 Ocala	24,330	57	0.2
34473 Ocala	15,214	-	-
34474 Ocala	14,771	1,489	10.1
34475 Ocala	14,650	2,587	17.7
34476 Ocala	18,305	19	0.1
34479 Ocala	12,931	202	1.6
34480 Ocala	18,665	140	0.8
34481 Ocala	18,655	262	1.4
34482 Ocala	19,598	827	4.2
34488 Silver Springs	9,486	161	1.7
34491 Summerfield	29,515	47	0.2
Zip Code Total	326,865	8,666	2.7
Marion County	343,804	8,568	2.5
Florida	18,917,612	425,893	2.3

The group quarters population includes all people not living in households. Two general categories of people in group quarters are recognized by the Census: (1) the institutionalized population and (2) the noninstitutionalized population. The institutionalized population includes people under formally authorized, supervised care or custody in institutions at the time of enumeration; such as correctional institutions, nursing homes and juvenile institutions. The noninstitutionalized population includes all people who live in group quarters other than institutions, such as college dormitories, military quarters, and group homes. Also, included are staff residing at institutional group quarters.

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 12. Total Family Population, Family Households and Average Family Size by Zip Code, Marion County and Florida, 2010.

Area	Family Population	Family Households	Average Family Size
32113 Citra	5,408	1,915	2.82
32134 Ft. McCoy	9,452	3,358	2.81
32179 Ocklawaha	7,916	2,767	2.86
32195 Weirsdale	4,754	1,590	2.99
32617 Anthony	3,488	1,114	3.13
32686 Reddick	5,709	1,811	3.15
34420 Belleview	12,274	4,197	2.92
34431 Dunnellon	6,373	2,369	2.69
34432 Dunnellon	10,316	3,915	2.63
34470 Ocala	15,413	5,473	2.82
34471 Ocala	22,464	7,190	3.12
34472 Ocala	20,427	6,780	3.01
34473 Ocala	12,884	4,251	3.03
34474 Ocala	10,175	3,987	2.55
34475 Ocala	9,549	2,714	3.52
34476 Ocala	15,451	6,328	2.44
34479 Ocala	10,686	3,500	3.05
34480 Ocala	16,027	5,108	3.14
34481 Ocala	14,882	6,441	2.31
34482 Ocala	15,407	5,238	2.94
34488 Silver Springs	7,504	2,730	2.75
34491 Summerfield	24,949	9,155	2.73
Zip Code Total	261,508	91,931	2.84
Marion County	275,757	97,561	2.83
Florida	14,833,812	4,882,567	3.04

A family includes a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. All people in a household who are related to the householder are regarded as members of his or her family. A family household may contain people not related to the householder, but those people are not included as part of the householder's family in census tabulations. Thus, the number of family households is equal to the number of families, but family households may include more members than do families. A household can contain only one family for purposes of census tabulations. Not all households contain families since a household may be comprised of a group of unrelated people or of one person living alone.

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 13. Total Household Population, Total Households and Average Household Size by Zip Code, Marion County and Florida, 2010.

Area	Household Population	Total Households	Average Household Size
32113 Citra	6,479	2,683	2.41
32134 Ft. McCoy	11,811	5,064	2.33
32179 Ocklawaha	9,860	4,111	2.40
32195 Weirsdale	5,590	2,150	2.60
32617 Anthony	4,119	1,527	2.70
32686 Reddick	6,852	2,613	2.62
34420 Belleview	15,192	6,316	2.41
34431 Dunnellon	7,777	3,527	2.20
34432 Dunnellon	12,415	5,492	2.26
34470 Ocala	20,094	9,222	2.18
34471 Ocala	27,681	11,129	2.49
34472 Ocala	24,273	9,543	2.54
34473 Ocala	15,214	5,783	2.63
34474 Ocala	13,282	6,588	2.02
34475 Ocala	12,063	4,228	2.85
34476 Ocala	18,286	8,616	2.12
34479 Ocala	12,729	4,921	2.59
34480 Ocala	18,525	6,834	2.71
34481 Ocala	18,393	9,557	1.92
34482 Ocala	18,771	7,510	2.50
34488 Silver Springs	9,325	4,103	2.27
34491 Summerfield	29,468	12,402	2.38
Zip Code Total	318,199	133,919	2.38
Marion County	335,236	141,708	2.37
Florida	18,491,719	7,448,581	2.48

A household includes all of the people who occupy a housing unit. (People not living in households are classified as living in group quarters.) A housing unit is a house, an apartment, a mobile home, a group of rooms, or a single room occupied (or if vacant, intended for occupancy) as separate living quarters.

Separate living quarters are those in which the occupants live separately from any other people in the building and that have a direct access from the outside of the building or through a common hall. The occupants may be a single family, one person living alone, two or more families living together, or any other group of related or unrelated people who share living quarters.

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Poverty Data

Table 14. Number and Percent of Persons in Poverty, by Selected Ages,
Marion County and Florida, 2010.

Area	Total Population (2010)	Percent In Poverty (2009)	Estimated Number In Poverty (2010)
All Ages			
Marion County	343,804	15.9	54,665
Florida	18,917,612	15.0	2,837,642
Under Age 18			
Marion County	64,899	26.0	16,874
Florida	4,019,724	21.5	864,241

Source: U.S. Census Bureau, Census, 2000, Small Area Income and Poverty Estimates, 2009; Interactive Tables generated by WellFlorida; <http://www.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.
Prepared by: WellFlorida Council, 2011.

Table 15. Total Population by Selected Poverty Characteristics,
Marion County and Florida, 2009.

Selected Demographic	Marion County		Florida	
	Number	Percent of Total	Number	Percent of Total
Poverty Levels				
Total Population for Whom Poverty Status is Determined	321,534		18,124,789	
<100 %	50,081	15.6	2,707,925	14.9
100% - 149%	34,075	10.6	1,874,963	10.3
150% - 174%	15,855	4.9	924,600	5.1
175%-184%	6,532	2.0	427,251	2.4
185%-199%	14,437	4.5	562,574	3.1
100%-199%	70,899	22.1	3,789,388	20.9
200%-299%	70,056	21.8	3,355,516	18.5
300%-399%	52,670	16.4	2,518,137	13.9
400%-499%	27,238	8.5	1,767,206	9.8
500% and Over	50,590	15.7	3,986,617	22.0
200% and Over	200,554	62.4	11,627,476	64.2
Males				
Total Male Population for Whom Poverty Status is Determined	155,633		8,841,319	
In Poverty	22,845	14.7	1,226,419	13.9
Not In Poverty	132,788	85.3	7,614,900	86.1
Females				
Total Female Population for Whom Poverty Status is Determined	165,901		9,283,470	
In Poverty	27,236	16.4	1,481,506	16.0
Not In Poverty	138,665	83.6	7,801,964	84.0

Please note that this poverty data is from the 1 year American Community Survey and should not be compared to other poverty data in this report. This data was compiled over a 12 month period not for a single day like the 2000 Census data was.

Source: U.S. Census Bureau; 2009 American Community Survey.

Prepared by: WellFlorida Council, 2011.

Table 16. Number and Percent of Persons by Level of Poverty, by Zip Code, Marion County and Florida, 2010.

Area	Total Population (2010)	0 - 99 % of Poverty		100 - 149 % of Poverty	
		Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	7,103	19.1	1,357	15.0	1,065
32134 Ft. McCoy	11,910	15.8	1,882	14.5	1,727
32179 Ocklawaha	9,907	17.7	1,754	10.9	1,080
32195 Weirsdale	5,615	13.7	769	13.5	758
32617 Anthony	4,134	13.4	554	11.4	471
32686 Reddick	6,940	18.9	1,312	13.0	902
34420 Belleview	15,317	12.0	1,838	12.9	1,976
34431 Dunnellon	7,905	8.3	656	9.4	743
34432 Dunnellon	12,506	9.6	1,201	9.1	1,138
34470 Ocala	20,404	15.3	3,122	11.2	2,285
34471 Ocala	29,004	5.5	1,595	6.2	1,798
34472 Ocala	24,330	10.9	2,652	11.6	2,822
34473 Ocala	15,214	14.3	2,176	15.3	2,328
34474 Ocala	14,771	18.5	2,733	12.4	1,832
34475 Ocala	14,650	27.8	4,073	18.5	2,710
34476 Ocala	18,305	5.8	1,062	8.2	1,501
34479 Ocala	12,931	10.5	1,358	9.4	1,216
34480 Ocala	18,665	11.1	2,072	6.7	1,251
34481 Ocala	18,655	8.4	1,567	6.8	1,269
34482 Ocala	19,598	16.9	3,312	8.1	1,587
34488 Silver Springs	9,486	15.9	1,508	13.0	1,233
34491 Summerfield	29,515	10.9	3,217	8.1	2,391
Zip Code Total	326,865	12.9	42,166	10.5	34,321
Marion County	343,804	13.1	45,038	10.5	36,099
Florida	18,917,612	12.5	2,364,702	9.2	1,740,420

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P88; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 16 Cont. Number and Percent of Persons by Level of Poverty, by Zip Code,
Marion County and Florida, 2010.

Area	Total Population (2010)	150 - 199 % of Poverty		200% + of Poverty	
		Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	7,103	12.9	916	53.0	3,765
32134 Ft. McCoy	11,910	14.4	1,715	55.2	6,574
32179 Ocklawaha	9,907	12.5	1,238	58.9	5,835
32195 Weirsdale	5,615	8.3	466	64.5	3,622
32617 Anthony	4,134	14.1	583	61.1	2,526
32686 Reddick	6,940	9.0	625	59.2	4,108
34420 Belleview	15,317	13.1	2,007	61.9	9,481
34431 Dunnellon	7,905	15.7	1,241	66.6	5,265
34432 Dunnellon	12,506	11.8	1,476	69.5	8,692
34470 Ocala	20,404	10.5	2,142	63.0	12,855
34471 Ocala	29,004	8.3	2,407	80.0	23,203
34472 Ocala	24,330	13.7	3,333	63.8	15,523
34473 Ocala	15,214	12.4	1,887	58.0	8,824
34474 Ocala	14,771	11.4	1,684	57.7	8,523
34475 Ocala	14,650	10.8	1,582	42.9	6,285
34476 Ocala	18,305	7.9	1,446	78.0	14,278
34479 Ocala	12,931	11.9	1,539	68.3	8,832
34480 Ocala	18,665	9.5	1,773	72.7	13,569
34481 Ocala	18,655	9.7	1,810	75.1	14,010
34482 Ocala	19,598	14.4	2,822	60.6	11,876
34488 Silver Springs	9,486	11.5	1,091	59.5	5,644
34491 Summerfield	29,515	14.6	4,309	66.4	19,598
Zip Code Total	326,865	11.7	38,243	64.8	211,809
Marion County	343,804	11.7	40,225	64.8	222,785
Florida	18,917,612	9.5	1,788,775	68.9	13,034,235

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P88; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 17. Number and Percent of Children 0-17 Years of Age by Level of Poverty, by Zip Code, Marion County and Florida, 2010.

Area	Total Population 0-17 years of age (2010)	At 100% of Poverty		At 100-200% of Poverty		At 200% + of Poverty	
		Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	1,465	29.5	432	31.5	461	39.1	573
32134 Ft. McCoy	2,208	26.3	581	34.8	768	38.9	859
32179 Ocklawaha	1,952	26.7	521	27.1	529	46.2	902
32195 Weirsdale	1,068	26.2	280	26.3	281	47.5	507
32617 Anthony	988	20.8	206	32.4	320	46.8	462
32686 Reddick	1,622	21.7	352	32.9	534	45.3	735
34420 Belleview	3,057	16.4	501	28.2	862	55.3	1,691
34431 Dunnellon	1,139	14.5	165	31.9	363	53.6	611
34432 Dunnellon	1,480	19.0	281	34.8	515	46.2	684
34470 Ocala	4,379	22.9	1,003	28.2	1,235	49.0	2,146
34471 Ocala	6,285	7.2	453	15.9	999	76.9	4,833
34472 Ocala	5,949	14.6	869	33.6	1,999	51.7	3,076
34473 Ocala	3,171	21.9	694	39.7	1,259	38.4	1,218
34474 Ocala	2,251	31.0	698	27.4	617	41.6	936
34475 Ocala	3,339	36.9	1,232	31.3	1,045	31.8	1,062
34476 Ocala	1,724	5.8	100	29.7	512	64.5	1,112
34479 Ocala	3,170	14.6	463	27.0	856	58.4	1,851
34480 Ocala	4,282	14.6	625	15.9	681	69.5	2,976
34481 Ocala	1,271	26.6	338	19.0	241	54.4	691
34482 Ocala	3,985	27.9	1,112	29.1	1,160	43.0	1,714
34488 Silver Springs	1,908	26.5	506	26.4	504	47.1	899
34491 Summerfield	5,179	20.5	1,062	29.3	1,517	50.1	2,595
Zip Code Total	61,872	20.6	12,746	27.9	17,262	51.5	31,864
Marion County	64,899	20.7	13,434	27.8	18,042	51.5	33,423
Florida	4,019,724	17.6	707,779	23.5	943,911	58.9	2,368,034

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 18. Number and Percent of Adults 18 - 64 Years of Age by Level of Poverty,
by Zip Code, Marion County and Florida, 2010.

Area	Total Population 18-64 years of age (2010)	At 100% of Poverty		At 100-200% of Poverty		At 200% + of Poverty	
		Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	4,539	17.0	772	23.7	1,076	59.3	2,692
32134 Ft. McCoy	6,838	15.7	1,074	24.5	1,675	59.7	4,082
32179 Ocklawaha	5,659	15.8	894	21.0	1,188	63.2	3,576
32195 Weirsdale	3,239	9.6	311	19.1	619	71.3	2,309
32617 Anthony	2,611	10.1	264	22.1	577	67.8	1,770
32686 Reddick	4,253	18.1	770	17.8	757	64.1	2,726
34420 Belleview	8,829	11.3	998	23.0	2,031	65.7	5,801
34431 Dunnellon	4,262	8.2	349	22.7	967	69.1	2,945
34432 Dunnellon	5,458	9.7	529	22.0	1,201	68.3	3,728
34470 Ocala	11,494	14.5	1,667	17.2	1,977	68.3	7,850
34471 Ocala	17,363	4.6	799	12.4	2,153	83.1	14,429
34472 Ocala	13,740	10.1	1,388	22.8	3,133	67.0	9,206
34473 Ocala	7,789	13.2	1,028	23.8	1,854	63.0	4,907
34474 Ocala	8,551	17.6	1,505	20.8	1,779	61.6	5,267
34475 Ocala	9,483	26.0	2,466	24.6	2,333	49.4	4,685
34476 Ocala	6,984	8.3	580	13.4	936	78.3	5,468
34479 Ocala	7,841	9.2	721	18.8	1,474	71.9	5,638
34480 Ocala	11,338	8.9	1,009	14.9	1,689	76.2	8,640
34481 Ocala	6,346	10.7	679	15.9	1,009	73.4	4,658
34482 Ocala	11,794	16.1	1,899	21.9	2,583	62.1	7,324
34488 Silver Springs	5,325	17.7	943	20.8	1,108	61.5	3,275
34491 Summerfield	15,820	10.3	1,629	20.6	3,259	69.1	10,932
Zip Code Total	179,556	12.5	22,445	19.8	35,552	67.7	121,559
Marion County	188,617	12.7	23,954	19.6	36,969	67.7	127,694
Florida	11,444,997	11.6	1,323,972	16.4	1,876,980	72.0	8,240,398

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 19. Number and Percent of Adults 65+ Years of Age by Level of Poverty, by Zip Code, Marion County and Florida, 2010.

Area	Total Population 65 + years of age (2010)	At 100% of Poverty		At 100-200% of Poverty		At 200% + of Poverty	
		Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	1,099	13.3	146	37.4	411	49.3	542
32134 Ft. McCoy	2,864	6.7	192	35.1	1,005	58.3	1,670
32179 Ocklawaha	2,296	12.9	296	26.1	599	61.0	1,401
32195 Weirsdale	1,308	10.4	136	24.6	322	65.0	850
32617 Anthony	535	15.5	83	29.7	159	54.9	294
32686 Reddick	1,065	16.6	177	19.5	208	63.9	681
34420 Belleview	3,431	8.9	305	32.1	1,101	59.0	2,024
34431 Dunnellon	2,504	5.2	130	25.1	629	69.7	1,745
34432 Dunnellon	5,568	5.5	306	13.3	741	81.2	4,521
34470 Ocala	4,531	10.1	458	26.9	1,219	63.0	2,855
34471 Ocala	5,356	6.0	321	19.9	1,066	74.1	3,969
34472 Ocala	4,641	8.8	408	22.4	1,040	68.8	3,193
34473 Ocala	4,254	8.4	357	23.7	1,008	67.8	2,884
34474 Ocala	3,969	5.8	230	28.7	1,139	65.5	2,600
34475 Ocala	1,828	15.1	276	44.3	810	40.6	742
34476 Ocala	9,597	3.4	326	15.4	1,478	81.3	7,802
34479 Ocala	1,920	8.6	165	21.0	403	70.4	1,352
34480 Ocala	3,045	13.4	408	22.2	676	64.3	1,958
34481 Ocala	11,038	4.3	475	16.5	1,821	79.2	8,742
34482 Ocala	3,819	7.5	286	17.5	668	74.9	2,860
34488 Silver Springs	2,253	5.7	128	30.7	692	63.7	1,435
34491 Summerfield	8,516	6.1	519	22.3	1,899	71.5	6,089
Zip Code Total	85,437	7.2	6,151	22.8	19,480	69.9	59,720
Marion County	90,288	7.4	6,681	22.8	20,586	69.8	63,021
Florida	3,452,891	9.1	313,083	19.8	683,672	71.1	2,456,589

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 20. Number and Percent of Persons by Gender in Poverty, by Zip Code, Marion County and Florida, 2010.

Area	Males			Females		
	Total Population 2010	Percent In Poverty (2000)	Estimated Number (2010)	Total Population 2010	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	3,572	19.8	707	3,531	18.5	653
32134 Ft. McCoy	6,030	13.4	808	5,880	18.2	1,070
32179 Ocklawaha	4,915	14.8	727	4,992	20.6	1,028
32195 Weirsdale	2,766	13.3	368	2,849	14.2	405
32617 Anthony	2,117	11.8	250	2,017	15.1	305
32686 Reddick	3,398	16.3	554	3,542	21.2	751
34420 Belleview	7,393	10.8	798	7,924	13.2	1,046
34431 Dunnellon	3,775	7.0	264	4,130	9.5	392
34432 Dunnellon	5,867	8.8	516	6,639	10.4	690
34470 Ocala	9,506	13.6	1,293	10,898	16.7	1,820
34471 Ocala	13,770	4.9	675	15,234	6.0	914
34472 Ocala	11,469	9.3	1,067	12,861	12.2	1,569
34473 Ocala	7,199	13.5	972	8,015	15.1	1,210
34474 Ocala	7,555	17.6	1,330	7,216	19.4	1,400
34475 Ocala	7,495	27.0	2,024	7,155	28.4	2,032
34476 Ocala	8,400	4.9	412	9,905	6.7	664
34479 Ocala	6,252	9.9	619	6,679	11.0	735
34480 Ocala	8,995	8.5	765	9,670	13.5	1,305
34481 Ocala	8,363	6.9	577	10,292	9.6	988
34482 Ocala	9,822	16.3	1,601	9,776	17.5	1,711
34488 Silver Springs	4,721	13.8	651	4,765	17.9	853
34491 Summerfield	14,273	9.2	1,313	15,242	12.4	1,890
Zip Code Total	157,653	11.6	18,288	169,212	14.1	23,859
Marion County	166,019	11.8	19,590	177,785	14.2	25,245
Florida	9,231,203	11.3	1,043,126	9,686,409	13.7	1,327,038

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT49; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 21. Number and Percent of White and Black Persons by in Poverty, by Zip Code, Marion County and Florida, 2010.

Area	White			Black		
	Total Population 2010	Percent In Poverty (2000)	Estimated Number (2010)	Total Population 2010	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	5,163	16.0	826	1,591	36.2	576
32134 Ft. McCoy	11,190	16.2	1,813	251	10.0	25
32179 Ocklawaha	9,073	17.6	1,597	365	33.2	121
32195 Weirsdale	4,925	12.2	601	493	28.5	141
32617 Anthony	3,217	13.1	421	642	17.4	112
32686 Reddick	3,974	15.8	628	2,617	22.1	578
34420 Belleview	13,564	11.0	1,492	737	18.3	135
34431 Dunnellon	7,130	7.5	535	396	36.5	145
34432 Dunnellon	11,067	8.0	885	847	35.6	302
34470 Ocala	16,798	13.2	2,217	2,335	32.6	761
34471 Ocala	22,213	4.9	1,088	4,393	19.3	848
34472 Ocala	16,945	8.0	1,356	4,688	18.1	849
34473 Ocala	11,114	10.1	1,123	1,667	17.5	292
34474 Ocala	12,070	12.1	1,460	1,408	32.4	456
34475 Ocala	6,461	20.6	1,331	7,246	31.8	2,304
34476 Ocala	16,743	5.7	954	665	12.9	86
34479 Ocala	10,603	7.9	838	1,583	37.1	587
34480 Ocala	15,697	10.7	1,680	1,647	19.6	323
34481 Ocala	17,440	7.8	1,360	636	11.8	75
34482 Ocala	14,303	14.2	2,031	3,657	28.1	1,028
34488 Silver Springs	8,791	14.2	1,248	346	37.1	128
34491 Summerfield	26,697	10.6	2,830	1,422	11.9	169
Zip Code Total	265,178	10.6	28,109	39,632	26.9	10,661
Marion County	280,286	10.8	30,271	40,694	26.9	10,947
Florida	14,115,506	9.5	1,340,973	2,902,619	25.9	751,778

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT49; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 22. Number and Percent of Hispanic Persons in Poverty, by Zip Code, Marion County and Florida, 2010.

Area	Total Population 2010	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	450	26.3	118
32134 Ft. McCoy	415	0.0	0
32179 Ocklawaha	518	14.8	77
32195 Weirsdale	342	0.0	0
32617 Anthony	329	16.9	56
32686 Reddick	592	35.8	212
34420 Belleview	1,711	28.4	486
34431 Dunnellon	558	5.8	32
34432 Dunnellon	951	0.0	0
34470 Ocala	1,855	31.5	584
34471 Ocala	2,701	14.2	384
34472 Ocala	4,232	23.0	973
34473 Ocala	5,463	19.7	1,076
34474 Ocala	1,607	27.2	437
34475 Ocala	1,228	42.6	523
34476 Ocala	1,323	12.5	165
34479 Ocala	1,080	17.6	190
34480 Ocala	1,697	24.3	412
34481 Ocala	955	29.3	280
34482 Ocala	2,782	26.7	743
34488 Silver Springs	388	24.2	94
34491 Summerfield	2,821	27.2	767
Zip Code Total	33,998	23.1	7,854
Marion County	35,401	23.0	8,142
Florida	4,179,396	18.0	752,291

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT49; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 23. Number and Percent of Households and Family Households in Poverty, by Zip Code, Marion County and Florida, 2010.

Area	Households *			Family Households **		
	Total Number (2010)	Percent (2000)	Estimated Number in Poverty	Total Number (2010)	Percent (2000)	Estimated Number in Poverty
32113 Citra	2,683	18.4	494	1,915	16.0	306
32134 Ft. McCoy	5,064	13.1	663	3,358	12.9	433
32179 Ocklawaha	4,111	16.5	678	2,767	13.6	376
32195 Weirsdale	2,150	11.8	254	1,590	9.5	151
32617 Anthony	1,527	14.0	214	1,114	10.9	121
32686 Reddick	2,613	20.0	523	1,811	14.3	259
34420 Belleview	6,316	11.7	739	4,197	8.8	369
34431 Dunnellon	3,527	8.1	286	2,369	6.2	147
34432 Dunnellon	5,492	8.7	478	3,915	4.7	184
34470 Ocala	9,222	14.0	1,291	5,473	11.7	640
34471 Ocala	11,129	5.4	601	7,190	2.9	209
34472 Ocala	9,543	10.8	1,031	6,780	8.2	556
34473 Ocala	5,783	10.9	630	4,251	11.1	472
34474 Ocala	6,588	16.5	1,087	3,987	13.0	518
34475 Ocala	4,228	26.1	1,104	2,714	21.4	581
34476 Ocala	8,616	6.5	560	6,328	3.2	202
34479 Ocala	4,921	10.8	531	3,500	7.6	266
34480 Ocala	6,834	10.7	731	5,108	9.1	465
34481 Ocala	9,557	7.7	736	6,441	3.8	245
34482 Ocala	7,510	15.8	1,187	5,238	14.5	760
34488 Silver Springs	4,103	14.8	607	2,730	11.3	308
34491 Summerfield	12,402	9.7	1,203	9,155	6.5	595
Zip Code Total	133,919	12.0	16,070	91,931	9.1	8,366
Marion County	141,708	12.2	17,288	97,561	9.2	8,976
Florida	7,448,581	11.7	873,380	4,882,567	9.0	439,431

* A household includes all of the people who occupy a housing unit. (People not living in households are classified as living in group quarters.) A housing unit is a house, an apartment, a mobile home, a group of rooms, or a single room occupied (or if vacant, intended for occupancy) as separate living quarters. Separate living quarters are those in which the occupants live separately from any other people in the building and that have a direct access from the outside of the building or through a common hall. The occupants may be a single family, one person living alone, two or more families living together, or any other group of related or unrelated people who share living quarters.

** A family includes a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. All people in a household who are related to the householder are regarded as members of his or her family. A family household may contain people not related to the householder, but those people are not included as part of the householder's family in census tabulations. Thus, the number of family households is equal to the number of families, but family households may include more members than do families. A household can contain only one family for purposes of census tabulations. Not all households contain families since a household may be comprised of a group of unrelated people or of one person living alone.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Tables P87, P88, P89 and PCT50; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 24. Number and Percent of Households by Level of Poverty, by Zip Code, Marion County and Florida, 2010.

Area	Total Households (2010)*	Below 150% of Poverty		150% or above of Poverty	
		Percent In Poverty (2000)	Estimated Number (2010)	Percent In Poverty (2000)	Estimated Number (2010)
32113 Citra	2,683	33.6	901	66.4	1,782
32134 Ft. McCoy	5,064	28.2	1,428	71.8	3,636
32179 Ocklawaha	4,111	28.2	1,159	71.8	2,952
32195 Weirsdale	2,150	25.6	550	74.4	1,600
32617 Anthony	1,527	26.2	400	73.8	1,127
32686 Reddick	2,613	32.4	847	67.6	1,766
34420 Belleview	6,316	25.2	1,592	74.8	4,724
34431 Dunnellon	3,527	19.3	681	80.7	2,846
34432 Dunnellon	5,492	18.1	994	81.9	4,498
34470 Ocala	9,222	25.9	2,388	74.1	6,834
34471 Ocala	11,129	12.3	1,369	87.7	9,760
34472 Ocala	9,543	22.1	2,109	77.9	7,434
34473 Ocala	5,783	25.4	1,469	74.6	4,314
34474 Ocala	6,588	28.6	1,884	71.4	4,704
34475 Ocala	4,228	44.4	1,877	55.6	2,351
34476 Ocala	8,616	14.5	1,249	85.5	7,367
34479 Ocala	4,921	20.2	994	79.8	3,927
34480 Ocala	6,834	20.5	1,401	79.5	5,433
34481 Ocala	9,557	15.6	1,491	84.4	8,066
34482 Ocala	7,510	23.3	1,750	76.7	5,760
34488 Silver Springs	4,103	28.2	1,157	71.8	2,946
34491 Summerfield	12,402	19.2	2,381	80.8	10,021
Zip Code Total	133,919	22.9	30,667	77.1	103,252
Marion County	141,708	23.1	32,735	76.9	108,973
Florida	7,448,581	20.7	1,541,532	79.3	5,906,725

* A household includes all of the people who occupy a housing unit. (People not living in households are classified as living in group quarters.) A housing unit is a house, an apartment, a mobile home, a group of rooms, or a single room occupied (or if vacant, intended for occupancy) as separate living quarters.

Separate living quarters are those in which the occupants live separately from any other people in the building and that have a direct access from the outside of the building or through a common hall. The occupants may be a single family, one person living alone, two or more families living together, or any other group of related or unrelated people who share living quarters.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P93; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 25. Number and Percent of Family Households by Level of Poverty, by Zip Code, Marion County and Florida, 2010.

Area	Total Family Households (2010)*	Under 130 % of Poverty		130 - 149 % of Poverty	
		Percent (2000)	Estimated Number (2010)	Percent (2000)	Estimated Number (2010)
32113 Citra	1,915	25.0	479	4.5	86
32134 Ft. McCoy	3,358	19.4	651	4.6	154
32179 Ocklawaha	2,767	19.1	528	3.4	94
32195 Weirsdale	1,590	18.0	286	4.8	76
32617 Anthony	1,114	15.4	172	4.6	51
32686 Reddick	1,811	20.8	377	4.9	89
34420 Belleview	4,197	15.2	638	3.3	139
34431 Dunnellon	2,369	9.2	218	4.2	99
34432 Dunnellon	3,915	9.1	356	2.4	94
34470 Ocala	5,473	17.1	936	3.5	192
34471 Ocala	7,190	4.9	352	2.1	151
34472 Ocala	6,780	13.8	936	3.9	264
34473 Ocala	4,251	19.6	833	4.1	174
34474 Ocala	3,987	19.7	785	3.2	128
34475 Ocala	2,714	33.7	915	4.9	133
34476 Ocala	6,328	6.4	405	2.3	146
34479 Ocala	3,500	13.0	455	3.0	105
34480 Ocala	5,108	13.2	674	2.4	123
34481 Ocala	6,441	5.9	380	2.7	174
34482 Ocala	5,238	17.6	922	4.0	210
34488 Silver Springs	2,730	17.9	489	3.5	96
34491 Summerfield	9,155	9.6	879	3.8	348
Zip Code Total	91,931	14.1	12,962	3.4	3,126
Marion County	97,561	14.2	13,854	3.4	3,317
Florida	4,882,567	13.2	644,499	3.3	161,125

* A family includes a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. All people in a household who are related to the householder are regarded as members of his or her family. A family household may contain people not related to the householder, but those people are not included as part of the householder's family in census tabulations. Thus, the number of family households is equal to the number of families, but family households may include more members than do families. A household can contain only one family for purposes of census tabulations. Not all households contain families since a household may be comprised of a group of unrelated people or of one person living alone.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT61; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 25 Cont. Number and Percent of Family Households by Level of Poverty,
by Zip Code, Marion County and Florida, 2010.

Area	Total Family Households (2010)*	150 - 184 % of Poverty		185% + of Poverty	
		Percent (2000)	Estimated Number (2010)	Percent (2000)	Estimated Number (2010)
32113 Citra	1,915	7.3	140	63.2	1,210
32134 Ft. McCoy	3,358	10.5	353	65.4	2,196
32179 Ocklawaha	2,767	8.6	238	69.0	1,909
32195 Weirsdale	1,590	3.6	57	73.6	1,170
32617 Anthony	1,114	8.2	91	71.8	800
32686 Reddick	1,811	5.7	103	68.6	1,242
34420 Belleview	4,197	10.5	441	71.0	2,980
34431 Dunnellon	2,369	9.3	220	77.4	1,834
34432 Dunnellon	3,915	7.3	286	81.2	3,179
34470 Ocala	5,473	6.5	356	72.8	3,984
34471 Ocala	7,190	4.6	331	88.5	6,363
34472 Ocala	6,780	8.1	549	74.2	5,031
34473 Ocala	4,251	6.7	285	69.6	2,959
34474 Ocala	3,987	8.0	319	69.1	2,755
34475 Ocala	2,714	10.2	277	51.2	1,390
34476 Ocala	6,328	4.4	278	86.9	5,499
34479 Ocala	3,500	6.5	228	77.5	2,713
34480 Ocala	5,108	5.0	255	79.5	4,061
34481 Ocala	6,441	5.0	322	86.4	5,565
34482 Ocala	5,238	9.4	492	69.0	3,614
34488 Silver Springs	2,730	7.9	216	70.7	1,930
34491 Summerfield	9,155	10.0	916	76.5	7,004
Zip Code Total	91,931	7.5	6,895	75.0	68,948
Marion County	97,561	7.4	7,220	75.0	73,171
Florida	4,882,567	5.9	288,071	77.5	3,783,989

*A family includes a householder and one or more other people living in the same household who are related to the householder by birth, marriage, or adoption. All people in a household who are related to the householder are regarded as members of his or her family. A family household may contain people not related to the householder, but those people are not included as part of the householder's family in census tabulations. Thus, the number of family households is equal to the number of families, but family households may include more members than do families. A household can contain only one family for purposes of census tabulations. Not all households contain families since a household may be comprised of a group of unrelated people or of one person living alone.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table PCT61; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Income Data

Table 26. Median Household Income, Average Household Income and Per Capita Income by Zip Code, Marion County and Florida, 2010.

Area	Median Household Income	Average Household Income	Per Capita Income
32113 Citra	36,980	47,764	19,468
32134 Ft. McCoy	36,134	45,125	19,322
32179 Ocklawaha	36,403	44,151	18,397
32195 Weirsdale	50,389	58,920	22,633
32617 Anthony	43,897	51,081	18,926
32686 Reddick	40,097	56,137	21,343
34420 Belleview	38,492	46,507	19,309
34431 Dunnellon	37,894	47,119	21,286
34432 Dunnellon	45,371	54,594	24,093
34470 Ocala	37,709	45,206	20,678
34471 Ocala	48,123	67,051	26,468
34472 Ocala	43,216	49,631	19,505
34473 Ocala	43,196	50,800	19,310
34474 Ocala	41,224	57,438	27,254
34475 Ocala	29,298	38,380	13,944
34476 Ocala	42,319	52,550	24,751
34479 Ocala	42,487	50,595	19,507
34480 Ocala	48,842	63,870	23,508
34481 Ocala	38,413	46,387	23,993
34482 Ocala	37,719	48,264	19,179
34488 Silver Springs	33,585	41,493	18,222
34491 Summerfield	36,263	45,031	18,948
Zip Code Total	NA	NA	21,213
Marion County	39,724	50,350	21,158
Florida	49,910	64,516	25,768

NA: Zip Code Total can not be calculated with current data.

Source: ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Unemployment Data

Table 27. Unemployment Rates by Year, Marion County and Florida, 2004-2010.

Area	2004	2005	2006	2007	2008	2009	2010
Marion County	4.6	3.7	3.4	4.5	7.7	12.4	13.8
Florida	4.7	3.8	3.3	4.0	6.2	10.2	11.5

Source: Florida Research and Economic Database; Data generated by WellFlorida; using Labor Market

Analysis; <http://fred.labormarketinfo.com>; (April 8, 2011).

Prepared by: WellFlorida Council, 2011.

Table 28. Unemployment Rates by Month, Marion County and Florida, 2010-2011.

Month	Marion County	Florida
March, 2010	13.9	11.3
April, 2010	13.2	10.9
May, 2010	13.1	10.9
June, 2010	13.6	11.4
July, 2010	13.9	11.9
August, 2010	14.0	12.1
September, 2010	13.9	11.8
October, 2010	13.7	11.6
November, 2010	14.4	12.1
December, 2010	13.9	11.7
January, 2011	14.2	11.8
February, 2011	13.2	11.0

Source: Florida Research and Economic Database; Data generated by

WellFlorida; using Labor Market Analysis; <http://fred.labormarketinfo.com>;

(April 8, 2011).

Prepared by: WellFlorida Council, 2011.

Business and Employees Data

Table 29. Number of Employees in Non-Governmental Businesses by Size of Business, Marion County and Florida, 2002.

Area	Total Employees	Size of Business					
		Less than 20 employees		20 - 99 employees		100+ employees	
		Number	Percent	Number	Percent	Number	Percent
Marion County	74,105	16,307	22.0	14,134	19.1	43,664	58.9
Florida	6,366,964	1,205,396	18.9	1,016,969	16.0	4,144,599	65.1

The U.S. Census Bureau determines the number of employees from a sample of businesses; thus, total employees reflects the total employees in the sample. Governmental and public administration businesses are not included in the sample.

Source: U.S. Census Bureau, County Business Patterns Special Report, 2002.

Prepared by: WellFlorida Council, 2011.

Table 30. Number of Non-Governmental Businesses by Size of Business, by Zip Code, Marion County and Florida, 2008.

Area	Total Business Establishments	Size of Business					
		Less than 20 employees		20 - 99 employees		100+ employees	
		Number	Percent of Zip Code	Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	89	85	95.5	4	4.5	-	-
32134 Ft. McCoy	91	88	96.7	3	3.3	-	-
32179 Ocklawaha	79	77	97.5	2	2.5	-	-
32195 Weirsdale	56	54	96.4	1	1.8	1	1.8
32617 Anthony	72	70	97.2	2	2.8	-	-
32686 Reddick	88	83	94.3	3	3.4	2	2.3
34420 Belleview	425	392	92.2	31	7.3	2	0.5
34431 Dunnellon	91	88	96.7	3	3.3	-	-
34432 Dunnellon	246	232	94.3	13	5.3	1	0.4
34470 Ocala	898	796	88.6	91	10.1	11	1.2
34471 Ocala	1,166	1,021	87.6	129	11.1	16	1.4
34472 Ocala	258	236	91.5	18	7.0	4	1.6
34473 Ocala	103	96	93.2	6	5.8	1	1.0
34474 Ocala	1,090	849	77.9	192	17.6	49	4.5
34475 Ocala	481	407	84.6	64	13.3	10	2.1
34476 Ocala	224	212	94.6	12	5.4	-	-
34479 Ocala	202	186	92.1	15	7.4	1	0.5
34480 Ocala	420	392	93.3	27	6.4	1	0.2
34481 Ocala	207	181	87.4	21	10.1	5	2.4
34482 Ocala	344	302	87.8	36	10.5	6	1.7
34488 Silver Springs	144	138	95.8	6	4.2	-	-
34491 Summerfield	316	290	91.8	24	7.6	2	0.6
Zip Code Total	7,090	6,275	88.5	703	9.9	112	1.6
Marion County	7,197	6,376	88.6	709	9.9	112	1.6
Florida	507,027	448,794	88.5	47,787	9.4	10,446	2.1

The U.S. Census Bureau determines from a sample of businesses; thus, these are not all businesses in the County but a representative sample of businesses. Governmental and public administration businesses are not included in the sample.

Source: U.S. Census Bureau, Business Patterns (NAICS), 2008; generated by WellFlorida;
<http://www.census.gov/econ/cbp> (April 11, 2011).

Prepared by: WellFlorida Council, 2011.

Table 31. Retail Trade and Service (Nongovernmental) Businesses, by Zip Code,
Marion County and Florida, 2008.

Area	Total Businesses	Retail Trade *		Services *	
		Number	Percent of Zip Code	Number	Percent of Zip Code
32113 Citra	89	16	18.0	30	33.7
32134 Ft. McCoy	91	1	1.1	8	8.8
32179 Ocklawaha	79	13	16.5	30	38.0
32195 Weirsdale	56	6	10.7	23	41.1
32617 Anthony	72	13	18.1	18	25.0
32686 Reddick	88	19	21.6	36	40.9
34420 Belleview	425	81	19.1	162	38.1
34431 Dunnellon	91	6	6.6	42	46.2
34432 Dunnellon	246	44	17.9	99	40.2
34470 Ocala	898	137	15.3	444	49.4
34471 Ocala	1,166	121	10.4	686	58.8
34472 Ocala	258	33	12.8	112	43.4
34473 Ocala	103	18	17.5	43	41.7
34474 Ocala	1,090	248	22.8	471	43.2
34475 Ocala	481	129	26.8	159	33.1
34476 Ocala	224	32	14.3	93	41.5
34479 Ocala	202	23	11.4	82	40.6
34480 Ocala	420	76	18.1	163	38.8
34481 Ocala	207	34	16.4	96	46.4
34482 Ocala	344	57	16.6	137	39.8
34488 Silver Springs	144	27	18.8	58	40.3
34491 Summerfield	316	45	14.2	139	44.0
Zip Code Total	7,090	1,179	16.6	3,131	44.2
Marion County	7,197	1,208	16.8	3,220	44.7
Florida	507,027	72,118	14.2	248,299	49.0

The U.S. Census Bureau determines this from a sample of businesses; thus, total businesses reflects the total businesses in the sample. Governmental and public administration businesses are not included in the sample.

* North American Industry Classification (NAIC) codes for retail trade: 44-45; services: 54-56, 61, 62, 71, 72, 81.

Source: U.S. Census Bureau, Business Patterns (NAICS), 2008; generated by WellFlorida;

<http://www.census.gov/econ/cbp> (April 11, 2011).

Prepared by: WellFlorida Council, 2011.

Table 32. Top 10 Major Private Sector Employers In Marion County, 2011.

Employer Name	Type of Business	Number of Employees
Munroe Regional Medical Center	Healthcare	2,481
Ocala Regional Medical Center & West Marion Community Hospital	Healthcare	1,725
AT & T	Support Services	1,000
Lockheed Martin Corporation	Manufacturing	810
E-One, Inc	Manufacturing	800
Swift Transportation Company	Transportation	524
Cheney Brothers, Inc.	Distribution	507
The Centers	Healthcare	483
Closet Maid Corporation	Manufacturing	460
Hospice of Marion County	Healthcare	452

Source: eFlorida Enterprise Florida, Marion County Profile;

<http://www.eflorida.com/profiles/countyreport.asp?CountyID=66&Display=all>; (April 8, 2011).

Prepared by: WellFlorida Council, 2011.

Education Data

Table 33. Number and Percent of the Population 25+ Years of Age by Level of School Completed and by Gender, by Zip Code, Marion County and Florida, 2010.

Area	Total Population 25 + Years of Age (2010)	All Genders		Males		Females	
		Percent of Total (2000)	Estimated Number (2010)	Percent of Total (2000)	Estimated Number (2010)	Percent of Total (2000)	Estimated Number (2010)
No High School Diploma *							
32113 Citra	5,062	30.1	1,524	16.3	825	13.7	693
32134 Ft. McCoy	8,984	27.2	2,444	14.2	1,276	13.0	1,168
32179 Ocklawaha	7,344	25.7	1,887	12.9	947	12.8	940
32195 Weirsdale	4,176	29.1	1,215	15.1	631	14.0	585
32617 Anthony	2,807	28.0	786	14.4	404	13.5	379
32686 Reddick	4,819	25.6	1,234	13.4	646	12.2	588
34420 Belleview	11,170	25.6	2,860	13.0	1,452	12.6	1,407
34431 Dunnellon	6,279	17.9	1,124	9.1	571	8.8	553
34432 Dunnellon	10,508	17.7	1,860	8.7	914	9.0	946
34470 Ocala	14,469	19.8	2,865	9.2	1,331	10.6	1,534
34471 Ocala	19,736	10.9	2,151	5.1	1,007	5.8	1,145
34472 Ocala	16,400	20.0	3,280	9.5	1,558	10.5	1,722
34473 Ocala	11,104	27.2	3,020	12.6	1,399	14.6	1,621
34474 Ocala	11,279	22.3	2,515	10.2	1,150	12.1	1,365
34475 Ocala	9,578	34.4	3,295	21.1	2,021	13.3	1,274
34476 Ocala	16,004	17.1	2,737	8.9	1,424	8.2	1,312
34479 Ocala	8,773	18.0	1,579	8.2	719	9.8	860
34480 Ocala	12,820	16.6	2,128	7.5	962	9.1	1,167
34481 Ocala	16,944	17.7	2,999	7.5	1,271	10.1	1,711
34482 Ocala	14,221	22.4	3,186	10.3	1,465	12.1	1,721
34488 Silver Springs	6,986	27.5	1,921	14.1	985	13.4	936
34491 Summerfield	22,518	25.7	5,787	12.8	2,882	12.9	2,905
Zip Code Total	241,981	21.7	52,510	10.8	26,134	11.0	26,618
Marion County	254,978	21.8	55,585	10.8	27,538	11.0	28,048
Florida	13,248,235	20.1	2,667,695	9.8	1,298,327	10.3	1,364,568

* No High School Diploma means they did not receive a diploma.

** High School Diploma includes high school graduates(including equivalency), and some college but no college degree.

*** College Degree includes, Associate degrees, Bachelor's degrees, Master's degrees, Professional school degrees as well as Doctorate degrees.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P37; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 33 Cont. Number and Percent of the Population 25+ Years of Age by Level of School Completed and by Gender, by Zip Code, Marion County and Florida, 2010.

Area	Total Population 25 + Years of Age (2010)	All Genders		Males		Females	
		Percent of Total (2000)	Estimated Number (2010)	Percent of Total (2000)	Estimated Number (2010)	Percent of Total (2000)	Estimated Number (2010)
High School Diploma **							
32113 Citra	5,062	56.2	2,845	28.4	1,438	27.9	1,412
32134 Ft. McCoy	8,984	61.1	5,489	28.4	2,551	32.6	2,929
32179 Ocklawaha	7,344	60.7	4,458	29.8	2,189	30.9	2,269
32195 Weirsdale	4,176	51.9	2,167	25.0	1,044	26.9	1,123
32617 Anthony	2,807	57.1	1,603	27.9	783	29.2	820
32686 Reddick	4,819	52.2	2,516	25.0	1,205	27.2	1,311
34420 Belleview	11,170	60.3	6,736	28.4	3,172	31.9	3,563
34431 Dunnellon	6,279	63.2	3,968	29.5	1,852	33.7	2,116
34432 Dunnellon	10,508	62.1	6,525	28.7	3,016	33.4	3,510
34470 Ocala	14,469	58.4	8,450	24.4	3,530	34.1	4,934
34471 Ocala	19,736	51.1	10,085	21.6	4,263	29.5	5,822
34472 Ocala	16,400	60.3	9,889	25.7	4,215	34.6	5,674
34473 Ocala	11,104	53.0	5,885	24.1	2,676	28.9	3,209
34474 Ocala	11,279	52.2	5,888	22.5	2,538	29.7	3,350
34475 Ocala	9,578	53.8	5,153	31.3	2,998	22.4	2,145
34476 Ocala	16,004	61.4	9,826	27.3	4,369	34.1	5,457
34479 Ocala	8,773	63.1	5,536	29.4	2,579	33.7	2,957
34480 Ocala	12,820	54.7	7,013	26.3	3,372	28.4	3,641
34481 Ocala	16,944	62.6	10,607	27.0	4,575	35.6	6,032
34482 Ocala	14,221	59.0	8,390	25.5	3,626	33.6	4,778
34488 Silver Springs	6,986	58.9	4,115	27.1	1,893	31.8	2,222
34491 Summerfield	22,518	59.4	13,376	27.2	6,125	32.2	7,251
Zip Code Total	241,981	58.2	140,833	26.5	64,125	31.7	76,708
Marion County	254,978	58.1	148,142	26.5	67,569	31.7	80,828
Florida	13,248,235	50.5	6,692,086	23.0	3,047,094	27.5	3,643,265

* No High School Diploma means they did not receive a diploma.

** High School Diploma includes high school graduates(including equivalency), and some college but no college degree.

*** College Degree includes, Associate degrees, Bachelor's degrees, Master's degrees, Professional school degrees as well as Doctorate degrees.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P37; generated by WellFlorida; using American Factfinder; <http://factfinder/census.gov>; April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 33 Cont. Number and Percent of the Population 25+ Years of Age by Level of School Completed and by Gender, by Zip Code, Marion County and Florida, 2010.

Area	Total Population 25 + Years of Age (2010)	All Genders		Males		Females	
		Percent of Total (2000)	Estimated Number (2010)	Percent of Total (2000)	Estimated Number (2010)	Percent of Total (2000)	Estimated Number (2010)
College Degree ***							
32113 Citra	5,062	13.7	693	4.3	218	9.3	471
32134 Ft. McCoy	8,984	11.8	1,060	6.4	575	5.4	485
32179 Ocklawaha	7,344	13.5	991	5.7	419	7.6	558
32195 Weirsdale	4,176	19.1	798	9.5	397	9.6	401
32617 Anthony	2,807	15.0	421	6.5	182	8.5	239
32686 Reddick	4,819	22.2	1,070	10.3	496	11.7	564
34420 Belleview	11,170	14.1	1,575	5.6	626	8.5	949
34431 Dunnellon	6,279	18.9	1,187	8.0	502	10.9	684
34432 Dunnellon	10,508	20.2	2,123	10.2	1,072	9.9	1,040
34470 Ocala	14,469	21.8	3,154	10.5	1,519	11.3	1,635
34471 Ocala	19,736	38.0	7,500	18.6	3,671	19.2	3,789
34472 Ocala	16,400	19.7	3,231	10.0	1,640	9.6	1,574
34473 Ocala	11,104	19.8	2,199	8.6	955	11.2	1,244
34474 Ocala	11,279	25.5	2,876	13.3	1,500	12.0	1,353
34475 Ocala	9,578	11.9	1,140	5.2	498	6.5	623
34476 Ocala	16,004	21.5	3,441	11.1	1,776	10.2	1,632
34479 Ocala	8,773	18.9	1,658	8.4	737	10.2	895
34480 Ocala	12,820	28.7	3,679	13.5	1,731	15.1	1,936
34481 Ocala	16,944	19.7	3,338	10.8	1,830	8.8	1,491
34482 Ocala	14,221	18.5	2,631	8.4	1,195	10.1	1,436
34488 Silver Springs	6,986	13.7	957	6.8	475	6.9	482
34491 Summerfield	22,518	14.9	3,355	8.1	1,824	6.8	1,531
Zip Code Total	241,981	20.1	48,638	9.7	23,472	10.2	24,682
Marion County	254,978	20.1	51,251	9.7	24,733	10.2	26,008
Florida	13,248,235	29.4	3,894,981	14.8	1,960,739	14.3	1,894,498

* No High School Diploma means they did not receive a diploma.

** High School Diploma includes high school graduates(including equivalency), and some college but no college degree.

*** College Degree includes, Associate degrees, Bachelor's degrees, Master's degrees, Professional school degrees as well as Doctorate degrees.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P37; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Language Spoken Data

Table 34. Estimated Number and Percent of Population 5 and Older by Language Spoken, by Zip Code, Marion County and Florida, 2010.

Area	Total Population 5 + Years of Age (2010)	Speak English		Speak Other Languages	
		Percent (2000)	Estimated Number (2010)	Percent (2000)	Estimated Number (2010)
32113 Citra	6,739	95.4	6,429	4.6	310
32134 Ft. McCoy	11,376	93.4	10,625	6.6	751
32179 Ocklawaha	9,404	94.0	8,840	6.0	564
32195 Weirsdale	5,337	94.9	5,065	5.1	272
32617 Anthony	3,869	93.4	3,614	6.6	255
32686 Reddick	6,536	92.6	6,052	7.4	484
34420 Belleview	14,482	92.8	13,439	7.2	1,043
34431 Dunnellon	7,606	91.4	6,952	8.6	654
34432 Dunnellon	12,127	94.6	11,472	5.4	655
34470 Ocala	19,101	91.5	17,477	8.5	1,624
34471 Ocala	27,145	93.1	25,272	6.9	1,873
34472 Ocala	22,661	86.2	19,534	13.8	3,127
34473 Ocala	14,402	65.4	9,419	34.6	4,983
34474 Ocala	14,182	90.3	12,806	9.7	1,376
34475 Ocala	13,731	92.6	12,715	7.4	1,016
34476 Ocala	17,846	91.9	16,400	8.1	1,446
34479 Ocala	12,073	92.5	11,168	7.5	905
34480 Ocala	17,515	92.5	16,201	7.5	1,314
34481 Ocala	18,311	93.6	17,139	6.4	1,172
34482 Ocala	18,535	88.6	16,422	11.4	2,113
34488 Silver Springs	9,018	95.4	8,603	4.6	415
34491 Summerfield	28,134	91.7	25,799	8.3	2,335
Zip Code Total	310,130	91.1	282,528	8.9	27,602
Marion County	326,290	91.2	297,576	8.8	28,714
Florida	17,785,659	76.9	13,677,172	23.1	4,108,487

Source: U.S. Census Bureau; Census 2000, Summary File 3, Table P19; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 35. Estimated Number and Percent of Population 5 and Older That Speak Other Languages and How Well They Speak English, by Zip Code, Marion County and Florida, 2010.

Area	Estimated Population 5+ That Speak Other Languages (2010)*	Speak English Very Well		Speak English Well	
		Percent (2000)	Estimated Number (2010)	Percent (2000)	Estimated Number (2010)
32113 Citra	310	60.4	187	19.8	61
32134 Ft. McCoy	751	63.7	478	18.8	141
32179 Ocklawaha	564	64.7	365	12.5	71
32195 Weirsdale	272	50.3	137	41.3	112
32617 Anthony	255	52.7	135	29.5	75
32686 Reddick	484	62.4	302	8.9	43
34420 Belleview	1,043	69.1	721	17.1	178
34431 Dunnellon	654	67.2	440	22.1	145
34432 Dunnellon	655	78.5	514	11.5	75
34470 Ocala	1,624	65.3	1,060	16.3	265
34471 Ocala	1,873	74.8	1,401	17.2	322
34472 Ocala	3,127	61.7	1,929	24.1	754
34473 Ocala	4,983	61.5	3,065	18.6	927
34474 Ocala	1,376	62.2	856	26.3	362
34475 Ocala	1,016	68.5	696	11.4	116
34476 Ocala	1,446	66.4	960	17.5	253
34479 Ocala	905	63.0	570	21.4	194
34480 Ocala	1,314	72.9	958	17.4	229
34481 Ocala	1,172	69.4	813	19.4	227
34482 Ocala	2,113	52.5	1,109	22.1	467
34488 Silver Springs	415	85.0	353	9.0	37
34491 Summerfield	2,335	55.0	1,284	18.6	434
Zip Code Total	27,602	64.1	17,693	19.3	5,327
Marion County	28,714	64.2	18,434	19.0	5,456
Florida	4,108,487	55.2	2,267,885	20.5	842,240

* This estimated number of population 5+ that speak other languages was calculated in Table 34.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P19; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 35 Cont. Estimated Number and Percent of Population 5 and Older That Speak Other Languages and How Well They Speak English, by Zip Code, Marion County and Florida, 2010.

Area	Estimated Population 5+ That Speak Other Languages (2010)*	Speak English Not Well		Speak English Not At All	
		Percent (2000)	Estimated Number (2010)	Percent (2000)	Estimated Number (2010)
32113 Citra	310	15.9	49	3.9	12
32134 Ft. McCoy	751	11.2	84	6.3	47
32179 Ocklawaha	564	22.0	124	0.8	5
32195 Weirsdale	272	8.4	23	0.0	0
32617 Anthony	255	10.3	26	7.6	19
32686 Reddick	484	17.5	85	11.1	54
34420 Belleview	1,043	8.5	89	5.3	55
34431 Dunnellon	654	8.7	57	1.9	12
34432 Dunnellon	655	10.0	65	0.0	0
34470 Ocala	1,624	14.7	239	3.7	60
34471 Ocala	1,873	8.0	150	0.0	0
34472 Ocala	3,127	11.0	344	3.3	103
34473 Ocala	4,983	14.9	742	5.0	249
34474 Ocala	1,376	10.2	140	1.3	18
34475 Ocala	1,016	15.7	160	4.3	44
34476 Ocala	1,446	15.2	220	0.9	13
34479 Ocala	905	12.9	117	2.6	24
34480 Ocala	1,314	9.7	127	0.0	0
34481 Ocala	1,172	11.2	131	0.0	0
34482 Ocala	2,113	15.3	323	10.1	213
34488 Silver Springs	415	5.9	24	0.0	0
34491 Summerfield	2,335	19.4	453	7.0	163
Zip Code Total	27,602	12.9	3,561	3.7	1,021
Marion County	28,714	13.1	3,761	3.7	1,062
Florida	4,108,487	15.9	653,249	8.4	345,113

* This estimated number of population 5+ that speak other languages was calculated in Table 34.

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P19; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 36. Estimated Number and Percent of Households That Are Linguistically Isolated, by Zip Code, Marion County and Florida, 2010.

Area	Total Households (2010)	Linguistically Isolated	
		Percent (2000)	Estimated Number (2010)
32113 Citra	2,683	2.5	67
32134 Ft. McCoy	5,064	1.2	61
32179 Ocklawaha	4,111	0.5	21
32195 Weirsdale	2,150	0.7	15
32617 Anthony	1,527	2.8	43
32686 Reddick	2,613	0.9	24
34420 Belleview	6,316	1.4	88
34431 Dunnellon	3,527	0.9	32
34432 Dunnellon	5,492	0.2	11
34470 Ocala	9,222	1.7	157
34471 Ocala	11,129	0.7	78
34472 Ocala	9,543	2.6	248
34473 Ocala	5,783	7	405
34474 Ocala	6,588	2.8	184
34475 Ocala	4,228	2	85
34476 Ocala	8,616	1.9	164
34479 Ocala	4,921	2	98
34480 Ocala	6,834	0	0
34481 Ocala	9,557	1.6	153
34482 Ocala	7,510	3.5	263
34488 Silver Springs	4,103	0.1	4
34491 Summerfield	12,402	2	248
Zip Code Total	133,919	1.8	2,411
Marion County	141,708	1.8	2,551
Florida	7,448,581	5.9	439,466

Source: U.S. Census Bureau; Census 2000; Summary File 3, Table P20; generated by WellFlorida; using American Factfinder; <http://factfinder.census.gov>; April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Uninsured Data

Table 37. Estimated Number of Uninsured Non Elderly, Marion County and Florida, 2010.

Area	Total Population 0 - 64 Years of Age (2010)	Uninsured *		Uninsured **	
		Percent (2004)	Estimated Number (2010)	Percent (2007)	Estimated Number (2010)
Marion County	253,516	20.3	51,464	25.3	64,140
Florida	15,464,721	19.2	2,969,226	24.2	3,742,462

* Based on the 2004 Florida Health Insurance Study.

** Based on the 2007 U.S. Census Bureau Small Area Health Insurance Study.

Source: Agency for Health Care Administration, Florida Health Insurance Study, 2004; U.S. Census Bureau, Small Area Health Insurance Estimates, State and County by Demographic and Income Characteristics, 2007 table generated by WellFlorida;

<http://www.census.gov/did/www/sahie/index.html>; (April 6, 2011); ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 38. Estimated Number of Uninsured Non Elderly Population by Zip Code, Marion County and Florida, 2010.

Area	Total Population 0 - 64 Years of Age (2010)	Uninsured	
		Percent (2004)	Estimated Number (2010)
32113 Citra	6,004	19.7	1,183
32134 Ft. McCoy	9,046	18.1	1,637
32179 Ocklawaha	7,611	18.6	1,416
32195 Weirsdale	4,307	19.5	840
32617 Anthony	3,599	20.0	720
32686 Reddick	5,875	20.6	1,210
34420 Belleview	11,886	19.8	2,353
34431 Dunnellon	5,401	18.7	1,010
34432 Dunnellon	6,938	18.6	1,290
34470 Ocala	15,873	20.1	3,190
34471 Ocala	23,648	19.2	4,540
34472 Ocala	19,689	21.5	4,233
34473 Ocala	10,960	25.1	2,751
34474 Ocala	10,802	22.5	2,430
34475 Ocala	12,822	24.6	3,154
34476 Ocala	8,708	18.5	1,611
34479 Ocala	11,011	19.5	2,147
34480 Ocala	15,620	19.4	3,030
34481 Ocala	7,617	18.6	1,417
34482 Ocala	15,779	21.2	3,345
34488 Silver Springs	7,233	19.1	1,382
34491 Summerfield	20,999	19.5	4,095
Zip Code Total	241,428	20.3	48,986
Marion County	253,516	20.3	51,464
Florida	15,464,721	19.2	2,969,226

Source: Agency for Health Care Administration, Florida Health Insurance Study, 2004; ESRI Business Solutions, 2010.

Prepared by: WellFlorida Council, 2011.

Table 39. Number and Percent Uninsured by Age Groups for All Income Levels, Marion County and Florida, 2007.

Area	Number of Uninsured	MOE ¹ For Number Uninsured	Number in Demographic Group ² for All Income Levels	Percent Uninsured in Demographic Group ² for All Income Levels	MOE ¹ for Percent Uninsured in Demographic Group for All Income Levels
Under 65 years of age, All Income Levels					
Marion County	61,310	6,300	241,986	25.3	2.6
Florida	3,615,358	96,020	14,921,470	24.2	0.6
18 - 64 years of age, All Income Levels					
Marion County	48,236	5,664	177,028	27.2	3.2
Florida	2,925,739	83,638	10,909,695	26.8	0.8
40 - 64 years of age, All Income Levels					
Marion County	19,875	3,660	94,142	21.1	3.9
Florida	1,300,836	47,803	5,961,875	21.8	0.8
Under 19 years of age, All Income Levels					
Marion County	14,293	2,902	68,450	20.9	4.2
Florida	750,257	70,705	4,238,135	17.7	1.7

¹ A margin of error (MOE) is the difference between an estimate and its upper or lower confidence bounds. Confidence bounds can be created by adding a margin of error to the estimate (for an upper bound) and subtracting the margin of error from the estimate (for a lower bound). All published margins of error for the Small Area Health Insurance Estimates program are based on a 90 percent confidence level.

² The number in a demographic group is the number of people in the poverty universe in that age, sex, and race/Hispanic origin group.

Source: U.S. Census Bureau, Small Area Health Insurance Estimates, State and County by Demographic and Income Characteristics, 2007 table generated by WellFlorida;
<http://www.census.gov/did/www/sahie/index.html>; (April 6, 2011).

Prepared by: WellFlorida Council, 2011.

Mortality Data

Table 40. Top 10 Causes of Deaths Rates for All Races, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
All Causes						
2000	3,365	1,292.2	846.9	162,839	1,013.0	795.1
2001	3,544	1,334.2	855.6	167,181	1,018.6	796.4
2002	3,697	1,351.2	846.2	167,702	999.9	766.2
2003	3,687	1,297.2	824.1	168,459	981.5	757.7
2004	3,832	1,296.6	796.4	168,364	955.9	723.4
2005	3,897	1,266.7	777.8	170,300	945.1	723.7
2006	3,990	1,255.7	772.2	169,365	918.4	695.3
2007	3,923	1,200.5	716.4	167,708	895.3	676.0
2008	4,147	1,257.2	747.9	170,473	906.2	668.8
2009	4,077	1,232.7	712.4	169,854	902.6	656.2
Heart Disease (1)						
2000	1,053	404.4	253.3	50,016	311.1	235.9
2001	1,046	393.8	242.2	50,329	306.7	231.4
2002	1,145	418.5	249.0	49,062	292.5	215.1
2003	1,096	385.6	231.6	48,129	280.4	208.0
2004	1,094	370.2	213.8	46,839	265.9	191.1
2005	1,086	353.0	201.7	45,992	255.2	186.2
2006	1,156	363.8	206.4	43,968	238.4	171.4
2007	1,106	338.4	187.1	41,956	224.0	160.7
2008	1,044	316.5	173.0	41,931	222.9	155.0
2009	1,053	318.4	170.6	41,202	218.9	149.8
Cancer (2)						
2000	837	321.4	202.0	38,622	240.3	187.8
2001	895	336.9	204.4	38,835	236.6	184.0
2002	928	339.2	202.9	38,928	232.1	177.0
2003	943	331.8	195.7	39,238	228.6	175.4
2004	1,002	339.0	203.1	39,502	224.3	171.6
2005	1,021	331.9	197.0	40,321	223.8	172.1
2006	1,032	324.8	196.2	40,081	217.4	165.2
2007	994	304.2	178.3	39,790	212.4	160.8
2008	1,067	323.5	187.9	40,549	215.5	161.2
2009	1,037	313.5	180.4	40,817	216.9	160.1

* The ordering of the causes of deaths in the table are based on the total number of deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 40 Cont. Top 10 Causes of Deaths Rates for All Races, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
CLRD (3)						
2000	234	89.9	52.7	8,605	53.5	39.9
2001	227	85.5	49.3	8,916	54.3	40.5
2002	235	85.9	47.0	9,045	53.9	39.1
2003	207	72.8	41.1	9,030	52.6	38.5
2004	217	73.4	40.8	8,931	50.7	36.8
2005	270	87.8	48.4	9,454	52.5	38.3
2006	234	73.6	41.7	8,869	48.1	34.8
2007	265	81.1	43.6	9,317	49.7	35.8
2008	282	85.5	46.2	10,154	54.0	38.0
2009	266	80.4	43.1	10,163	54.0	37.5
Unintentional Injuries (4)						
2000	145	55.7	57.3	6,388	39.7	37.8
2001	154	58.0	55.1	6,872	41.9	39.8
2002	156	57.0	51.0	7,361	43.9	41.4
2003	190	66.8	67.6	7,901	46.0	43.5
2004	169	57.2	51.7	8,176	46.4	43.4
2005	169	54.9	52.9	8,744	48.5	45.6
2006	185	58.2	57.7	8,837	47.9	45.0
2007	144	44.1	42.1	9,020	48.2	45.3
2008	198	60.0	57.9	8,918	47.4	44.2
2009	196	59.3	51.9	8,779	46.6	42.6
MV Crashes **						
2000	68	26.1	28.5	2,669	16.6	16.4
2001	83	31.2	33.1	3,016	18.4	18.1
2002	81	29.6	27.2	3,179	19.0	18.6
2003	99	34.8	35.8	3,237	18.9	18.6
2004	90	30.5	28.9	3,282	18.6	18.3
2005	83	27.0	29.1	3,491	19.4	19.2
2006	68	21.4	22.7	3,418	18.5	18.4
2007	64	19.6	20.3	3,291	17.6	17.5
2008	91	27.6	29.6	3,028	16.1	15.9
2009	53	16.0	15.3	2,601	13.8	13.6

* The ordering of the causes of deaths in the table are based on the total number of deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

** MV Crashes are a subset of Unintentional Injuries and therefore do not have a ranking.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 40 Cont. Top 10 Causes of Deaths Rates for All Races, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
Stroke (5)						
2000	247	94.9	60.2	10,381	64.6	48.6
2001	226	85.1	52.3	10,376	63.2	47.4
2002	222	81.1	46.8	10,243	61.1	44.6
2003	209	73.5	43.5	9,873	57.5	42.4
2004	207	70.0	40.5	9,661	54.9	39.2
2005	202	65.7	37.3	9,321	51.7	37.6
2006	208	65.5	37.5	8,864	48.1	34.5
2007	195	59.7	32.5	8,715	46.5	33.3
2008	196	59.4	31.6	8,472	45.0	31.3
2009	180	54.4	28.7	8,385	44.6	30.3
Alzheimer's Disease (7)						
2000	44	16.9	10.4	3,257	20.3	14.8
2001	73	27.5	16.8	3,632	22.1	16.1
2002	85	31.1	17.9	4,046	24.1	17.0
2003	76	26.7	15.7	4,311	25.1	17.9
2004	85	28.8	15.8	4,294	24.4	16.3
2005	109	35.4	18.7	4,600	25.5	17.5
2006	121	38.1	19.6	4,679	25.4	17.0
2007	106	32.4	16.4	4,632	24.7	16.5
2008	121	36.7	17.6	4,724	25.1	15.9
2009	155	46.9	21.6	4,613	24.5	15.1
Diabetes (6)						
2000	104	39.9	23.9	4,463	27.8	21.5
2001	124	46.7	28.9	4,583	27.9	21.6
2002	122	44.6	28.0	4,574	27.3	20.7
2003	98	34.5	20.9	4,754	27.7	21.2
2004	97	32.8	19.6	4,790	27.2	20.7
2005	133	43.2	26.1	5,181	28.8	21.9
2006	125	39.3	24.7	5,137	27.9	20.9
2007	121	37.0	22.4	5,092	27.2	20.5
2008	111	33.7	19.9	5,154	27.4	20.3
2009	132	39.9	23.4	4,899	26.0	19.1

* The ordering of the causes of deaths in the table are based on the total number of deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 40 Cont. Top 10 Causes of Deaths Rates for All Races, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
Nephritis (8)						
2000	34	13.1	7.7	1,896	11.8	8.5
2001	36	13.6	7.8	2,279	13.9	10.1
2002	34	12.4	7.1	2,224	13.3	9.4
2003	33	11.6	5.9	2,290	13.3	9.5
2004	36	12.2	7.5	2,238	12.7	9.2
2005	43	14.0	7.6	2,386	13.2	9.7
2006	28	8.8	4.8	2,587	14.0	10.2
2007	50	15.3	9.3	2,906	15.5	11.2
2008	97	29.4	16.6	2,935	15.6	11.1
2009	73	22.1	12.3	3,046	16.2	11.3
Suicide (9)						
2000	43	16.5	14.1	2,136	13.3	12.6
2001	53	20.0	18.3	2,290	14.0	13.3
2002	50	18.3	16.4	2,232	13.9	13.2
2003	43	15.1	15.0	2,294	13.4	12.7
2004	55	18.6	17.1	2,382	13.5	12.8
2005	46	15.0	14.6	2,308	12.8	12.2
2006	60	18.9	16.9	2,410	13.1	12.3
2007	55	16.8	16.3	2,570	13.7	13.0
2008	55	16.7	16.1	2,723	14.5	13.7
2009	61	18.4	16.2	2,854	15.2	14.4
Liver Disease (11)						
2000	31	11.9	8.2	2,060	12.8	11.2
2001	40	15.1	9.7	2,002	12.2	10.6
2002	51	18.6	13.4	2,146	12.8	11.0
2003	61	21.5	14.3	2,238	13.0	11.1
2004	40	13.5	9.2	2,077	11.8	10.0
2005	53	17.2	13.2	2,134	11.8	10.0
2006	45	14.2	10.4	2,183	11.8	10.0
2007	68	20.8	15.0	2,244	12.0	10.0
2008	63	19.1	13.1	2,323	12.3	10.3
2009	50	15.1	11.4	2,361	12.5	10.2

* The ordering of the causes of deaths in the table are based on the total number of deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 41. Top 11 Causes of Deaths Rates for White races, Marion County and Florida, 2000-2009 *.

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
All Causes						
2000	3,040	1,346.7	823.9	144,774	1,096.7	769.5
2001	3,223	1,399.4	838.8	148,714	1,105.8	773.4
2002	3,370	1,419.5	825.5	148,945	1,085.0	743.5
2003	3,361	1,363.1	809.0	149,523	1,064.0	735.3
2004	3,498	1,361.0	779.6	149,215	1,036.9	701.9
2005	3,575	1,337.6	770.7	150,102	1,029.4	703.0
2006	3,673	1,331.1	766.5	148,994	999.3	675.5
2007	3,565	1,260.6	700.5	147,305	976.1	657.8
2008	3,768	1,322.3	732.9	149,966	988.2	652.1
2009	3,718	1,301.2	698.5	149,190	982.8	638.9
Heart Disease (1)						
2000	965	427.5	248.7	45,468	344.4	230.9
2001	949	412.0	235.9	45,342	337.2	224.7
2002	1,074	452.4	250.8	44,324	322.9	209.7
2003	1,011	410.0	228.5	43,480	309.4	202.9
2004	1,014	394.5	211.2	42,289	293.9	186.3
2005	995	372.3	197.0	41,353	283.6	181.8
2006	1,085	393.2	205.7	39,471	264.7	167.3
2007	1,025	362.4	184.3	37,435	248.0	156.3
2008	939	329.5	166.9	37,427	246.6	151.0
2009	965	337.7	166.6	36,581	241.0	145.2
Cancer (2)						
2000	765	338.9	198.1	34,839	263.9	185.3
2001	820	356.0	200.1	35,174	261.5	182.9
2002	852	358.9	200.3	35,147	256.0	175.6
2003	865	350.8	191.6	35,326	251.4	173.6
2004	918	357.2	200.0	35,462	246.4	169.7
2005	946	353.9	196.1	36,018	247.0	170.5
2006	969	351.2	198.8	35,861	240.5	164.2
2007	906	320.4	175.7	35,448	234.9	159.7
2008	981	344.3	185.4	36,031	237.4	159.8
2009	961	336.3	181.0	36,292	239.1	159.0

* The ordering of the causes of deaths in the table are based on the total number of white deaths for Marion County for 2009. Numbers in (1)'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 41 Cont. Top 11 Causes of Deaths Rates for White races, Marion County and Florida, 2000-2009 *.

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
CLRD (3)						
2000	227	100.6	55.0	8,145	61.7	40.7
2001	218	94.7	51.1	8,413	62.6	41.3
2002	223	93.9	47.6	8,546	62.3	39.9
2003	202	81.9	43.0	8,554	60.9	39.5
2004	207	80.5	41.6	8,492	59.0	38.0
2005	262	98.0	50.2	8,919	61.2	39.5
2006	225	81.5	42.5	8,379	56.2	35.9
2007	257	90.9	45.1	8,812	58.4	37.1
2008	272	95.5	47.8	9,565	63.0	39.3
2009	250	87.5	43.1	9,565	63.0	38.9
Unintentional Injuries (4)						
2000	126	55.8	56.7	5,479	41.5	38.5
2001	141	61.2	58.6	5,988	44.5	41.5
2002	135	56.9	49.4	6,425	46.8	43.3
2003	164	66.5	67.7	6,945	49.4	45.7
2004	149	58.0	51.3	7,142	49.6	45.3
2005	160	59.9	58.0	7,650	52.5	48.3
2006	169	61.2	61.2	7,689	51.6	47.6
2007	126	44.6	43.0	7,893	52.3	48.3
2008	184	64.6	62.2	7,845	51.7	47.2
2009	177	61.9	54.0	7,747	51.0	45.5
MV Crashes **						
2000	57	25.3	27.3	2,217	16.8	16.5
2001	77	33.4	35.8	2,539	18.9	18.6
2002	66	27.8	24.6	2,676	19.5	19.2
2003	81	32.8	33.3	2,726	19.4	19.2
2004	77	30.0	28.1	2,742	19.1	18.7
2005	77	28.8	31.9	2,915	20.0	20.0
2006	60	21.7	23.5	2,813	18.9	18.8
2007	55	19.4	21.0	2,746	18.2	18.3
2008	86	30.2	33.0	2,537	16.7	16.6
2009	45	15.7	15.2	2,166	14.3	14.0

* The ordering of the causes of deaths in the table are based on the total number of white deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

** MV Crashes are a subset of Unintentional Injuries and therefore do not have a ranking.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 41 Cont. Top 11 Causes of Deaths Rates for White races, Marion County and Florida, 2000-2009 *.

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
Stroke (5)						
2000	212	93.9	55.1	9,182	69.6	46.1
2001	204	88.6	50.0	9,086	67.6	44.5
2002	199	83.8	44.8	8,921	65.0	41.7
2003	185	75.0	41.2	8,533	60.7	39.2
2004	178	69.3	36.7	8,397	58.4	36.6
2005	178	66.6	35.1	7,959	54.6	34.6
2006	173	62.7	32.9	7,489	50.2	31.5
2007	174	61.5	30.4	7,433	49.3	30.7
2008	175	61.4	29.9	7,253	47.8	29.1
2009	159	55.6	26.9	7,173	47.3	28.1
Alzheimer's Disease (6)						
2000	40	17.7	10.3	3,088	23.4	15.0
2001	72	31.3	17.8	3,490	26.0	16.5
2002	76	32.0	17.1	3,825	27.9	17.1
2003	72	29.2	16.1	4,090	29.1	18.1
2004	84	32.7	16.7	4,070	28.3	16.5
2005	104	38.9	18.9	4,334	29.7	17.7
2006	117	42.4	20.1	4,387	29.4	17.1
2007	94	33.2	15.5	4,359	28.9	16.7
2008	111	39.0	17.2	4,448	29.3	16.1
2009	145	50.7	21.5	4,311	28.4	15.2
Diabetes (7)						
2000	90	39.9	22.6	3,653	27.7	19.2
2001	104	45.2	25.2	3,736	27.8	19.1
2002	105	44.2	25.6	3,720	27.1	18.4
2003	81	32.8	18.8	3,842	27.3	18.7
2004	85	33.1	18.8	3,844	26.7	18.1
2005	114	42.7	23.9	4,197	28.8	19.5
2006	102	37.0	21.7	4,141	27.8	18.6
2007	97	34.3	19.2	4,065	26.9	18.1
2008	93	32.6	18.2	4,135	27.2	18.0
2009	113	39.5	21.1	3,933	25.9	17.1

* The ordering of the causes of deaths in the table are based on the total number of white deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 41 Cont. Top 11 Causes of Deaths Rates for White races, Marion County and Florida, 2000-2009 *.

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
Nephritis (9)						
2000	30	13.3	7.0	1,511	11.4	7.6
2001	28	12.2	7.0	1,831	13.6	9.1
2002	28	11.8	6.5	1,761	12.8	8.3
2003	27	10.9	5.5	1,804	12.8	8.3
2004	31	12.1	6.8	1,847	12.8	8.1
2005	37	13.8	7.2	1,960	13.4	8.6
2006	24	8.7	4.3	2,106	14.1	9.0
2007	41	14.5	7.9	2,379	15.8	10.0
2008	83	29.1	14.7	2,373	15.6	9.8
2009	62	21.7	10.7	2,443	16.1	9.7
Suicide (8)						
2000	41	18.2	14.8	1,975	15.0	13.8
2001	50	21.7	19.6	2,149	16.0	14.9
2002	47	19.8	17.6	2,205	16.1	14.9
2003	43	17.4	17.3	2,151	15.3	14.2
2004	53	20.6	18.6	2,246	15.6	14.5
2005	45	16.8	16.4	2,140	14.7	13.6
2006	59	21.4	19.3	2,261	15.2	13.9
2007	51	18.0	17.4	2,384	15.8	14.6
2008	55	19.3	18.7	2,556	16.8	15.6
2009	56	19.6	16.5	2,630	17.3	16.0
Influenza & Pneumonia (11)						
2000	39	17.3	10.8	3,026	22.9	15.3
2001	45	19.5	11.9	2,962	22.0	14.6
2002	60	25.3	14.1	2,948	21.5	13.9
2003	60	24.3	12.7	2,687	19.1	12.5
2004	52	20.2	10.8	2,731	19.0	12.0
2005	56	21.0	11.6	2,489	17.1	11.0
2006	52	18.8	10.1	2,158	14.5	9.2
2007	43	15.2	8.8	1,959	13.0	8.1
2008	52	18.2	9.4	2,032	13.4	8.2
2009	47	16.4	8.0	2,121	14.0	8.9

* The ordering of the causes of deaths in the table are based on the total number of white deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 41 Cont. Top 11 Causes of Deaths Rates for White races, Marion County and Florida, 2000-2009 *.

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
Liver Disease (10)						
2000	29	12.8	8.5	1,882	14.3	11.7
2001	34	14.8	8.8	1,826	13.6	11.1
2002	48	20.2	14.1	1,980	14.4	11.6
2003	56	22.7	14.6	2,049	14.6	11.7
2004	39	15.2	9.9	1,922	13.4	10.7
2005	52	19.5	14.5	1,975	13.5	10.7
2006	41	14.9	10.7	2,030	13.6	10.9
2007	65	23.0	16.2	2,067	13.7	10.8
2008	61	21.4	14.1	2,148	14.2	11.1
2009	47	16.4	12.1	2,165	14.3	11.0

* The ordering of the causes of deaths in the table are based on the total number of white deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 42. Top 10 Causes of Deaths Rates for Black Races, Marion County and Florida, 2000-2009.*

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
All Causes						
2000	308	990.0	1,140.8	17,077	686.5	1,065.6
2001	308	972.5	1,122.6	17,644	688.8	1,066.4
2002	312	962.0	1,086.3	17,833	679.0	1,015.7
2003	299	886.2	1,006.1	17,920	667.7	999.8
2004	309	897.3	983.1	18,059	650.9	943.1
2005	277	770.2	863.1	18,004	610.4	889.5
2006	282	758.1	829.8	18,314	605.7	856.4
2007	300	768.2	839.3	18,279	587.7	816.2
2008	320	803.8	849.3	18,286	589.4	796.9
2009	291	729.9	760.2	18,339	591.4	787.1
Heart Disease (1)						
2000	84	270.0	317.6	4,316	173.5	298.5
2001	94	296.8	348.2	4,787	186.9	319.5
2002	66	203.5	237.5	4,541	172.9	284.3
2003	77	228.2	263.5	4,414	164.5	272.4
2004	72	209.1	232.9	4,312	155.4	245.8
2005	73	203.0	231.1	4,183	141.8	224.6
2006	62	166.7	186.3	4,052	134.0	206.6
2007	70	179.2	198.1	4,068	130.8	196.0
2008	89	223.6	240.5	4,029	129.9	188.1
2009	74	185.6	194.4	4,113	132.6	187.1
Cancer (2)						
2000	68	218.6	249.9	3,545	142.5	226.8
2001	71	224.2	257.3	3,472	135.5	211.9
2002	73	225.1	252.2	3,561	135.6	207.2
2003	75	222.3	253.1	3,688	137.4	210.7
2004	79	229.4	255.1	3,763	135.6	200.1
2005	68	189.1	212.7	3,743	126.9	185.9
2006	52	139.8	154.7	3,741	123.7	176.6
2007	70	179.2	199.6	3,826	123.0	173.7
2008	76	190.9	202.7	3,941	127.0	172.2
2009	56	140.5	150.5	3,926	126.6	169.3

* The ordering of the causes of deaths in the table are based on the total number of black deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 42 Cont. Top 10 Causes of Deaths Rates for Black Races, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
Stroke (3)						
2000	33	106.1	130.0	1,144	46.0	81.6
2001	22	69.5	81.5	1,234	48.2	84.5
2002	23	70.9	83.4	1,249	47.6	80.2
2003	21	62.2	71.2	1,239	46.2	77.5
2004	27	78.4	88.0	1,191	42.9	68.7
2005	20	55.6	63.4	1,217	41.3	67.5
2006	33	88.7	99.0	1,231	40.7	63.6
2007	17	43.5	46.9	1,164	37.4	57.0
2008	18	45.2	48.8	1,099	35.4	52.7
2009	15	37.6	40.6	1,068	34.4	49.1
Unintentional Injuries (5)						
2000	18	57.9	59.1	836	33.6	37.3
2001	12	37.9	41.7	812	31.7	35.3
2002	20	61.7	66.4	853	32.5	36.4
2003	23	68.2	72.2	868	32.3	35.5
2004	16	46.5	43.4	930	33.5	37.1
2005	7	19.5	20.8	913	31.0	34.5
2006	13	34.9	35.3	970	32.1	34.8
2007	16	41.0	42.4	954	30.7	33.2
2008	9	22.6	22.4	894	28.8	31.0
2009	15	37.6	34.9	854	27.5	29.8
MV Crashes **						
2000	10	32.1	33.1	410	16.5	17.0
2001	5	15.8	15.9	436	17.0	17.8
2002	14	43.2	46.7	458	17.4	18.5
2003	16	47.4	49.0	469	17.5	18.7
2004	12	34.8	31.3	489	17.6	18.3
2005	5	13.9	14.5	475	16.1	16.7
2006	5	13.4	13.4	510	16.9	17.3
2007	7	17.9	19.3	449	14.4	14.7
2008	2	5.0	5.0	401	12.9	13.2
2009	6	15.0	14.1	360	11.6	12.2

* The ordering of the causes of deaths in the table are based on the total number of black deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

** MV Crashes are a subset of Unintentional Injuries and therefore do not have a ranking.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 42 Cont. Top 10 Causes of Deaths Rates for Black Races, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
Diabetes (4)						
2000	14	45.0	50.8	777	31.2	52.1
2001	20	63.1	74.8	809	31.6	51.7
2002	16	49.3	55.0	814	31.0	48.6
2003	16	47.4	54.5	875	32.6	51.9
2004	12	34.8	38.6	906	32.7	50.3
2005	18	50.0	56.2	898	30.4	46.7
2006	21	56.5	63.4	922	30.5	45.7
2007	20	51.2	56.3	931	29.9	43.5
2008	15	37.7	39.3	922	29.7	41.7
2009	13	32.6	33.9	883	28.5	39.1
CLRD (9)						
2000	7	22.5	25.4	430	17.3	28.8
2001	9	28.4	34.3	474	18.5	31.4
2002	12	37.0	43.8	471	17.9	29.6
2003	3	8.9	10.0	444	16.5	27.1
2004	10	29.0	32.6	408	14.7	23.4
2005	7	19.5	22.0	484	16.4	26.4
2006	9	24.2	26.6	433	14.3	22.6
2007	7	17.9	19.5	452	14.5	22.1
2008	8	20.1	22.7	517	16.7	25.0
2009	13	32.6	35.4	521	16.8	24.3
Nephritis (7)						
2000	4	12.9	16.1	282	11.3	19.6
2001	5	15.8	18.5	355	13.9	24.3
2002	4	12.3	14.5	361	13.7	22.0
2003	4	11.9	13.9	383	14.3	23.2
2004	5	14.5	16.0	377	13.6	20.8
2005	4	11.1	13.3	395	13.4	21.1
2006	3	8.1	8.9	443	14.7	21.8
2007	9	23.0	25.8	478	15.4	23.1
2008	12	30.1	31.9	520	16.8	24.1
2009	10	25.1	26.3	555	17.9	25.2

* The ordering of the causes of deaths in the table are based on the total number of black deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 42 Cont. Top 10 Causes of Deaths Rates for Black Races, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted Rate	Total Deaths	Crude Rate	Age Adjusted Rate
Alzheimer's Disease (13)						
2000	4	12.9	15.3	162	6.5	13.8
2001	1	3.2	3.8	137	5.3	11.1
2002	9	27.7	33.4	210	8.0	16.0
2003	4	11.9	14.1	214	8.0	16.1
2004	1	2.9	3.4	207	7.5	14.4
2005	3	8.3	9.6	235	8.0	15.5
2006	4	10.8	12.5	261	8.6	16.4
2007	12	30.7	35.3	253	8.1	15.1
2008	6	15.1	15.7	247	8.0	13.9
2009	7	17.6	18.7	274	8.8	15.0
Hypertension (11)						
2000	9	28.9	34.3	243	9.8	16.6
2001	7	22.1	26.5	233	9.1	15.8
2002	10	30.8	35.5	306	11.7	19.9
2003	4	11.9	14.0	286	10.7	18.1
2004	8	23.2	25.5	332	12.0	19.4
2005	12	33.4	38.6	362	12.3	20.1
2006	6	16.1	18.7	374	12.4	19.5
2007	8	20.5	22.8	335	10.8	16.6
2008	2	5.0	5.1	344	11.1	16.1
2009	6	15.0	15.3	360	11.6	16.5
Homicide (8)						
2000	5	16.1	15.9	433	17.4	17.0
2001	6	18.9	19.8	388	15.1	14.5
2002	9	27.7	28.2	455	17.3	16.3
2003	2	5.9	6.0	464	17.3	16.2
2004	5	14.5	14.8	479	17.3	16.3
2005	4	11.1	10.5	460	15.6	14.5
2006	3	8.1	7.4	539	17.8	16.5
2007	5	12.8	13.1	623	20.0	18.9
2008	7	17.6	17.6	616	19.9	18.5
2009	6	15.0	15.3	548	17.7	16.6

* The ordering of the causes of deaths in the table are based on the total number of black deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 43. Top 9 Causes of Deaths Rates for Hispanics, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted	Total Deaths	Crude Rate	Age Adjusted Rate
All Causes						
2000	75	477.8	635.8	13,471	500.5	637.4
2001	70	422.1	539.0	14,586	521.8	650.4
2002	94	538.1	699.1	14,922	514.7	629.4
2003	83	452.2	573.2	15,473	515.2	619.1
2004	116	583.6	791.5	15,829	502.2	621.4
2005	121	477.0	591.9	17,421	502.4	618.1
2006	129	461.9	580.2	17,695	483.6	585.9
2007	150	481.9	577.0	18,158	464.2	563.3
2008	125	372.3	434.4	18,886	468.2	556.1
2009	159	472.3	551.3	18,930	469.5	549.8
Cancer (2)						
2000	23	146.5	193.1	2,879	107.0	132.4
2001	18	108.5	133.2	3,100	110.9	134.1
2002	16	91.6	116.6	3,238	111.7	134.0
2003	17	92.6	118.6	3,318	110.5	130.2
2004	30	150.9	194.7	3,405	108.0	132.6
2005	28	110.4	137.9	3,774	108.8	132.1
2006	22	78.8	100.7	3,806	104.0	125.1
2007	29	93.2	108.3	3,877	99.1	119.4
2008	27	80.4	95.3	4,018	99.6	118.1
2009	37	109.9	127.9	4,121	102.2	119.5
Heart Disease (1)						
2000	11	70.1	103.8	4,322	160.6	216.4
2001	11	66.3	88.9	4,672	167.1	219.2
2002	29	166.0	227.9	4,629	159.7	204.9
2003	22	119.9	166.1	4,625	154.0	193.6
2004	25	125.8	188.4	4,696	149.0	192.4
2005	31	122.2	158.9	5,040	145.4	188.2
2006	38	136.1	180.3	4,745	129.7	165.4
2007	44	141.3	183.2	4,764	121.8	155.2
2008	28	83.4	100.6	4,753	117.8	144.6
2009	33	98.0	116.0	4,761	118.1	142.4

* The ordering of the causes of deaths in the table are based on the total number of Hispanic deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 43 Cont. Top 9 Causes of Deaths Rates for Hispanics, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted	Total Deaths	Crude Rate	Age Adjusted Rate
Stroke (4)						
2000	7	44.6	66.7	711	26.4	35.3
2001	7	42.2	58.0	785	28.1	36.5
2002	7	40.1	54.6	814	28.1	35.8
2003	4	21.8	31.6	800	26.6	33.2
2004	10	50.3	74.6	851	27.0	34.7
2005	3	11.8	14.8	856	24.7	31.8
2006	9	32.2	40.9	882	24.1	30.5
2007	6	19.3	25.6	876	22.4	28.5
2008	4	11.9	14.4	924	22.9	28.2
2009	13	38.6	47.2	912	22.6	27.3
Unintentional Injuries (3)						
2000	6	38.2	35.1	805	29.9	31.0
2001	8	48.2	52.6	865	30.9	31.2
2002	8	45.8	52.6	968	33.4	34.1
2003	9	49.0	46.9	992	33.0	33.7
2004	9	45.3	41.6	1,046	33.2	34.4
2005	13	51.2	47.5	1,204	34.7	35.3
2006	14	50.1	51.4	1,283	35.1	35.6
2007	9	28.9	29.8	1,308	33.4	34.3
2008	15	44.7	45.0	1,264	31.3	32.2
2009	10	29.7	31.5	1,183	29.3	30.2
MV Crashes **						
2000	3	19.1	17.3	420	15.6	15.4
2001	5	30.2	33.3	525	18.8	18.2
2002	4	22.9	22.7	575	19.8	19.5
2003	7	38.1	37.8	574	19.1	18.9
2004	6	30.2	27.7	589	18.7	18.6
2005	11	43.4	38.8	700	20.2	20.0
2006	10	35.8	34.1	761	20.8	20.4
2007	5	16.1	17.1	699	17.9	17.8
2008	10	29.8	28.4	640	15.9	15.9
2009	3	8.9	9.0	571	14.2	14.2

* The ordering of the causes of deaths in the table are based on the total number of Hispanic deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

** MV Crashes are a subset of Unintentional Injuries and therefore do not have a ranking.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 43 Cont. Top 9 Causes of Deaths Rates for Hispanics, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted	Total Deaths	Crude Rate	Age Adjusted Rate
Diabetes (6)						
2000	4	25.5	35.4	458	17.0	21.7
2001	4	24.1	31.8	546	19.5	24.7
2002	2	11.4	12.4	517	17.8	22.1
2003	2	10.9	13.0	586	19.5	23.5
2004	4	20.1	25.8	554	17.6	22.1
2005	8	31.5	40.1	649	18.7	23.5
2006	7	25.1	31.0	675	18.4	22.8
2007	5	16.1	20.2	658	16.8	20.6
2008	2	6.0	6.9	752	18.6	22.4
2009	8	23.8	28.3	725	18.0	21.4
CLRD (5)						
2000	2	12.7	17.5	475	17.6	23.9
2001	2	12.1	19.5	499	17.9	23.5
2002	3	17.2	22.1	531	18.3	23.6
2003	2	10.9	18.0	533	17.7	22.4
2004	3	15.1	22.2	566	18.0	23.3
2005	4	15.8	21.7	661	19.1	24.8
2006	2	7.2	9.5	589	16.1	20.6
2007	3	9.6	12.3	717	18.3	23.6
2008	3	8.9	10.6	782	19.4	24.2
2009	8	23.8	28.5	770	19.1	23.3
Alzheimer's Disease (7)						
2000	1	6.4	6.5	277	10.3	14.6
2001	-	-	-	311	11.1	15.4
2002	3	17.2	26.6	367	12.7	17.2
2003	2	10.9	14.1	485	16.1	21.3
2004	1	5.0	6.0	511	16.2	21.8
2005	3	11.8	18.5	540	15.6	21.3
2006	6	21.5	30.0	556	15.2	20.3
2007	5	16.1	22.0	532	13.6	18.2
2008	5	14.9	17.7	589	14.6	18.6
2009	6	17.8	22.9	633	15.7	19.5

* The ordering of the causes of deaths in the table are based on the total number of Hispanic deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 43 Cont. Top 9 Causes of Deaths Rates for Hispanics, Marion County and Florida, 2000-2009. *

Year	Marion County			Florida		
	Total Deaths	Crude Rate	Age Adjusted	Total Deaths	Crude Rate	Age Adjusted Rate
Liver Disease (11)						
2000	2	12.7	17.4	219	8.1	9.7
2001	-	-	-	231	8.3	9.7
2002	3	17.2	18.4	233	8.0	9.2
2003	2	10.9	11.4	261	8.7	9.8
2004	4	20.1	25.8	228	7.2	8.5
2005	5	19.7	24.5	244	7.0	8.3
2006	2	7.2	8.0	247	6.8	7.7
2007	4	12.8	15.4	280	7.2	8.2
2008	4	11.9	14.1	298	7.4	8.3
2009	6	17.8	19.7	288	7.1	8.0
Suicide (9)						
2000	2	12.7	15.4	202	7.5	8.1
2001	1	6.0	7.1	222	7.9	8.4
2002	3	17.2	24.6	224	7.7	8.1
2003	1	5.4	6.6	202	6.7	7.0
2004	2	10.1	14.8	204	6.5	6.9
2005	1	3.9	4.3	218	6.3	6.6
2006	1	3.6	4.3	246	6.7	7.1
2007	3	9.6	9.8	313	8.0	8.4
2008	3	8.9	8.8	321	8.0	8.4
2009	4	11.9	12.6	338	8.4	8.7

* The ordering of the causes of deaths in the table are based on the total number of Hispanic deaths for Marion County for 2009. Numbers in ()'s are the 2009 ranking for Florida.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 44. Age-Adjusted Death Rates Per 100,000 Population for 10 Leading Causes of Death in Marion County by Race and Ethnicity, Marion County and Florida, 2007-2009. *

Area	All	Black	White	Hispanic
All Causes				
Marion County	725.6	815.7	710.6	519.2
Florida	666.7	799.9	649.3	556.2
Heart Disease (1)				
Marion County	176.5	211.2	172.2	130.7
Florida	155.0	190.3	150.6	147.1
Cancer (2)				
Marion County	182.4	184.0	180.8	111.0
Florida	160.7	171.6	159.5	119.0
CLRD (3)				
Marion County	44.2	26.0	45.3	17.4
Florida	37.1	23.8	38.4	23.7
Stroke (5)				
Marion County	30.9	45.4	29.1	29.3
Florida	31.6	52.8	29.3	28.0
Unintentional Injuries (4)				
Marion County	50.7	33.1	53.1	35.7
Florida	44.0	31.3	47.0	32.2
Alzheimer's Disease (7)				
Marion County	18.6	23.1	18.2	20.8
Florida	15.8	14.7	16.0	18.8
Diabetes (6)				
Marion County	21.9	42.7	19.5	18.5
Florida	20.0	41.4	17.7	21.5
Nephritis (8)				
Marion County	12.8	28.1	11.2	3.5
Florida	11.2	24.1	9.8	11.5
Liver Disease (10)				
Marion County	13.1	5.2	14.1	16.3
Florida	10.2	5.8	10.9	8.2
Suicide (9)				
Marion County	16.2	4.3	17.6	10.4
Florida	13.7	4.6	15.4	8.5

* The top leading causes are based on the top 10 for all races for Marion County for the three year period (2007-2009). Numbers in ()'s are ranking for Florida for the three year period 2007-2009 for all races.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 3, 2011).

Prepared by: WellFlorida Council, 2011.

Table 45. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for All Causes of Deaths, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	69.6	1,074.6	955.8
32134 Ft. McCoy	110.0	991.7	666.4
32179 Ocklawaha	102.4	1,049.3	702.4
32195 Weirsdale	33.2	623.0	429.7
32617 Anthony	42.0	1,009.9	1,160.9
32686 Reddick	51.6	775.9	706.4
34420 Belleview	185.2	1,133.4	747.6
34431 Dunnellon	103.4	1,353.0	634.0
34432 Dunnellon	172.6	1,417.4	682.2
34470 Ocala	252.0	1,229.2	702.7
34471 Ocala	310.0	1,256.7	742.5
34472 Ocala	238.0	935.0	624.9
34473 Ocala	99.4	875.5	598.8
34474 Ocala	225.6	1,083.6	676.5
34475 Ocala	110.0	784.7	743.2
34476 Ocala	280.4	1,717.7	687.4
34479 Ocala	135.0	1,014.7	850.1
34480 Ocala	125.8	1,001.8	813.2
34481 Ocala	352.6	2,043.5	611.3
34482 Ocala	207.6	1,047.3	802.1
34488 Silver Springs	148.8	1,525.5	951.2
34491 Summerfield	351.2	1,058.6	570.4
Marion County	4,006.8	1,257.5	724.0
Florida	169,521.2	897.2	647.1

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 46. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Heart Disease, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	14.6	225.4	199.4
32134 Ft. McCoy	28.2	254.2	169.5
32179 Ocklawaha	30.0	307.4	194.2
32195 Weirsdale	9.2	172.6	119.2
32617 Anthony	13.4	322.2	398.6
32686 Reddick	14.2	213.5	184.1
34420 Belleview	48.0	293.8	183.6
34431 Dunnellon	29.8	390.0	161.0
34432 Dunnellon	46.4	381.0	156.2
34470 Ocala	69.0	336.6	174.9
34471 Ocala	91.0	368.9	193.9
34472 Ocala	65.4	256.9	156.1
34473 Ocala	24.2	213.2	136.0
34474 Ocala	66.8	320.9	180.3
34475 Ocala	32.0	228.3	210.1
34476 Ocala	76.6	469.2	149.5
34479 Ocala	40.6	305.1	252.4
34480 Ocala	30.6	243.7	192.2
34481 Ocala	104.6	606.2	140.8
34482 Ocala	57.2	288.6	216.5
34488 Silver Springs	42.0	430.6	241.2
34491 Summerfield	87.8	264.6	132.5
Marion County	1,089.0	341.8	180.3
Florida	43,006.6	227.6	154.0

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 47. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Cancer, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	21.0	324.2	274.3
32134 Ft. McCoy	31.2	281.3	178.1
32179 Ocklawaha	25.2	258.2	165.1
32195 Weirsdale	9.0	168.9	108.6
32617 Anthony	10.0	240.4	235.9
32686 Reddick	11.8	177.4	150.0
34420 Belleview	49.2	301.1	195.9
34431 Dunnellon	26.0	340.2	160.7
34432 Dunnellon	49.4	405.7	178.7
34470 Ocala	56.2	274.1	160.6
34471 Ocala	62.4	253.0	161.7
34472 Ocala	60.0	235.7	162.2
34473 Ocala	27.6	243.1	155.5
34474 Ocala	43.2	207.5	130.5
34475 Ocala	22.6	161.2	157.3
34476 Ocala	79.8	488.9	170.0
34479 Ocala	33.8	254.0	211.4
34480 Ocala	34.2	272.4	214.1
34481 Ocala	90.2	522.7	147.9
34482 Ocala	54.0	272.4	195.3
34488 Silver Springs	36.4	373.2	226.1
34491 Summerfield	102.4	308.6	149.9
Marion County	1,030.2	323.3	180.5
Florida	40,309.8	213.4	155.7

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 48. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for CLRD, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	5.4	83.4	75.8
32134 Ft. McCoy	10.8	97.4	56.0
32179 Ocklawaha	8.2	84.0	51.4
32195 Weirsdale	1.4	26.3	16.6
32617 Anthony	3.4	81.8	111.2
32686 Reddick	3.2	48.1	44.6
34420 Belleview	13.8	84.5	51.5
34431 Dunnellon	6.0	78.5	32.1
34432 Dunnellon	12.6	103.5	35.6
34470 Ocala	21.0	102.4	52.8
34471 Ocala	15.4	62.4	36.1
34472 Ocala	15.0	58.9	33.8
34473 Ocala	5.6	49.3	30.1
34474 Ocala	16.0	76.9	44.2
34475 Ocala	3.8	27.1	26.4
34476 Ocala	14.8	90.7	25.4
34479 Ocala	12.8	96.2	79.5
34480 Ocala	10.8	86.0	65.8
34481 Ocala	21.0	121.7	31.4
34482 Ocala	13.4	67.6	48.6
34488 Silver Springs	13.4	137.4	79.4
34491 Summerfield	22.8	68.7	32.9
Marion County	263.4	82.7	42.4
Florida	9,591.2	50.8	34.8

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 49. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Stroke, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	3.2	49.4	44.0
32134 Ft. McCoy	4.0	36.1	23.7
32179 Ocklawaha	3.0	30.7	19.4
32195 Weirsdale	2.0	37.5	21.9
32617 Anthony	2.0	48.1	56.1
32686 Reddick	2.0	30.1	28.3
34420 Belleview	7.8	47.7	28.2
34431 Dunnellon	6.2	81.1	35.4
34432 Dunnellon	4.8	39.4	17.7
34470 Ocala	13.8	67.3	35.3
34471 Ocala	16.6	67.3	35.2
34472 Ocala	13.0	51.1	31.6
34473 Ocala	4.2	37.0	23.5
34474 Ocala	12.0	57.6	32.0
34475 Ocala	7.6	54.2	51.3
34476 Ocala	14.0	85.8	32.9
34479 Ocala	4.4	33.1	27.0
34480 Ocala	6.8	54.2	41.7
34481 Ocala	19.0	110.1	27.2
34482 Ocala	9.4	47.4	35.2
34488 Silver Springs	6.6	67.7	39.3
34491 Summerfield	17.0	51.2	23.8
Marion County	196.2	61.6	32.1
Florida	8,750.4	46.3	31.2

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 50. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Unintentional Injuries, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	4.6	71.0	69.2
32134 Ft. McCoy	5.8	52.3	50.3
32179 Ocklawaha	5.4	55.3	54.2
32195 Weirsdale	2.2	41.3	41.6
32617 Anthony	2.0	48.1	45.6
32686 Reddick	3.2	48.1	48.4
34420 Belleview	9.4	57.5	55.7
34431 Dunnellon	4.8	62.8	51.4
34432 Dunnellon	8.0	65.7	68.7
34470 Ocala	9.8	47.8	43.2
34471 Ocala	11.4	46.2	42.1
34472 Ocala	11.6	45.6	43.8
34473 Ocala	4.6	40.5	37.7
34474 Ocala	10.0	48.0	45.5
34475 Ocala	7.0	49.9	48.4
34476 Ocala	8.6	52.7	71.0
34479 Ocala	5.8	43.6	41.8
34480 Ocala	6.6	52.6	54.9
34481 Ocala	8.4	48.7	57.4
34482 Ocala	11.0	55.5	57.8
34488 Silver Springs	7.4	75.9	78.5
34491 Summerfield	15.4	46.4	53.2
Marion County	178.4	56.0	53.6
Florida	8,856.6	46.9	43.4

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 51. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for MV Crashes, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	2.6	40.1	39.5
32134 Ft. McCoy	3.2	28.8	26.4
32179 Ocklawaha	3.0	30.7	36.2
32195 Weirsdale	0.8	15.0	18.5
32617 Anthony	1.2	28.9	26.5
32686 Reddick	2.0	30.1	32.3
34420 Belleview	3.6	22.0	21.4
34431 Dunnellon	2.2	28.8	22.0
34432 Dunnellon	3.0	24.6	31.0
34470 Ocala	3.4	16.6	16.2
34471 Ocala	3.6	14.6	13.5
34472 Ocala	5.8	22.8	23.8
34473 Ocala	1.8	15.9	17.3
34474 Ocala	4.4	21.1	20.2
34475 Ocala	1.4	10.0	10.0
34476 Ocala	3.2	19.6	26.3
34479 Ocala	1.6	12.0	12.5
34480 Ocala	2.2	17.5	19.5
34481 Ocala	1.8	10.4	30.2
34482 Ocala	4.8	24.2	24.1
34488 Silver Springs	2.8	28.7	32.0
34491 Summerfield	6.0	18.1	24.5
Marion County	71.8	22.5	23.9
Florida	3,164.2	16.7	16.6

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 52. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Diabetes, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	1.6	24.7	18.7
32134 Ft. McCoy	3.2	28.8	18.1
32179 Ocklawaha	4.2	43.0	25.5
32195 Weirsdale	1.0	18.8	11.8
32617 Anthony	1.6	38.5	38.7
32686 Reddick	2.0	30.1	27.6
34420 Belleview	5.4	33.0	21.4
34431 Dunnellon	2.8	36.6	19.5
34432 Dunnellon	3.4	27.9	11.6
34470 Ocala	9.2	44.9	27.4
34471 Ocala	7.4	30.0	20.2
34472 Ocala	10.0	39.3	27.3
34473 Ocala	4.6	40.5	28.1
34474 Ocala	6.8	32.7	21.1
34475 Ocala	6.4	45.7	44.1
34476 Ocala	10.2	62.5	20.0
34479 Ocala	4.2	31.6	25.9
34480 Ocala	2.6	20.7	16.0
34481 Ocala	9.2	53.3	18.8
34482 Ocala	6.8	34.3	27.0
34488 Silver Springs	4.8	49.2	29.7
34491 Summerfield	8.6	25.9	15.0
Marion County	124.4	39.0	22.6
Florida	5,092.0	27.0	19.5

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 53. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Alzheimer's Disease, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	0.6	9.3	9.8
32134 Ft. McCoy	2.2	19.8	14.4
32179 Ocklawaha	2.2	22.5	14.7
32195 Weirsdale	0.6	11.3	6.5
32617 Anthony	2.2	52.9	81.4
32686 Reddick	0.8	12.0	11.8
34420 Belleview	6.4	39.2	22.0
34431 Dunnellon	3.8	49.7	18.3
34432 Dunnellon	7.0	57.5	19.0
34470 Ocala	7.2	35.1	14.5
34471 Ocala	16.6	67.3	33.2
34472 Ocala	5.6	22.0	11.8
34473 Ocala	3.8	33.5	21.2
34474 Ocala	9.4	45.2	22.6
34475 Ocala	3.0	21.4	18.1
34476 Ocala	7.2	44.1	13.5
34479 Ocala	2.6	19.5	15.8
34480 Ocala	2.6	20.7	16.0
34481 Ocala	11.6	67.2	12.8
34482 Ocala	6.2	31.3	24.0
34488 Silver Springs	2.8	28.7	15.1
34491 Summerfield	11.2	33.8	16.0
Marion County	122.4	38.4	18.0
Florida	4,649.0	24.6	15.1

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 54. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Nephritis, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	0.8	12.4	11.6
32134 Ft. McCoy	1.4	12.6	8.2
32179 Ocklawaha	1.8	18.4	12.2
32195 Weirsdale	0.4	7.5	3.8
32617 Anthony	0.2	4.8	7.4
32686 Reddick	1.6	24.1	23.8
34420 Belleview	3.0	18.4	10.8
34431 Dunnellon	1.4	18.3	7.3
34432 Dunnellon	2.2	18.1	7.2
34470 Ocala	2.8	13.7	8.0
34471 Ocala	4.6	18.6	11.7
34472 Ocala	2.4	9.4	6.3
34473 Ocala	2.0	17.6	13.4
34474 Ocala	3.4	16.3	10.5
34475 Ocala	1.0	7.1	7.3
34476 Ocala	5.8	35.5	9.8
34479 Ocala	1.4	10.5	8.5
34480 Ocala	2.4	19.1	14.6
34481 Ocala	5.0	29.0	5.7
34482 Ocala	2.6	13.1	10.2
34488 Silver Springs	3.2	32.8	21.2
34491 Summerfield	5.0	15.1	6.8
Marion County	58.2	18.3	9.9
Florida	2,771.8	14.7	10.1

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 55. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Liver Disease, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	1.6	24.7	19.9
32134 Ft. McCoy	3.0	27.0	19.9
32179 Ocklawaha	2.0	20.5	15.0
32195 Weirsdale	1.2	22.5	15.1
32617 Anthony	1.0	24.0	19.1
32686 Reddick	0.6	9.0	7.2
34420 Belleview	2.2	13.5	9.0
34431 Dunnellon	1.4	18.3	9.6
34432 Dunnellon	3.4	27.9	22.1
34470 Ocala	4.2	20.5	15.2
34471 Ocala	4.0	16.2	14.2
34472 Ocala	3.2	12.6	10.2
34473 Ocala	1.2	10.6	7.2
34474 Ocala	2.8	13.4	10.7
34475 Ocala	1.6	11.4	10.8
34476 Ocala	2.2	13.5	9.5
34479 Ocala	1.8	13.5	11.2
34480 Ocala	2.8	22.3	17.3
34481 Ocala	2.0	11.6	5.0
34482 Ocala	2.0	10.1	7.0
34488 Silver Springs	3.0	30.8	22.2
34491 Summerfield	3.6	10.9	6.1
Marion County	55.8	17.5	12.5
Florida	2,248.6	11.9	9.7

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 56. Crude and Age Adjusted Death Rates per 100,000 Population for All Races for Suicide, by Zip Code, Marion County and Florida, 2005-2009.

Area	Average Number of Deaths	Crude Rate Per 100,000 Population	Age Adjusted Death Rate Per 100,000 Population
32113 Citra	2.4	37.1	31.8
32134 Ft. McCoy	2.0	18.0	13.7
32179 Ocklawaha	2.0	20.5	17.7
32195 Weirsdale	-	-	-
32617 Anthony	1.2	28.9	28.8
32686 Reddick	0.8	12.0	16.0
34420 Belleview	2.4	14.7	13.5
34431 Dunnellon	1.8	23.6	16.3
34432 Dunnellon	3.2	26.3	27.8
34470 Ocala	3.8	18.5	20.4
34471 Ocala	5.6	22.7	20.6
34472 Ocala	1.6	6.3	6.7
34473 Ocala	1.0	8.8	10.5
34474 Ocala	3.2	15.4	18.0
34475 Ocala	1.2	8.6	9.1
34476 Ocala	3.4	20.8	23.7
34479 Ocala	1.4	10.5	9.1
34480 Ocala	2.8	22.3	20.7
34481 Ocala	2.6	15.1	14.7
34482 Ocala	2.4	12.1	11.9
34488 Silver Springs	3.0	30.8	25.2
34491 Summerfield	3.8	11.5	9.0
Marion County	55.4	17.4	16.4
Florida	2,572.2	13.6	12.8

Source: ESRI Business Solutions, 2007; Florida Department of Health, Bureau of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 57. Selected Causes of Deaths for Infants Under 1 and Rates Per 100,000 Total Births by Year, Marion County and Florida, 2000-2009.

Year	Marion County		Florida	
	Number of Deaths	Rate Per 100,000 Total Births	Number of Deaths	Rate Per 100,000 Total Births
Deaths Under 1 from Perinatal Conditions *				
2000	11	379.0	711	348.5
2001	12	406.4	783	380.5
2002	16	549.5	788	383.3
2003	15	503.5	783	368.9
2004	15	468.5	771	353.6
2005	13	376.9	799	353.2
2006	20	553.9	849	358.0
2007	16	432.9	799	334.1
2008	14	380.3	842	363.8
2009	9	251.1	765	345.5
Deaths Under 1 from Congenital & Chromosomal Anomalies **				
2000	3	103.4	272	133.3
2001	5	169.3	275	133.6
2002	4	137.4	282	137.2
2003	7	235.0	290	136.6
2004	5	156.2	268	122.9
2005	5	145.0	297	131.3
2006	5	138.5	331	139.6
2007	3	81.2	341	142.6
2008	8	217.3	312	134.8
2009	5	139.5	301	136.0

* Perinatal deaths occur during late pregnancy(approximately 22 completed weeks gestation), during childbirth and up to 29 days of life. ICD 10 codes P00-P96 were used. Rates are based on 100,000 total births.

** ICD 10 codes Q00-Q99 were used. Rates are based on 100,000 total births.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (February 17, 2011).

Prepared by: WellFlorida Council, 2011.

Table 58. Infant Death Rates for SIDS and SUIDs per 100,000 Total Live Births by Year, Marion County and Florida, 2000-2009.

Year	Marion County		Florida	
	Number of Deaths	Rate Per 100,000 Total Live Births	Number of Deaths	Rate Per 100,000 Total Live Births
Sudden Infant Death Syndrome (SIDS)*				
2000	-	-	101	49.5
2001	1	33.9	96	46.6
2002	1	34.3	95	46.2
2003	3	100.7	92	43.3
2004	3	93.7	79	36.2
2005	2	58.0	87	38.5
2006	6	166.2	94	39.6
2007	1	27.1	81	33.9
2008	-	-	80	34.6
2009	-	-	70	31.6
Sudden Unexpected Infant Death **				
2000	2	68.9	210	102.9
2001	2	67.7	192	93.3
2002	3	103.0	213	103.6
2003	5	167.8	211	99.4
2004	3	93.7	228	104.6
2005	5	145.0	251	111.0
2006	9	249.2	238	100.4
2007	7	189.4	256	107.1
2008	6	163.0	242	104.6
2009	5	139.5	207	93.5

* ICD-9 codes 798.0 and ICD 10 codes R95 were used. Rates are based on 100,000 total live births.

** Sudden Unexpected Infant Deaths (SUID) includes infant deaths due to the following causes:

accidental suffocation and strangulation in bed (ASSB) (ICD-9: E913.0, ICD10: W75), other accidental suffocation and strangulation (OASS) (ICD-9: E913.1-E913.9, ICD-10: W76-W77, W81-W84), sudden infant death syndrome (SIDS) (ICD-9: 798.0, ICD-10: R95), and unknown causes (ICD-9: 799.0, ICD-10: R99). Rates are based on 100,000 total births.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (February 17, 2011).

Prepared by: WellFlorida Council, 2011.

Table 59. All Causes Years of Potential Life Lost Under 75, Marion County and Florida, 2000-2009.

Year	Number of YPLL Under 75	Rate Per 100,000 Population
Marion County		
2000	21,781	9,391.2
2001	21,913	9,291.0
2002	23,895	9,883.7
2003	25,023	9,955.4
2004	24,867	9,527.8
2005	25,816	9,564.3
2006	28,896	10,369.7
2007	25,232	8,803.9
2008	29,062	10,069.5
2009	26,409	9,140.6
Florida		
2000	1,184,901	8,054.0
2001	1,217,085	8,105.5
2002	1,246,588	8,142.9
2003	1,278,410	8,155.4
2004	1,288,606	8,014.8
2005	1,323,584	8,052.1
2006	1,346,411	8,005.3
2007	1,341,427	7,846.3
2008	1,341,276	7,825.6
2009	1,312,375	7,661.9

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 21, 2011).

Prepared by: WellFlorida Council, 2011.

Table 60. Top 5 Causes of Death Years of Potential Life Lost Under 75,
Marion County and Florida, 2007-2009. *

Cause of Death	Average Number of YPLL Under 75	Rate Per 100,000 Population
Marion County		
Avg Population Under 75 = 288,045		
All Causes	26,901	9,339.2
Heart Disease (1)	4,043	1,403.5
Cancer (2)	6,426	2,230.8
CLRD (3)	957	332.1
Stroke (5)	630	218.8
Unintentional Injuries (4)	4,663	1,618.8
MV Crashes	2,201	764.0
Florida		
Avg Population Under 75 = 17,121,475		
All Causes	1,331,693	7,777.9
Heart Disease (1)	179,638	1,049.2
Cancer (2)	285,876	1,669.7
CLRD (3)	34,343	200.6
Stroke (5)	32,863	191.9
Unintentional Injuries (4)	235,512	1,375.5
MV Crashes	98,185	573.5

* Numbers in ()'s are ranking for Florida for 2007-2009.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 21, 2011).

Prepared by: WellFlorida Council, 2011.

Table 61. All Causes Years of Potential Life Lost Under 75 by Race and Ethnicity, Marion County and Florida, 2007-2009.

Race / Ethnicity	Average Number of YPLL Under 75	Average Number of Population Under 75	Rate Per 100,000 Population
Marion County			
All Races	26,901	288,045	9,339.2
Black	3,936	37,490	10,497.9
White	22,272	245,763	9,062.2
Hispanics	1,726	31,247	5,524.9
Florida			
All Races	1,331,693	17,121,475	7,777.9
Black	291,664	3,002,320	9,714.6
White	1,006,972	13,602,636	7,402.8
Hispanics	191,395	3,808,289	5,025.8

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Health Indicators Query System; <http://www.Floridacharts.com>; (January 21, 2011).

Prepared by: WellFlorida Council, 2011.

Table 62. Crude Rates for Selected Causes of Death Per 100,000 Population for 0-17 years of age, Marion County and Florida, 2007-2009. *

Top Causes of Death	Average Population	Number of Deaths		Crude Rate
		Total	Average	
Marion County				
All Causes	66,712	138	46.0	69.0
Perinatal Conditions		39	13.0	19.5
Unintentional Injury		36	12.0	18.0
Motor Vehicle Crashes		11	3.7	5.5
Congenital & Chromosomal Anomalies		19	6.3	9.5
Homicide		6	2.0	3.0
Cancer		5	1.7	2.5
Suicide		3	1.0	1.5
Florida				
All Causes	4,172,071	7,689	2,563.0	61.4
Perinatal Conditions		2,423	807.7	19.4
Unintentional Injury		1,505	501.7	12.0
Motor Vehicle Crashes		626	208.7	5.0
Congenital & Chromosomal Anomalies		1,143	381.0	9.1
Homicide		361	120.3	2.9
Cancer		272	90.7	2.2
Suicide		110	36.7	0.9

* The top 5 rankings are based on the average number of deaths for Marion County for the selected age group for 2007-2009.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System and the Population Estimates Query System; <http://www.Floridacharts.com>; (April 14, 2011).

Prepared by: WellFlorida Council, 2011.

Table 63. Crude Rates for Selected Causes of Deaths Per 100,000 Population for 18-44 Years of Age, Marion County and Florida, 2007-2009. *

Top Causes of Death	Average Population	Number of Deaths		Crude Rate
		Total	Average	
Marion County				
All Causes	93,547	504	168.0	179.6
Unintentional Injury		178	59.3	63.4
Motor Vehicle Crashes		95	31.7	33.9
Cancer		61	20.3	21.7
Suicide		59	19.7	21.0
Heart Diseases		51	17.0	18.2
Homicide		32	10.7	11.4
Florida				
All Causes	6,467,556	29,532	9,844.0	152.2
Unintentional Injury		9,843	3,281.0	50.7
Motor Vehicle Crashes		4,372	1,457.3	22.5
Cancer		3,288	1,096.0	16.9
Suicide		3,012	1,004.0	15.5
Heart Diseases		2,639	879.7	13.6
Homicide		2,496	832.0	12.9

* The top 5 rankings are based on the average number of deaths for Marion County for the selected age group for 2007-2009.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System and the Population Estimates Query System; <http://www.Floridacharts.com>; (April 14, 2011).

Prepared by: WellFlorida Council, 2011.

Table 64. Crude Rates for Selected Causes of Deaths Per 100,000
 Population for 45-64 Years of Age, Marion County and Florida, 2007-2009. *

Top Causes of Death	Average Population	Number of Deaths		Crude Rate
		Total	Average	
Marion County				
All Causes	89,248	2,065	688.3	771.3
Cancer		683	227.7	255.1
Heart Diseases		424	141.3	158.4
Unintentional Injury		147	49.0	54.9
Motor Vehicle Crashes		62	20.7	23.2
CLRD		101	33.7	37.7
Diabetes		98	32.7	36.6
Florida				
All Causes	4,888,077	94,597	31,532.3	645.1
Cancer		30,510	10,170.0	208.1
Heart Diseases		18,285	6,095.0	124.7
Unintentional Injury		7,303	2,434.3	49.8
Motor Vehicle Crashes		2,387	795.7	16.3
CLRD		3,617	1,205.7	24.7
Diabetes		3,668	1,222.7	25.0

* The top 6 rankings are based on the average number of deaths for Marion County for the selected age group for 2007-2009.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System and the Population Estimates Query System; <http://www.Floridacharts.com>; (April 14, 2011).

Prepared by: WellFlorida Council, 2011.

Table 65. Crude Rates for Selected Causes of Deaths Per 100,000 Population for 65+ Years of Age, Marion County and Florida, 2007-2009. *

Top 5 Causes of Death	Average Population	Number of Deaths		Crude Rate
		Total	Average	
Marion County				
All Causes	79,629	9,369	3,123.0	3,921.9
Heart Diseases		2,706	902.0	1,132.8
Cancer		2,345	781.7	981.6
CLRD		706	235.3	295.5
Stroke		495	165.0	207.2
Alzheimer's Disease		374	124.7	156.6
Florida				
All Causes	3,259,776	371,873	123,957.7	3,802.6
Heart Diseases		102,430	34,143.3	1,047.4
Cancer		86,899	28,966.3	888.6
CLRD		25,645	8,548.3	262.2
Stroke		21,553	7,184.3	220.4
Alzheimer's Disease		13,590	4,530.0	139.0

* The top 5 rankings are based on the average number of deaths for Marion County for the selected age group for 2007-2009.

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System and the Population Estimates Query System; <http://www.Floridacharts.com>; (April 12, 2011).

Prepared by: WellFlorida Council, 2011.

Table 66. Age Adjusted Death Rates and Crude Rates for Suicide per 100,000 Population, Marion County and Florida, 2000-2009.

Area	Average Number	Age Adjusted Death Rate	Crude Rate
2000-2002			
Marion County	49.0	16.2	18.3
Florida	2,253	13.0	13.7
2001-2003			
Marion County	49.0	16.5	17.7
Florida	2,305	13.1	13.7
2002-2004			
Marion County	49.0	16.2	17.3
Florida	2,336	12.9	13.6
2003-2005			
Marion County	48.0	15.6	16.2
Florida	2,328	12.6	13.2
2004-2006			
Marion County	54.0	16.2	17.5
Florida	2,367	12.4	13.1
2005-2007			
Marion County	54.0	15.9	16.9
Florida	2,429	12.5	13.2
2006-2008			
Marion County	57.0	16.4	17.4
Florida	2,568	13.0	13.8
2007-2009			
Marion County	57.0	16.2	17.3
Florida	2,716	13.7	14.5

Source: Florida Department of Health, Office of Health Statistics & Assessment, Bureau of Vital Statistics, reports generated by WellFlorida; using Florida Death Query System;

<http://www.Floridacharts.com>; (January 5, 2011).

Prepared by: WellFlorida Council, 2011.

Mental Health Data

Table 67. DRGs Used to Define the Hospitalizations for Mental Health Issues.

These DRGs were used from 2005 - 3rd Quarter 2007 discharge data.	
424	OR Procedure with principal diagnosis of mental illness
425	Acute adjustment reactions and psychosocial dysfunction
426	Depressive neuroses
427	Neuroses except depressive
428	Disorders of personality and impulse control
430	Psychosis
431	Childhood mental disorders
432	Other mental disorders diagnoses
433	Alcohol/drug abuse or dependence, left against medical advice
521	Alcohol/drug abuse or dependence
522	Alcohol/drug abuse or dependence with rehab
523	Alcohol/drug abuse or dependence without rehab
From the 4th Qtr 2007 - 2009 discharge data, the following MS-DRGs were used.	
876	OR Procedure with principal diagnosis of mental illness
880	Acute adjustment reactions and psychosocial dysfunction
881	Depressive neuroses
882	Neuroses except depressive
883	Disorders of personality and impulse control
885	Psychosis
886	Behavioral & Developmental Disorders
887	Other mental disorders diagnoses
894	Alcohol/drug abuse or dependence, left against medical advice
895	Alcohol/drug abuse or dependence with rehabilitation therapy
896	Alcohol/drug abuse or dependence w/o rehabilitation therapy with MCC
897	Alcohol/drug abuse or dependence w/o rehabilitation therapy w/o MCC

Source: <http://www.gha.org/Publications/Factbook/2007/Crosswalk.pdf>, October 31, 2007.

Prepared by: WellFlorida Council, 2011.

Table 68. Number and Rate of Hospitalizations per 1,000 for Mental Health Reasons for Selected Age Groups, 2005-2009.

Area	2005		2006		2007		2008		2009	
	Number	Rate								
All Ages										
Marion County	1,411	4.6	1,367	4.3	1,411	4.3	1,700	5.2	2,047	6.2
Florida	127,221	7.1	126,644	6.9	128,597	6.9	133,631	7.1	143,044	7.6
0 - 17 Years of Age										
Marion County	81	1.3	28	0.4	30	0.5	36	0.5	57	0.9
Florida	13,365	3.3	12,919	3.1	12,450	3.0	12,519	3.0	13,464	3.2
18 + Years of Age										
Marion County	1,330	5.4	1,339	5.3	1,381	5.3	1,664	6.3	1,990	7.5
Florida	113,856	8.2	113,725	7.9	116,147	8.0	121,112	8.3	129,580	8.8

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using Population Estimates System; <http://www.Floridacharts.com>; (April 18, 2011).
 Prepared by: WellFlorida Council, 2011.

Table 69. Number and Rate of Emergency Department Visits per 1,000 for Mental Health Reasons for Selected Age Groups, 2005-2009. *

Area	2005		2006		2007		2008		2009	
	Number	Rate								
All Ages										
Marion County	14,970	48.7	18,111	57.0	19,378	59.3	24,308	73.7	27,573	83.4
Florida	625,651	34.7	711,091	38.6	732,339	39.1	814,463	43.3	897,467	47.7
0 - 17 Years of Age										
Marion County	842	13.2	856	13.2	871	13.1	1,025	15.3	1,491	22.4
Florida	31,448	7.7	33,765	8.2	33,237	7.9	35,380	8.5	38,594	9.3
18 + Years of Age										
Marion County	14,128	57.9	17,255	68.3	18,507	71.1	23,283	88.6	26,082	98.7
Florida	594,203	42.6	677,326	47.3	699,102	48.1	779,083	53.3	858,873	58.6

* ICD 9 Codes 290 - 316.99 were used in determining mental health visits. The main reason category as well as all diagnosis codes were looked at to pull off the mental health visits.

Please note that this data only includes emergency department visits in which emergency department registration occurs and the patient is not admitted for inpatient care at the reporting entity.

Source: Agency for Health Care Administration Emergency Department Visit Data, 2005-2009; Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using Population Estimates System; <http://www.Floridacharts.com>; (April 18, 2011).

Prepared by: WellFlorida Council, 2011.

Table 70. Number of Involuntary Exam Initiations (Baker Acts) by selected age groups for Residents of Marion County and Florida, 2003-2008.

Area	Number	Rate Per 100,000 Persons	Number	Rate Per 100,000 Persons	Number	Rate Per 100,000 Persons
All Ages						
	2003		2004		2005	
Marion County	1,722	605.8	1,653	559.3	1,924	625.4
Florida	104,600	609.4	110,697	628.5	122,206	678.2
	2006		2007		2008	
Marion County	2,132	671.0	2,332	713.6	2,499	757.6
Florida	120,506	653.5	122,454	653.7	131,544	699.3
Children (4-17 years of age)						
	2003		2004		2005	
Marion County	343	725.0	358	750.4	475	938.3
Florida	17,227	567.2	18,947	607.5	19,832	619.5
	2006		2007		2008	
Marion County	468	905.3	472	893.7	478	904.3
Florida	19,496	600.6	17,598	535.5	18,118	553.7
Seniors (65 - 104 years of age)						
	2003		2004		2005	
Marion County	171	241.6	155	219.8	152	205.9
Florida	8,628	285.3	8,620	287.2	8,927	291.5
	2006		2007		2008	
Marion County	147	192.0	169	215.1	193	241.9
Florida	8,726	275.6	9,078	282.8	9,423	288.5

Source: University of South Florida; Department of Mental Health Law and Policy, Special Report of Baker Act Data by County of Residence for Multiple Years and by Age Groups, May 2009; Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using Population Estimates System; <http://www.Floridacharts.com>; (April 18, 2011).

Prepared by: WellFlorida Council, 2011.

Table 71. Total Number and Rate per 100,000 Population for Domestic Violence Offenses, Marion County and Florida, 2000 - 2009.

Area	Number	Rate Per 100,000	Number	Rate Per 100,000
	2000		2001	
Marion County	2,198	844.1	2,305	867.8
Florida	124,629	775.3	124,016	755.6
	2002		2003	
Marion County	2,226	813.6	2,165	761.7
Florida	121,834	726.4	120,697	703.2
	2004		2005	
Marion County	2,474	837.1	2,231	725.2
Florida	119,772	680.0	120,386	668.1
	2006		2007	
Marion County	2,369	745.5	2,625	803.3
Florida	115,170	624.5	115,150	614.7
	2008		2009	
Marion County	2,615	792.7	2,974	899.2
Florida	113,123	601.3	116,547	619.3

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 18, 2011).

Prepared by: WellFlorida Council, 2011.

Table 72. Total Domestic Violence Offenses by Type, Marion County and Florida, 2009.

Type of Offense	Marion County	Florida
Murder	6	208
Manslaughter	3	24
Forcible Rape	6	958
Forcible Sodomy	1	334
Forcible Fondling	0	850
Aggravated Assault	517	20,115
Aggravated Stalking	2	254
Simple Assault	2,436	90,565
Threat/Intimidation	1	2,822
Stalking	2	417
Total	2,974	116,547

Source: Florida Department of Law Enforcement; Domestic Violence Annual Report, 2009.

Prepared by: WellFlorida Council, 2011.

Birth Related Data

Table 73. Total Births by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	2,902	581	2,266	254
Florida	204,030	47,271	150,115	45,840
2001				
Marion County	2,953	572	2,318	318
Florida	205,800	47,067	151,623	49,628
2002				
Marion County	2,912	552	2,285	315
Florida	205,580	46,123	152,127	51,618
2003				
Marion County	2,979	551	2,350	337
Florida	212,243	47,117	157,402	54,849
2004				
Marion County	3,202	559	2,521	445
Florida	218,045	46,998	160,132	58,513
2005				
Marion County	3,449	616	2,651	503
Florida	226,219	47,957	166,181	63,757
2006				
Marion County	3,611	683	2,753	571
Florida	237,166	50,808	174,147	70,094
2007				
Marion County	3,696	681	2,855	621
Florida	239,120	51,587	174,597	70,464
2008				
Marion County	3,681	679	2,869	598
Florida	231,417	51,362	167,487	65,999
2009				
Marion County	3,584	676	2,775	521
Florida	221,391	50,559	159,186	61,986

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 74. Total Birth Rates per 1,000 Total Population by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	11.1	18.7	10.0	16.2
Florida	12.7	19.0	11.4	17.0
2001				
Marion County	11.1	18.1	10.1	19.2
Florida	12.5	18.4	11.3	17.8
2002				
Marion County	10.6	17.0	9.6	18.0
Florida	12.3	17.6	11.1	17.8
2003				
Marion County	10.5	16.3	9.5	18.4
Florida	12.4	17.6	11.2	18.3
2004				
Marion County	10.8	16.2	9.8	22.4
Florida	12.4	16.9	11.1	18.6
2005				
Marion County	11.2	17.1	9.9	19.8
Florida	12.6	16.3	11.4	18.4
2006				
Marion County	11.4	18.4	10.0	20.4
Florida	12.9	16.8	11.7	19.2
2007				
Marion County	11.3	17.4	10.1	19.9
Florida	12.8	16.6	11.6	18.0
2008				
Marion County	11.2	17.1	10.1	17.8
Florida	12.3	16.6	11.0	16.4
2009				
Marion County	10.8	17.0	9.7	15.5
Florida	11.8	16.3	10.5	15.4

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 75. Total Infant Deaths by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	19	6	13	1
Florida	1,423	594	810	222
2001				
Marion County	22	9	13	-
Florida	1,495	635	839	254
2002				
Marion County	28	10	18	2
Florida	1,548	629	892	234
2003				
Marion County	33	7	26	3
Florida	1,584	647	907	273
2004				
Marion County	27	12	15	1
Florida	1,536	621	876	242
2005				
Marion County	27	7	19	2
Florida	1,626	652	882	373
2006				
Marion County	39	13	26	2
Florida	1,713	653	974	399
2007				
Marion County	30	7	22	6
Florida	1,689	689	906	440
2008				
Marion County	36	15	18	2
Florida	1,667	661	914	379
2009				
Marion County	24	10	13	4
Florida	1,525	667	780	343

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 76. Total Infant Death Rates per 1,000 Live Births by Race and Ethnicity,
Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	6.5	10.3	5.7	3.9
Florida	7.0	12.6	5.4	4.8
2001				
Marion County	7.5	15.7	5.6	-
Florida	7.3	13.5	5.5	5.1
2002				
Marion County	9.6	18.1	7.9	6.3
Florida	7.5	13.6	5.9	4.5
2003				
Marion County	11.1	12.7	11.1	8.9
Florida	7.5	13.7	5.8	5.0
2004				
Marion County	8.4	21.5	6.0	2.2
Florida	7.0	13.2	5.5	4.1
2005				
Marion County	7.8	11.4	7.2	4.0
Florida	7.2	13.6	5.3	5.9
2006				
Marion County	10.8	19.0	9.4	3.5
Florida	7.2	12.9	5.6	5.7
2007				
Marion County	8.1	10.3	7.7	9.7
Florida	7.1	13.4	5.2	6.2
2008				
Marion County	9.8	22.1	6.3	3.3
Florida	7.2	12.9	5.5	5.7
2009				
Marion County	6.7	14.8	4.7	7.7
Florida	6.9	13.2	4.9	5.5

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 77. Total Low Birthweight Births by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	221	64	152	16
Florida	16,284	5,840	9,897	2,991
2001				
Marion County	256	83	170	25
Florida	16,812	5,889	10,349	3,226
2002				
Marion County	236	70	163	27
Florida	17,350	5,889	10,833	3,504
2003				
Marion County	234	75	157	18
Florida	18,047	6,203	11,190	3,795
2004				
Marion County	272	84	184	39
Florida	18,670	6,134	11,570	4,100
2005				
Marion County	308	90	203	28
Florida	19,802	6,521	12,221	4,493
2006				
Marion County	311	83	211	39
Florida	20,714	6,822	12,848	4,948
2007				
Marion County	316	107	193	34
Florida	20,767	7,047	12,664	4,975
2008				
Marion County	297	75	212	32
Florida	20,369	6,948	12,365	4,800
2009				
Marion County	278	93	177	29
Florida	19,297	6,788	11,470	4,388

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 78. Percent of Low Birthweight Births by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	7.6	11.0	6.7	6.3
Florida	8.0	12.4	6.6	6.5
2001				
Marion County	8.7	14.5	7.3	7.9
Florida	8.2	12.5	6.8	6.5
2002				
Marion County	8.1	12.7	7.1	8.6
Florida	8.4	12.8	7.1	6.8
2003				
Marion County	7.9	13.6	6.7	5.3
Florida	8.5	13.2	7.1	6.9
2004				
Marion County	8.5	15.0	7.3	8.8
Florida	8.6	13.1	7.2	7.0
2005				
Marion County	8.9	14.6	7.7	5.6
Florida	8.8	13.6	7.4	7.0
2006				
Marion County	8.6	12.2	7.7	6.8
Florida	8.7	13.4	7.4	7.1
2007				
Marion County	8.5	15.7	6.8	5.5
Florida	8.7	13.7	7.3	7.1
2008				
Marion County	8.1	11.0	7.4	5.4
Florida	8.8	13.5	7.4	7.3
2009				
Marion County	7.8	13.8	6.4	5.6
Florida	8.7	13.4	7.2	7.1

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 79. Total Number of Births That Received Care in First Trimester by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	2,156	358	1,761	174
Florida	169,059	34,218	129,438	36,920
2001				
Marion County	2,159	352	1,769	210
Florida	171,080	34,603	130,815	40,306
2002				
Marion County	2,216	371	1,791	218
Florida	173,475	34,902	132,557	42,897
2003				
Marion County	2,290	386	1,847	261
Florida	180,107	36,091	137,560	45,928
2004				
Marion County	2,185	339	1,759	288
Florida	156,879	29,835	119,589	41,452
2005				
Marion County	2,219	359	1,743	283
Florida	158,516	29,507	120,787	43,084
2006				
Marion County	2,245	358	1,776	300
Florida	165,076	30,808	125,770	46,358
2007				
Marion County	2,198	354	1,734	343
Florida	165,545	31,040	125,503	46,412
2008				
Marion County	2,285	367	1,830	367
Florida	159,426	30,772	119,979	42,870
2009				
Marion County	2,254	393	1,781	306
Florida	154,752	31,204	115,342	41,084

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 80. Percent of the Total Births That Received Care in the First Trimester by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	74.5	62.0	77.9	68.5
Florida	83.7	73.6	86.8	81.0
2001				
Marion County	73.2	61.8	76.3	66.0
Florida	84.1	75.1	87.0	81.7
2002				
Marion County	76.4	67.5	78.6	70.3
Florida	85.4	77.2	87.8	83.7
2003				
Marion County	77.1	70.4	78.8	77.4
Florida	85.8	78.0	88.2	84.2
2004				
Marion County	72.1	64.2	73.6	67.8
Florida	81.0	72.8	83.4	79.4
2005				
Marion County	67.2	59.7	68.9	59.0
Florida	78.5	70.8	80.8	76.0
2006				
Marion County	65.6	55.5	68.1	55.0
Florida	76.8	68.5	79.0	73.4
2007				
Marion County	63.7	55.7	64.9	58.6
Florida	75.9	67.3	78.4	73.2
2008				
Marion County	66.0	58.0	67.8	63.8
Florida	76.9	68.4	79.3	74.8
2009				
Marion County	66.3	60.9	67.7	61.2
Florida	78.3	70.3	80.6	76.9

* The percentages are of the total births by race and ethnicity.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.floridacharts.com>; (January 10, 2011). Prepared by: WellFlorida Council, 2011.

Table 81. Total Number of Births That Received Late (3rd Trimester) or No Prenatal Care by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	150	43	104	19
Florida	7,089	2,722	4,055	2,057
2001				
Marion County	149	41	101	28
Florida	6,886	2,612	3,932	2,104
2002				
Marion County	102	25	74	13
Florida	5,970	2,219	3,509	1,715
2003				
Marion County	117	36	78	8
Florida	5,867	2,157	3,496	1,693
2004				
Marion County	151	35	111	19
Florida	8,348	2,706	5,129	2,418
2005				
Marion County	217	62	147	37
Florida	10,626	3,261	6,760	3,384
2006				
Marion County	284	74	199	62
Florida	12,240	3,701	7,921	4,176
2007				
Marion County	261	63	190	40
Florida	13,187	4,097	8,386	4,253
2008				
Marion County	266	67	191	44
Florida	11,940	3,825	7,454	3,613
2009				
Marion County	243	50	181	40
Florida	9,890	3,273	6,108	2,878

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 82. Percent of the Total Births That Received Late (3rd Trimester) or No Prenatal Care by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	5.2	7.5	4.6	7.5
Florida	3.5	5.9	2.7	4.5
2001				
Marion County	5.1	7.2	4.4	8.8
Florida	3.4	5.7	2.6	4.3
2002				
Marion County	3.5	4.5	3.2	4.2
Florida	2.9	4.9	2.3	3.3
2003				
Marion County	3.9	6.6	3.3	2.4
Florida	2.8	4.7	2.2	3.1
2004				
Marion County	5.0	6.6	4.6	4.5
Florida	4.3	6.6	3.6	4.6
2005				
Marion County	6.6	10.3	5.8	7.7
Florida	5.3	7.8	4.5	6.0
2006				
Marion County	8.3	11.5	7.6	11.4
Florida	5.7	8.2	5.0	6.6
2007				
Marion County	7.6	9.9	7.1	6.8
Florida	6.0	8.9	5.2	6.7
2008				
Marion County	7.7	10.6	7.1	7.7
Florida	5.8	8.5	4.9	6.3
2009				
Marion County	7.1	7.8	6.9	8.0
Florida	5.0	7.4	4.3	5.4

* The percentages are of the total births by race and ethnicity.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011). Prepared by: WellFlorida Council, 2011.

Table 83. Total Number of Teen Births (15 - 17 years of age) by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	134	41	93	15
Florida	8,645	3,522	5,000	2,019
2001				
Marion County	169	63	104	20
Florida	8,013	3,227	4,646	2,086
2002				
Marion County	134	36	97	24
Florida	7,428	2,824	4,494	1,950
2003				
Marion County	132	39	91	25
Florida	7,227	2,690	4,421	2,021
2004				
Marion County	139	40	95	23
Florida	7,436	2,647	4,537	2,211
2005				
Marion County	171	46	114	40
Florida	7,590	2,664	4,678	2,394
2006				
Marion County	153	45	96	34
Florida	8,135	2,875	5,003	2,697
2007				
Marion County	165	52	108	33
Florida	8,119	2,908	4,960	2,643
2008				
Marion County	154	49	99	26
Florida	7,286	2,651	4,379	2,291
2009				
Marion County	156	47	107	25
Florida	6,308	2,405	3,710	1,858

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 84. Teen (15-17 Years of Age) Birth Rates per 1,000 Female Population 15-17 by Race and Ethnicity, Marion County and Florida, 2000-2009.

Area	All Races	Black	White	Hispanics
2000				
Marion County	27.9	46.0	24.4	42.1
Florida	28.8	53.2	22.2	33.8
2001				
Marion County	34.3	69.7	26.6	49.4
Florida	26.0	47.2	20.2	33.7
2002				
Marion County	26.5	39.2	24.0	53.0
Florida	23.6	40.5	19.1	30.5
2003				
Marion County	25.0	40.7	21.6	49.8
Florida	22.4	37.7	18.3	30.7
2004				
Marion County	26.2	42.6	22.4	42.9
Florida	21.9	36.6	17.7	30.9
2005				
Marion County	28.9	44.6	24.0	57.6
Florida	21.8	34.7	18.1	32.4
2006				
Marion County	25.5	43.2	19.9	44.4
Florida	23.0	36.9	19.0	34.5
2007				
Marion County	27.1	48.3	22.2	41.2
Florida	22.6	36.5	18.7	32.2
2008				
Marion County	25.4	45.7	20.4	30.1
Florida	20.4	33.7	16.5	27.2
2009				
Marion County	26.1	44.6	22.3	28.8
Florida	17.8	30.9	14.1	22.1

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 85. Total Number of Repeat Births by Age of Mother, Marion County and Florida, 2000-2009.

Area	15-17 years of age	18-19 years of age	15-19 years of age
2000			
Marion County	16	89	109
Florida	945	4,330	5,482
2001			
Marion County	21	78	99
Florida	825	4,095	4,920
2002			
Marion County	9	63	72
Florida	773	3,890	4,663
2003			
Marion County	15	78	93
Florida	732	3,798	4,530
2004			
Marion County	12	74	86
Florida	735	3,680	4,415
2005			
Marion County	11	80	91
Florida	707	3,832	4,539
2006			
Marion County	19	80	99
Florida	792	3,903	4,695
2007			
Marion County	17	67	84
Florida	761	4,013	4,774
2008			
Marion County	10	86	96
Florida	713	3,748	4,461
2009			
Marion County	16	95	112
Florida	598	3,522	4,163

Repeat births to mothers by age that had a previous birth.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System;

<http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 86. Percent of Repeat Births to All Births by Moms Age, Marion County and Florida, 2000-2009.

Area	15-17 years of age	18-19 years of age	15-19 years of age
2000			
Marion County	11.9	24.7	22.0
Florida	10.9	26.2	21.8
2001			
Marion County	12.4	22.6	19.3
Florida	10.3	25.3	20.3
2002			
Marion County	6.7	19.7	15.9
Florida	10.4	24.7	20.1
2003			
Marion County	11.4	24.8	20.8
Florida	10.1	24.4	19.9
2004			
Marion County	8.6	22.3	18.3
Florida	9.9	23.1	18.9
2005			
Marion County	6.4	21.4	16.7
Florida	9.3	23.1	18.8
2006			
Marion County	12.4	22.7	19.6
Florida	9.7	22.5	18.4
2007			
Marion County	10.3	18.0	15.6
Florida	9.4	22.8	18.6
2008			
Marion County	6.5	22.9	18.1
Florida	9.8	22.3	18.5
2009			
Marion County	10.3	26.2	21.6
Florida	9.5	22.4	18.9

Repeat births to mothers by age that had a previous birth. The percentages are based on the total number of births to mothers 15-17, 18-19 and 15-19 years of age.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Maternal & Child Health Indicators System;
<http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 87. Total Number of Births With Medicaid as the Payment Source by Race and Ethnicity, Marion County and Florida, 2004-2009.

Area	All Races	Black	White	Hispanics
2004				
Marion County	1,665	386	1,218	262
Florida	79,882	25,216	51,523	22,029
2005				
Marion County	2,190	499	1,586	349
Florida	99,941	31,118	64,948	27,905
2006				
Marion County	2,258	549	1,617	373
Florida	103,323	32,396	67,157	29,451
2007				
Marion County	2,236	513	1,656	389
Florida	102,205	32,396	65,966	28,461
2008				
Marion County	2,239	511	1,658	393
Florida	102,339	32,595	65,743	27,884
2009				
Marion County	2,412	555	1,776	369
Florida	105,257	33,498	67,802	28,660

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 88. Percent of Births That had Medicaid as the Payment Source by Race and Ethnicity, Marion County and Florida, 2004-2009.

Area	All Races	Black	White	Hispanics
2004				
Marion County	52.0	69.1	48.3	58.9
Florida	36.6	53.7	32.2	37.6
2005				
Marion County	63.5	81.0	59.8	69.4
Florida	44.2	64.9	39.1	43.8
2006				
Marion County	62.5	80.4	58.7	65.3
Florida	43.6	63.8	38.6	42.0
2007				
Marion County	60.5	75.3	58.0	62.6
Florida	42.7	62.8	37.8	40.4
2008				
Marion County	60.8	75.3	57.8	65.7
Florida	44.2	63.5	39.3	42.2
2009				
Marion County	67.3	82.1	64.0	70.8
Florida	47.5	66.3	42.6	46.2

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the birth Indicators System; <http://www.floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 89. Number of Births by Type of Payment Source for All Births, Marion County and Florida, 2004-2009.

Area	All Births	Medicaid	Private Insurance	Self Pay	Other	Unknown
2004						
Marion County	3,202	1,665	909	129	5	494
Florida	218,045	79,882	86,711	13,891	1,569	35,992
2005						
Marion County	3,449	2,190	1,070	180	7	2
Florida	226,219	99,941	101,659	20,574	2,305	1,740
2006						
Marion County	3,611	2,258	1,126	221	5	1
Florida	237,166	103,323	105,205	24,532	2,556	1,550
2007						
Marion County	3,696	2,236	1,212	233	7	8
Florida	239,120	102,205	105,267	27,487	2,670	1,491
2008						
Marion County	3,681	2,239	1,223	213	0	6
Florida	231,417	102,339	101,195	24,009	2,594	1,280
2009						
Marion County	3,584	2,412	1,028	138	2	4
Florida	221,391	105,257	92,039	20,145	2,791	1,159

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by

WellFlorida; using the birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 90. Percent of Births by Type of Payment Source for All Births, Marion County and Florida, 2004-2009.

Area	Medicaid	Private Insurance	Self Pay	Other	Unknown
2004					
Marion County	52.0	28.4	4.0	0.2	15.4
Florida	36.6	39.8	6.4	0.7	16.5
2005					
Marion County	63.5	31.0	5.2	0.2	0.1
Florida	44.2	44.9	9.1	1.0	0.8
2006					
Marion County	62.5	31.2	6.1	0.1	0.0
Florida	43.6	44.4	10.3	1.1	0.7
2007					
Marion County	60.5	32.8	6.3	0.2	0.2
Florida	42.7	44.0	11.5	1.1	0.6
2008					
Marion County	60.8	33.2	5.8	0.0	0.2
Florida	44.2	43.7	10.4	1.1	0.6
2009					
Marion County	67.3	28.7	3.9	0.1	0.1
Florida	47.5	41.6	9.1	1.3	0.5

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 91. Total Births by Zip Code by Race and Ethnicity, Marion County and Florida, 2005-2009.

Area	All Races	Black	White	Hispanics
32113 Citra	382	78	294	34
32134 Ft. McCoy	298	2	290	7
32179 Ocklawaha	384	11	361	13
32195 Weirsdale	193	18	171	27
32617 Anthony	235	19	209	44
32686 Reddick	320	126	191	56
34420 Belleview	1,025	50	943	155
34431 Dunnellon	303	12	285	34
34432 Dunnellon	443	24	392	54
34470 Ocala	1,370	291	1,028	125
34471 Ocala	1,312	193	1,064	115
34472 Ocala	1,835	425	1,301	296
34473 Ocala	915	179	670	354
34474 Ocala	1,402	277	1,000	357
34475 Ocala	1,168	748	401	107
34476 Ocala	692	71	566	128
34479 Ocala	818	147	643	72
34480 Ocala	1,042	124	867	137
34481 Ocala	363	36	311	45
34482 Ocala	1,198	286	868	339
34488 Silver Springs	587	41	532	36
34491 Summerfield	1,119	67	1,020	195
Zip Code Total	17,404	3,225	13,407	2,730
Marion County	18,021	3,335	13,903	2,814
Florida	1,155,313	252,273	841,598	332,300

Source: Florida Department of Health, Office of Health Statistics & Assessment,

reports generated by WellFlorida; using the Birth Indicators System;

<http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 92. Total Number of Infant Deaths and Rates per 1,000 Live Births by Race and Ethnicity, by Zip Code, Marion County and Florida, 2005-2009.

Area	Number				Rates Per 1,000 Live Births			
	All Races	Black	White	Hispanics	All Races	Black	White	Hispanics
32113 Citra	5	1	4	0	13.1	12.8	13.6	0.0
32134 Ft. McCoy	1	0	1	0	3.4	0.0	3.4	0.0
32179 Ocklawaha	3	1	3	0	7.8	90.9	8.3	0.0
32195 Weirsdale	1	0	0	0	5.2	0.0	0.0	0.0
32617 Anthony	1	0	1	0	4.3	0.0	4.8	0.0
32686 Reddick	3	3	0	0	9.4	23.8	0.0	0.0
34420 Belleview	10	0	9	2	9.8	0.0	9.5	12.9
34431 Dunnellon	2	0	2	0	6.6	0.0	7.0	0.0
34432 Dunnellon	4	1	3	1	9.0	41.7	7.7	18.5
34470 Ocala	16	9	7	0	11.7	30.9	6.8	0.0
34471 Ocala	8	2	6	0	6.1	10.4	5.6	0.0
34472 Ocala	13	4	8	0	7.1	9.4	6.1	0.0
34473 Ocala	9	0	8	4	9.8	0	11.9	11.3
34474 Ocala	13	6	6	1	9.3	21.7	6.0	2.8
34475 Ocala	9	7	2	0	7.7	9.4	5.0	0.0
34476 Ocala	3	2	1	0	4.3	28.2	1.8	0.0
34479 Ocala	9	5	4	1	11.0	34.0	6.2	13.9
34480 Ocala	9	4	4	0	8.6	32.3	4.6	0.0
34481 Ocala	5	2	3	1	13.8	55.6	9.6	22.2
34482 Ocala	6	3	3	0	5.0	10.5	3.5	0.0
34488 Silver Springs	7	0	7	2	11.9	0.0	13.2	55.6
34491 Summerfield	14	2	11	2	12.5	29.9	10.8	10.3
Zip Code Total	151	52	93	14	8.7	16.1	6.9	5.1
Marion County	156	52	98	16	8.7	15.6	7.0	5.7
Florida	8,220	3,322	4,456	1,934	7.1	13.2	5.3	5.8

Source: Florida Department of Health, Office of Vital Statistics, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 93. Total Number and Percent of Births That Were Low Birthweight by Race and Zip Code, Marion County and Florida, 2005-2009.

Area	Number				Percent of Total births			
	All Races	Black	White	Hispanics	All Races	Black	White	Hispanics
32113 Citra	42	16	25	2	11.0	20.5	8.5	5.9
32134 Ft. McCoy	22	0	22	1	7.4	0.0	7.6	14.3
32179 Ocklawaha	37	3	34	0	9.6	27.3	9.4	0.0
32195 Weirsdale	18	3	15	0	9.3	16.7	8.8	0.0
32617 Anthony	18	3	15	2	7.7	15.8	7.2	4.5
32686 Reddick	37	25	11	5	11.6	19.8	5.8	8.9
34420 Belleview	86	7	79	13	8.4	14.0	8.4	8.4
34431 Dunnellon	24	0	24	5	7.9	0.0	8.4	14.7
34432 Dunnellon	33	4	26	9	7.4	16.7	6.6	16.7
34470 Ocala	106	37	61	7	7.7	12.7	5.9	5.6
34471 Ocala	91	20	70	4	6.9	10.4	6.6	3.5
34472 Ocala	168	73	81	18	9.2	17.2	6.2	6.1
34473 Ocala	62	18	37	22	6.8	10.1	5.5	6.2
34474 Ocala	107	28	67	18	7.6	10.1	6.7	5.0
34475 Ocala	122	97	22	4	10.4	13.0	5.5	3.7
34476 Ocala	39	4	34	4	5.6	5.6	6.0	3.1
34479 Ocala	72	24	46	1	8.8	16.3	7.2	1.4
34480 Ocala	79	16	62	9	7.6	12.9	7.2	6.6
34481 Ocala	42	7	33	1	11.6	19.4	10.6	2.2
34482 Ocala	95	33	58	16	7.9	11.5	6.7	4.7
34488 Silver Springs	47	2	45	2	8.0	4.9	8.5	5.6
34491 Summerfield	97	8	84	13	8.7	11.9	8.2	6.7
Zip Code Total	1,444	428	951	156	8.3	13.3	7.1	5.7
Marion County	1,510	448	996	162	8.4	13.4	7.2	5.8
Florida	100,949	34,126	61,568	23,604	8.7	13.5	7.3	7.1

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 94. Total Number and Percent of Births That Received Care in the First Trimester by Race and Zip Code, Marion County and Florida, 2005-2009.

Area	Number				Percent of Total births			
	All Races	Black	White	Hispanics	All Races	Black	White	Hispanics
32113 Citra	219	39	177	17	57.3	50.0	60.2	50.0
32134 Ft. McCoy	173	0	168	2	58.1	0.0	57.9	28.6
32179 Ocklawaha	215	7	197	4	56.0	63.6	54.6	30.8
32195 Weirsdale	125	13	109	15	64.8	72.2	63.7	55.6
32617 Anthony	154	12	137	31	65.5	63.2	65.6	70.5
32686 Reddick	188	60	125	35	58.8	47.6	65.4	62.5
34420 Belleview	638	22	600	93	62.2	44.0	63.6	60.0
34431 Dunnellon	210	9	196	19	69.3	75.0	68.8	55.9
34432 Dunnellon	273	13	245	32	61.6	54.2	62.5	59.3
34470 Ocala	835	157	646	65	60.9	54.0	62.8	52.0
34471 Ocala	934	119	775	80	71.2	61.7	72.8	69.6
34472 Ocala	1,226	244	920	194	66.8	57.4	70.7	65.5
34473 Ocala	532	98	393	194	58.1	54.7	58.7	54.8
34474 Ocala	881	162	634	194	62.8	58.5	63.4	54.3
34475 Ocala	595	359	222	55	50.9	48.0	55.4	51.4
34476 Ocala	467	48	378	73	67.5	67.6	66.8	57.0
34479 Ocala	552	83	448	36	67.5	56.5	69.7	50.0
34480 Ocala	697	83	578	85	66.9	66.9	66.7	62.0
34481 Ocala	223	19	194	26	61.4	52.8	62.4	57.8
34482 Ocala	669	159	486	164	55.8	55.6	56.0	48.4
34488 Silver Springs	340	28	304	20	57.9	68.3	57.1	55.6
34491 Summerfield	683	38	628	117	61.0	56.7	61.6	60.0
Zip Code Total	10,829	1,772	8,560	1,551	62.2	54.9	63.8	56.8
Marion County	11,201	1,831	8,864	1,599	62.2	54.9	63.8	56.8
Florida	803,315	153,331	607,381	219,808	69.5	60.8	72.2	66.1

* The percentages are of the total births by race and ethnicity.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

Table 95. Total Number and Percent of Births That Received Late or No Prenatal Care by Race and Zip Code, Marion County and Florida, 2005-2009.

Area	Number				Percent of Total births			
	All Races	Black	White	Hispanics	All Races	Black	White	Hispanics
32113 Citra	31	8	23	2	8.1	10.3	7.8	5.9
32134 Ft. McCoy	15	-	15	1	5.0	0.0	5.2	14.3
32179 Ocklawaha	33	2	31	0	8.6	18.2	8.6	0.0
32195 Weirsdale	8	0	8	2	4.1	0.0	4.7	7.4
32617 Anthony	16	2	14	3	6.8	10.5	6.7	6.8
32686 Reddick	32	17	15	4	10.0	13.5	7.9	7.1
34420 Belleview	77	5	71	16	7.5	10.0	7.5	10.3
34431 Dunnellon	9	0	9	0	3.0	0.0	3.2	0.0
34432 Dunnellon	31	4	27	3	7.0	16.7	6.9	5.6
34470 Ocala	96	37	55	6	7.0	12.7	5.4	4.8
34471 Ocala	60	14	44	4	4.6	7.3	4.1	3.5
34472 Ocala	99	34	58	17	5.4	8.0	4.5	5.7
34473 Ocala	76	19	54	30	8.3	10.6	8.1	8.5
34474 Ocala	101	20	70	31	7.2	7.2	7.0	8.7
34475 Ocala	124	83	40	7	10.6	11.1	10.0	6.5
34476 Ocala	48	6	39	10	6.9	8.5	6.9	7.8
34479 Ocala	61	12	48	11	7.5	8.2	7.5	15.3
34480 Ocala	54	7	44	11	5.2	5.6	5.1	8.0
34481 Ocala	30	7	20	3	8.3	19.4	6.4	6.7
34482 Ocala	102	25	73	31	8.5	8.7	8.4	9.1
34488 Silver Springs	45	1	44	1	7.7	2.4	8.3	2.8
34491 Summerfield	81	4	73	17	7.2	6.0	7.2	8.7
Zip Code Total	1,229	307	875	210	7.1	9.5	6.5	7.7
Marion County	1,271	316	908	223	7.1	9.5	6.5	7.9
Florida	57,883	18,157	36,629	18,304	5.0	7.2	4.4	5.5

* The percentages are of the total births by race and ethnicity.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Birth Indicators System; <http://www.Floridacharts.com>; (January 10, 2011).

Prepared by: WellFlorida Council, 2011.

CDC's Behavioral Risk Factors Surveillance System (BRFSS) Data

Table 96. Comparison of Selected BRFSS Indicators for Marion County and Florida, 2002, 2007 and 2010.

Indicator	Marion County Measure			Percent Change			Florida Measure 2010
	2002	2007	2010	2002 - 2007	2007 - 2010	2002 - 2010	
Air Quality							
Percentage of adults who reduced or changed outdoor activity because the air quality was bad	NA	23.5	NA	--	--	--	NA
Alcohol Consumption							
Percentage of adults who engage in heavy or binge drinking	14.2	17.3	11.5	21.8	(33.5)	(19.0)	15.0
Antibiotic Resistance							
Percentage of adults who have heard of antibiotic resistant infections	NA	55.6	NA	--	--	--	NA
Arthritis							
Percentage of adults who have been told they have some form of arthritis	NA	31.5	37.0	--	17.5	--	32.0
Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic	NA	19.0	18.0	--	(5.3)	--	14.9
Percentage of adults who had symptoms of pain, aching, or stiffness in or around a joint	NA	42.9	NA	--	--	--	NA
Asthma							
Percentage of adults who currently have asthma	7.0	7.7	8.6	10.0	11.7	22.9	8.3
Cancer Screening/Colorectal							
Percentage of adults 50 years of age and older who received a blood stool test in the past year	27.2	26.7	17.7	(1.8)	(33.7)	(34.9)	14.7
Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past	44.5	56.0	56.0	25.8	-	25.8	56.4
Cancer Screening/Prostate							
Percentage of men 50 years of age and older who received a PSA test in the past two years	NA	65.2	82.4	--	26.4	--	72.6
Percentage of men 50 years of age and older who received a digital rectal exam in the past year	NA	55.3	45.1	--	(18.4)	--	48.5
Percentage of men 50 years of age and older who have been told they have prostate cancer	NA	NA	13.9	--	--	--	7.3

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 & 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Reports.

Prepared by: WellFlorida Council, 2011.

Table 96 Cont. Comparison of Selected BRFSS Indicators for Marion County and Florida, 2002, 2007 and 2010.

Indicator	Marion County Measure			Percent Change			Florida Measure
	2002	2007	2010	2002 - 2007	2007 - 2010	2002 - 2010	2010
Cancer Screening/Women's Health							
Percentage of women 40 years of age and older who received a mammogram in the past year	57.5	70.3	62.9	22.3	(10.5)	9.4	61.9
Percentage of women 18 years of age and older who had a clinical breast exam in the past year	NA	65.9	55.8	---	(15.3)	---	61.5
Percentage of women 18 years of age and older who received a Pap test in the past year	58.9	63.3	45.7	7.5	(27.8)	(22.4)	57.1
Percentage of women who have had a hysterectomy	NA	31.2	30.2	---	(3.2)	---	26.2
Cardiovascular Disease							
Percentage of adults who have ever had a stroke	NA	4.7	5.4	---	14.9	---	3.5
Percentage of adults who have ever had a heart attack, angina, or coronary heart disease	NA	14.2	13.6	---	(4.2)	---	10.2
Cholesterol Awareness							
Percentage of adults who had their cholesterol checked in the past five years	76.3	77.6	NA	1.7	---	---	NA
Percentage of adults who have diagnosed high blood cholesterol	36.5	40.0	41.5	9.6	3.8	13.7	38.6
Diabetes							
Percentage of adults with diagnosed diabetes	10.7	12.7	12.2	18.7	(3.9)	14.0	10.4
Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average	NA	70.1	58.7	---	(16.3)	---	62.1
Percentage of adults with diabetes who had two A1C tests in the past year	NA	78.0	70.9	---	(9.1)	---	75.6
Percentage of adults with diabetes who had an annual foot exam	NA	67.1	74.7	---	11.3	---	72.2
Percentage of adults with diabetes who had an annual eye exam	NA	75.2	63.7	---	(15.3)	---	70.2
Percentage of adults with diabetes who ever had diabetes self-management education	NA	45.1	52.0	---	15.3	---	55.1
Average age at which diabetes was diagnosed	NA	55.3	51.4	---	(7.1)	---	50.0

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 & 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Reports.
 Prepared by: WellFlorida Council, 2011.

Table 96 Cont. Comparison of Selected BRFSS Indicators for Marion County and Florida, 2002, 2007 and 2010.

Indicator	Marion County Measure			Percent Change			Florida Measure
	2002	2007	2010	2002	2007	2002	2010
Disability							
Percentage of adults who are limited in any way in any activities because of physical, mental or	NA	21.7	30.6	--	41.0	--	24.3
Percentage of adults who use special equipment because of a health problem	NA	8.0	15.0	--	87.5	--	9.3
Family Planning							
Percentage of females less than 45 years old or males less than 60 years old who report that they or	NA	NA	59.5	--	--	--	56.2
Folic Acid							
Percentage of adults who take a multivitamin	NA	60.9	NA	--	--	--	NA
Percentage of women under age 45 who take a multivitamin	NA	53.1	NA	--	--	--	NA
Gastrointestinal Disease							
Percentage of adults who had diarrhea in the past 30 days	NA	19.6	NA	--	--	--	NA
Percentage of adults who had diarrhea in the past 30 days and who visited a doctor	NA	2.0	NA	--	--	--	NA
Health Care Access & Coverage							
Percentage of adults with any type of health care insurance coverage	80.3	76.3	80.4	(5.0)	5.4	0.1	83.0
Percentage of adults who have a personal doctor	74.4	73.3	74.7	(1.5)	1.9	0.4	81.7
Percentage of adults who could not see a doctor at least once in the past year due to cost	NA	18.5	25.2	--	36.2	--	17.3
Percentage of adults who had a medical checkup in the past year	NA	72.0	65.7	--	(8.8)	--	69.7

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 & 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Reports.
Prepared by: WellFlorida Council, 2011.

Table 96 Cont. Comparison of Selected BRFSS Indicators for Marion County and Florida, 2002, 2007 and 2010.

Indicator	Marion County Measure			Percent Change			Florida Measure 2010
	2002	2007	2010	2002	2007	2002	
				2007	2010	2010	
Health Status & Quality of Life							
Percentage of adults with good to excellent overall health	81.3	81.2	77.1	(0.1)	(5.0)	(5.2)	82.9
Percentage of adults who are "very satisfied" or "satisfied" with their lives	NA	93.6	92.8	---	(0.9)	---	93.1
Percentage of adults who always or usually receive the social and emotional support they need	NA	80.0	77.5	---	(3.1)	---	79.5
Percentage of adults with good physical health	NA	87.9	86.4	---	(1.7)	---	87.4
Percentage of adults with good mental health	NA	89.0	85.2	---	(4.3)	---	88.2
Average number of days where poor mental or physical health interfered with activities of daily	NA	4.9	6.2	---	26.5	---	5.2
Average number of unhealthy physical days in the past 30 days	NA	3.8	4.5	---	18.4	---	4.1
Average number of unhealthy mental days in the past 30 days	NA	3.5	4.3	---	22.9	---	3.8
HIV/AIDS							
Percentage of adults less than 65 years of age who have ever been tested for HIV	44.0	46.0	42.5	4.5	(7.6)	(3.4)	48.4
Percentage of adults less than 65 years who think they can get AIDS virus from mosquitoes	NA	NA	23.3	---	---	---	19.2
Hypertension Awareness and Control							
Percentage of adults with diagnosed hypertension	31.8	32.3	38.4	1.6	18.9	20.8	34.3
Percentage of adults with hypertension who engage in blood pressure control measures	NA	99.1	NA	---	---	---	NA
Percentage of adults with hypertension who were advised by a health care provider to engage in blood	NA	94.2	NA	---	---	---	NA

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 & 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Reports.
 Prepared by: WellFlorida Council, 2011.

Table 96 Cont. Comparison of Selected BRFSS Indicators for Marion County and Florida, 2002, 2007 and 2010.

Indicator	Marion County Measure			Percent Change			Florida Measure 2010
	2002	2007	2010	2002	2007	2002	
				2007	2010	2010	
Immunization							
Percentage of adults in high-risk groups who received a flu shot in the past year	NA	45.3	NA	--	--	--	NA
Percentage of adults in high-risk groups who have ever received a pneumonia vaccination	NA	52.3	NA	--	--	--	NA
Percentage of adults who received a flu shot in the past year	32.8	34.7	38.6	5.8	11.2	17.7	36.5
Percentage of adults age 65 and older who received a flu shot in the past year	56.9	69.1	68.1	21.4	(1.4)	19.7	65.3
Percentage of adults who have ever received a pneumonia vaccination	27.1	33.3	41.3	22.9	24.0	52.4	30.6
Percentage of adults age 65 and older who have ever received a pneumonia vaccination	59.6	70.4	76.9	18.1	9.2	29.0	69.9
Injury Prevention							
Percentage of adults who, in the past 30 days, drove a vehicle after consuming too many alcoholic	NA	NA	2.0	--	--	--	1.9
Percentage of adults 45 years of age and older who had a fall-related injury in the past 3 months	NA	NA	7.3	--	--	--	5.7
Percentage of adults who "always" or "nearly always" used seat belts when driving or riding in a	NA	NA	94.7	--	--	--	95.6
Oral Health							
Percentage of adults who could not see a dentist in the past year due to cost	NA	24.5	NA	--	--	--	NA
Percentage of adults who visited a dentist or a dental clinic in the past year	NA	NA	55.9	--	--	--	64.7
Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease	NA	NA	64.7	--	--	--	53.0
Percentage of adults who had their teeth cleaned in the past year	NA	NA	51.6	--	--	--	60.9

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 & 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Reports.
 Prepared by: WellFlorida Council, 2011.

Table 96 Cont. Comparison of Selected BRFSS Indicators for Marion County and Florida, 2002, 2007 and 2010.

Indicator	Marion County Measure			Percent Change			Florida Measure
	2002	2007	2010	2002	2007	2002	2010
				-	-	-	2010
Overweight & Obesity							
Percentage of adults who are overweight	33.7	38.1	33.6	13.1	(11.8)	(0.3)	37.8
Percentage of adults who are obese	19.7	25.9	33.7	31.5	30.1	71.1	27.2
Percentage of adults who are overweight or obese	53.5	64.0	67.3	19.6	5.2	25.8	65.0
Percentage of adults whose body weight increased by five pounds or more in the past year	NA	27.4	NA	---	---	---	NA
Percentage of adults whose body weight decreased by five pounds or more in the past year	NA	21.6	NA	---	---	---	NA
Physical Activity & Nutrition							
Percentage of adults who are sedentary	25.0	29.0	NA	16.0	---	---	NA
Percentage of adults who are inactive at work	58.3	53.9	NA	(7.5)	---	---	NA
Percentage of adults who consume at least five servings of fruits and vegetables a day	21.7	22.1	NA	1.8	---	---	NA
Percentage of adults who meet moderate physical activity recommendations	35.6	36.1	NA	1.4	---	---	NA
Percentage of adults who meet vigorous physical activity recommendations	19.0	21.9	NA	15.3	---	---	NA
Percentage of adults who had an unwanted sexual experience in the past 12 months	NA	5.4	NA	---	---	---	NA
Reactions to Race							
Percentage of adults who think they would get better medical care if they belonged to a different	NA	NA	15.7	---	---	---	10.8
Tobacco Use & Exposure							
Percentage of adults who are current smokers	26.6	23.1	23.1	(13.2)	-	(13.2)	17.1
Percentage of adults who are former smokers	32.2	29.5	31.0	(8.4)	5.1	(3.7)	29.8
Percentage of adults who have never smoked	41.3	47.4	45.9	14.8	(3.2)	11.1	53.0
Percentage of non-smoking adults who were exposed to secondhand smoke in the past seven	NA	16.0	NA	---	---	---	NA
Percentage of adult current smokers who tried to quit smoking at least once in the past year	60.1	45.0	53.6	(25.1)	19.1	(10.8)	60.1

NA: The question was not asked that year or data was not available at the county level that year.

Source: Florida Department of Health, Division of Disease Control, Bureau of Epidemiology, Chronic Disease Epidemiology Section, 2007 & 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Reports.

Prepared by: WellFlorida Council, 2011.

Other Infectious Diseases Data

Table 97. Total Number of Gonorrhea, Chlamydia & Infectious Syphilis Cases and Rates Per 100,000 Population, Marion County and Florida, 2000-2009.

Year	Marion County		Florida	
	Number	Rate	Number	Rate
2000	1,121	430.5	56,584	352.0
2001	1,039	391.1	59,640	363.4
2002	1,068	390.3	64,023	381.7
2003	1,233	433.8	62,014	361.3
2004	987	334.0	61,862	351.2
2005	1,048	340.7	64,321	357.0
2006	1,484	467.0	73,608	399.2
2007	1,313	401.8	82,011	437.8
2008	1,587	481.1	95,011	505.1
2009	1,662	502.5	94,837	503.9

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 18, 2011).

Prepared by: WellFlorida Council, 2011.

Table 98. Selected Vaccine Preventable Disease Cases and Rates per 100,000 Population, Marion County and Florida, 2000-2009.

Year	Marion County		Florida	
	Number	Rate	Number	Rate
2000	8	3.1	579	3.6
2001	6	2.3	527	3.2
2002	13	4.8	591	3.5
2003	7	2.5	681	4.0
2004	8	2.7	603	3.4
2005	9	2.9	619	3.4
2006	6	1.9	556	3.0
2007	12	3.7	610	3.3
2008	6	1.8	694	3.7
2009	20	6.0	838	4.5

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 18, 2011).

Prepared by: WellFlorida Council, 2011.

Table 99. HIV Cases and Rates per 100,000 Population, Marion County and Florida, 2000-2009.

Year	Marion County		Florida	
	Number	Rate	Number	rate
2000	34	13.1	5,623	35.0
2001	30	11.3	5,762	35.1
2002	55	20.1	6,384	38.1
2003	51	17.9	5,950	34.7
2004	36	12.2	5,701	32.4
2005	44	14.3	5,299	29.4
2006	43	13.5	4,914	26.6
2007	70	21.4	5,980	31.9
2008	62	18.8	7,111	37.8
2009	54	16.3	5,608	29.8

Please note that these date represent reported new cases of HIV. The increased number of cases for 2007 is partially attributable to changes in HIV case definitions for HIV reporting.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 18, 2011).

Prepared by: WellFlorida Council, 2011.

Table 100. AIDS Cases and Rates per 100,000 Population, Marion County and Florida, 2000-2009.

Year	Marion County		Florida	
	Number	Rate	Number	rate
2000	50	19.2	4,443	27.6
2001	39	14.7	4,419	26.9
2002	33	12.1	4,525	27.0
2003	32	11.3	4,297	25.0
2004	42	14.2	5,263	29.9
2005	46	15.0	4,640	25.8
2006	47	14.8	4,792	26.0
2007	38	11.6	3,791	20.2
2008	57	17.3	4,701	25.0
2009	40	12.1	4,429	23.5

Please note that many 2007 AIDS cases were not reported until 2008 because of the change from paper to electronic lab reporting (ELR). This results in an artificially low count of AIDS cases in 2007.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 18, 2011).

Prepared by: WellFlorida Council, 2011.

Environmental Data

Table 101. Percent of Total Population With Community Water Supplies, Marion County and Florida, 1999-2008.

Year	Marion County	Florida
1999	61.4	90.5
2000	62.0	92.1
2001	61.5	90.9
2002	64.8	90.1
2003	65.0	90.2
2004	64.7	90.1
2005	64.5	92.3
2006	63.5	90.7
2007	62.8	90.3
2008	63.1	90.5

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 19, 2011). Prepared by: WellFlorida Council, 2011.

Table 102. Percent of Community Water Supply Population With Fluoridated Water Supplies, Marion County and Florida, 1999-2008.

Year	Marion County	Florida
1999	34.0	64.1
2000	34.0	65.1
2001	33.9	65.9
2002	31.0	68.5
2003	31.1	68.9
2004	31.0	74.1
2005	31.1	76.9
2006	31.5	77.6
2007	31.9	77.8
2008	31.9	78.7

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 19, 2011). Prepared by: WellFlorida Council, 2011.

Shortage Area Data

Table 103. HPSA Shortage Area, and MUA 2011.

Health Professional Shortage Area	Marion County
Dental	Population Group -Score is 13 (Low Income/Migrant Farmworker)
	Comprehensive Health Center-Score is 0
	Correctional Facility's Score: Marion CI - 9 Lowell CI - 15 Lowell CI - Annex - 3
	Population Group-Score is 15 Low Income
Mental Health	Comprehensive Health Center-Score is 0
	Correctional Facility's Score: Marion CI - 21 Lowell CI - 9 Lowell CI - Annex - 9
	Population Group-Score is 16 (Low Income/Migrant Farmworker)
	Rural Health Clinic-Score is 0
Primary Medical Care	Comprehensive Health Center-Score is 0
	Correctional Facility's-Score is 9 Marion CI, Lowell CI, Lowell CI-Annex
	Medically Underserved Area
	Low Income/Migrant Farmworker Marion County -Score is 50.90

Source: U.S. Department of Health and Human Services Administration, reports generated by WellFlorida; using the Shortage Areas: HPSA by State & County System; <http://www.hrsa.gov> (April 19, 2011).

Prepared by: WellFlorida Council, 2011.

Medicaid Data

Table 104. Number of Medicaid Eligibles and Percent of Total Population by Zip Code, Marion County and Florida as of December of Each Year, 2005-2010.

Area	Total Population	Medicaid Eligibles		Total Population	Medicaid Eligibles	
		Number	Percent		Number	Percent
2005			2006			
32113 Citra	5,968	1,084	18.2	6,572	1,089	16.6
32134 Ft. McCoy	10,244	1,292	12.6	10,594	1,198	11.3
32179 Ocklawaha	9,293	1,425	15.3	9,480	1,366	14.4
32195 Weirsdale	4,431	512	11.6	4,882	478	9.8
32617 Anthony	3,553	830	23.4	3,788	758	20.0
32686 Reddick	6,533	1,027	15.7	6,821	978	14.3
34420 Belleview	15,840	2,545	16.1	15,884	2,449	15.4
34431 Dunnellon	7,612	645	8.5	7,555	660	8.7
34432 Dunnellon	11,604	1,400	12.1	11,715	1,366	11.7
34470 Ocala	20,671	2,959	14.3	20,283	2,822	13.9
34471 Ocala	23,699	2,970	12.5	23,815	2,769	11.6
34472 Ocala	22,522	3,854	17.1	23,987	3,632	15.1
34473 Ocala	10,824	1,944	18.0	10,934	2,037	18.6
34474 Ocala	18,897	3,325	17.6	19,896	3,110	15.6
34475 Ocala	13,918	3,614	26.0	13,738	3,341	24.3
34476 Ocala	15,950	1,123	7.0	16,284	1,131	6.9
34479 Ocala	13,473	1,480	11.0	13,330	1,399	10.5
34480 Ocala	12,139	1,380	11.4	12,080	1,330	11.0
34481 Ocala	16,620	968	5.8	16,547	891	5.4
34482 Ocala	18,951	2,473	13.0	19,392	2,282	11.8
34488 Silver Springs	10,264	1,958	19.1	9,663	1,820	18.8
34491 Summerfield	21,673	2,530	11.7	32,358	2,430	7.5
Zip Code Total	294,679	41,338	14.0	309,598	39,336	12.7
Marion County	302,001	41,048	13.6	319,547	39,094	12.2
Florida	17,926,011	2,233,946	12.5	18,478,309	2,129,623	11.5

Source: Agency for Health Care Administration, Medicaid Program Office, Special Report, 2005-2010; ESRI Business Solutions, 2005-2010.

Prepared by: WellFlorida Council, 2011.

Table 104 Cont. Number of Medicaid Eligibles and Percent of Total Population by Zip Code, Marion County and Florida as of December of Each Year, 2005-2010.

Area	Total Population	Medicaid Eligibles		Total Population	Medicaid Eligibles	
		Number	Percent		Number	Percent
2007			2008			
32113 Citra	6,477	984	15.2	6,970	1,275	18.3
32134 Ft. McCoy	11,092	1,205	10.9	11,777	1,438	12.2
32179 Ocklawaha	9,759	1,302	13.3	10,051	1,544	15.4
32195 Weirsdale	5,329	416	7.8	4,768	569	11.9
32617 Anthony	4,159	726	17.5	4,230	888	21.0
32686 Reddick	6,650	935	14.1	6,947	1,013	14.6
34420 Belleview	16,340	2,296	14.1	15,447	2,868	18.6
34431 Dunnellon	7,642	699	9.1	7,998	856	10.7
34432 Dunnellon	12,177	1,246	10.2	11,972	1,654	13.8
34470 Ocala	20,501	2,713	13.2	20,752	3,321	16.0
34471 Ocala	24,667	3,071	12.4	28,758	4,434	15.4
34472 Ocala	25,455	3,546	13.9	24,967	4,683	18.8
34473 Ocala	11,353	2,366	20.8	14,175	3,168	22.3
34474 Ocala	20,819	2,279	10.9	13,023	1,840	14.1
34475 Ocala	14,018	3,079	22.0	14,690	3,432	23.4
34476 Ocala	16,324	1,115	6.8	17,277	1,418	8.2
34479 Ocala	13,305	1,431	10.8	13,493	1,950	14.5
34480 Ocala	12,557	1,516	12.1	18,708	2,219	11.9
34481 Ocala	17,255	824	4.8	16,849	1,098	6.5
34482 Ocala	19,823	2,139	10.8	20,867	2,705	13.0
34488 Silver Springs	9,754	1,669	17.1	10,069	2,168	21.5
34491 Summerfield	33,177	2,445	7.4	29,253	3,007	10.3
Zip Code Total	318,633	38,002	11.9	323,041	47,548	14.7
Marion County	328,656	39,035	11.9	339,375	46,789	13.8
Florida	18,893,813	2,162,233	11.4	19,119,225	2,386,151	12.5

Source: Agency for Health Care Administration, Medicaid Program Office, Special Report, 2005-2010; ESRI Business Solutions, 2005-2010.

Prepared by: WellFlorida Council, 2011.

Table 104 Cont. Number of Medicaid Eligibles and Percent of Total Population by Zip Code, Marion County and Florida as of December of Each Year, 2005-2010.

Area	Total Population	Medicaid Eligibles		Total Population	Medicaid Eligibles	
		Number	Percent		Number	Percent
2009			2010			
32113 Citra	6,998	1,406	20.1	7,103	1,586	22.3
32134 Ft. McCoy	11,814	1,582	13.4	11,910	1,692	14.2
32179 Ocklawaha	10,241	1,757	17.2	9,907	1,966	19.8
32195 Weirsdale	5,084	610	12.0	5,615	665	11.8
32617 Anthony	4,228	990	23.4	4,134	1,013	24.5
32686 Reddick	7,014	1,094	15.6	6,940	1,102	15.9
34420 Belleview	15,237	3,255	21.4	15,317	3,441	22.5
34431 Dunnellon	8,009	1,000	12.5	7,905	1,101	13.9
34432 Dunnellon	11,856	1,928	16.3	12,506	1,987	15.9
34470 Ocala	20,758	3,744	18.0	20,404	4,095	20.1
34471 Ocala	28,579	4,905	17.2	29,004	5,303	18.3
34472 Ocala	25,204	5,316	21.1	24,330	5,787	23.8
34473 Ocala	14,567	3,755	25.8	15,214	4,194	27.6
34474 Ocala	13,844	2,240	16.2	14,771	2,507	17.0
34475 Ocala	14,958	3,759	25.1	14,650	3,768	25.7
34476 Ocala	17,141	1,706	10.0	18,305	1,913	10.5
34479 Ocala	13,593	2,329	17.1	12,931	2,595	20.1
34480 Ocala	18,908	2,573	13.6	18,665	2,884	15.5
34481 Ocala	16,874	1,281	7.6	18,655	1,476	7.9
34482 Ocala	20,499	3,060	14.9	19,598	3,488	17.8
34488 Silver Springs	9,913	2,510	25.3	9,486	2,634	27.8
34491 Summerfield	29,804	3,557	11.9	29,515	3,764	12.8
Zip Code Total	325,123	54,357	16.7	326,865	58,961	18.0
Marion County	341,870	54,055	15.8	343,804	58,711	17.1
Florida	19,021,613	2,708,723	14.2	18,917,612	2,953,993	15.6

Source: Agency for Health Care Administration, Medicaid Program Office, Special Report, 2005-2010; ESRI Business Solutions, 2005-2010.

Prepared by: WellFlorida Council, 2011.

Table 105. Median Monthly Medicaid Enrollment Rates per 100,000 for Marion County and Florida, 2000-2009.

Year	Marion County	Florida
2000	13,498.1	11,483.8
2001	13,032.5	11,969.8
2002	12,987.5	12,535.0
2003	11,972.3	11,982.0
2004	12,228.4	12,174.9
2005	13,254.2	12,300.0
2006	12,622.6	11,858.8
2007	11,706.8	11,264.5
2008	16,056.5	14,020.7
2009	16,228.0	14,233.1

The median enrollment in Medicaid is the number where, over 12 months of enrollment, half are more than this number median and half are below this number.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Resources Available System; <http://www.Floridacharts.com>; (April 19, 2011).

Prepared by: WellFlorida Council, 2011.

Table 106. Medicaid Expenditures by Type, Marion County and Florida,
July 1, 2007 - April 30, 2008.

Type of Medical Assistance	Marion County			
	Clients		Dollars	
	Number	Percent	Number	Percent
Adult Day Care	0	-	\$0.00	-
Ambulatory Surgical	352	1.3	\$128,500.27	0.2
Birthing Center	3	0.0	\$818.22	0.0
Case Management	437	1.6	\$113,453.25	0.2
Chiropractor Services	132	0.5	\$13,456.41	0.0
Comm Mental Services	1,274	4.6	\$2,322,544.43	3.1
Dental Care	2,479	8.9	\$591,244.67	0.8
DME Dial Crossover	467	1.7	\$211,264.61	0.3
End-Stage Renal	31	0.1	\$440,928.39	0.6
EPSDT	1,861	6.7	\$231,053.00	0.3
Family Planning	0	-	\$0.00	-
Hearing Services	77	0.3	\$31,107.27	0.0
HMO - Physicians Health Plan	18,821	67.3	\$15,988,117.51	21.3
Home and Comm Based Services	2,495	8.9	\$10,035,148.36	13.4
Home Health	1,135	4.1	\$1,936,982.47	2.6
Hospice	97	0.3	\$950,823.27	1.3
ICF - MR	12	0.0	\$374,060.93	0.5
Inpatient Hospital	1,927	6.9	\$11,667,627.94	15.5
Lab and X-Ray	4,614	16.5	\$411,740.62	0.5
Medipass	9,526	34.1	\$147,183.00	0.2
Nurse Practitioner	2,632	9.4	\$521,217.18	0.7
Outpatient Hospital	6,579	23.5	\$3,851,878.94	5.1
Physician Care	11,607	41.5	\$4,831,592.02	6.4
Podiatry	209	0.7	\$18,773.73	0.0
Portable X-Ray	83	0.3	\$4,171.56	0.0
Practitioner Crossover	19	0.1	\$452.72	0.0
Prescribed Drugs	9,445	33.8	\$13,111,202.24	17.5
Primary Care Management	0	-	\$0.00	-
Rural Health	2,524	9.0	\$622,625.52	0.8
Rural Hospital Swing Bed	0	-	\$0.00	-
SNF	813	2.9	\$4,420,823.73	5.9
State Mental Hospital	0	-	\$0.00	-
Therapy Services	843	3.0	\$1,584,550.21	2.1
Transportation	1,703	6.1	\$372,808.66	0.5
Unassigned	45	0.2	\$0.00	-
Visual	1,824	6.5	\$192,642.11	0.3
Total	27,960		\$75,128,793.24	100

Source: Agency for Health Care Administration Medicaid Management Information System Recap of Welfare Medical Assistance Report, July 2007- April 30, 2008.

Prepared by: WellFlorida Council, 2011.

Table 106 Cont. Medicaid Expenditures by Type, Marion County and Florida,
July 1, 2007 - April 30, 2008.

Type of Medical Assistance	Florida			
	Clients		Dollars	
	Number	Percent	Number	Percent
Adult Day Care	0	-	\$0.00	-
Ambulatory Surgical	35,669	1.2	\$12,879,891.10	0.1
Birthing Center	1,872	0.1	\$1,035,701.22	0.0
Case Management	56,254	1.9	\$17,927,648.22	0.2
Chiropractor Services	7,341	0.2	\$863,333.95	0.0
Comm Mental Services	58,358	1.9	\$92,303,968.60	0.9
Dental Care	284,706	9.5	\$81,004,362.52	0.8
DME Dial Crossover	41,084	1.4	\$30,430,870.03	0.3
End-Stage Renal	1,462	0.0	\$11,232,224.31	0.1
EPSDT	334,737	11.2	\$47,239,469.03	0.5
Family Planning	0	-	\$0.00	-
Hearing Services	17,505	0.6	\$3,266,947.77	0.0
HMO - Physicians Health Plan	2,043,785	68.3	\$2,212,181,089.40	21.6
Home and Comm Based Services	248,690	8.3	\$972,322,216.62	9.5
Home Health	106,825	3.6	\$236,338,749.75	2.3
Hospice	17,275	0.6	\$240,868,534.49	2.4
ICF - MR	3,567	0.1	\$273,447,188.21	2.7
Inpatient Hospital	348,000	11.6	\$1,793,631,268.10	17.6
Lab and X-Ray	423,873	14.2	\$45,964,308.42	0.4
Medipass	941,595	31.5	\$18,050,245.24	0.2
Nurse Practitioner	219,682	7.3	\$44,224,850.49	0.4
Outpatient Hospital	897,353	30.0	\$457,975,078.28	4.5
Physician Care	1,295,246	43.3	\$578,905,694.00	5.7
Podiatry	38,843	1.3	\$2,990,410.34	0.0
Portable X-Ray	29,236	1.0	\$1,519,877.92	0.0
Practitioner Crossover	1,037	0.0	\$29,076.42	0.0
Prescribed Drugs	988,104	33.0	\$529,499,499.54	5.2
Primary Care Management	0	-	\$0.00	-
Rural Health	201,450	6.7	\$60,670,030.52	0.6
Rural Hospital Swing Bed	43	0.0	\$877,808.59	0.0
SNF	90,623	3.0	\$1,960,599,411.37	19.2
State Mental Hospital	200	0.0	\$8,162,327.87	0.1
Therapy Services	56,293	1.9	\$105,219,755.52	1.0
Transportation	138,937	4.6	\$32,405,567.58	0.3
Unassigned	2,087	0.1	\$217,803.33	0.0
Visual	158,917	5.3	\$15,743,285.65	0.2
Total	2,993,576		\$10,220,028,494.40	

Source: Agency for Health Care Administration Medicaid Management Information System Recap of Welfare Medical Assistance Report, July 2007-April 30, 2008.

Prepared by: WellFlorida Council, 2011.

Bed and Physician Availability Data

Table 107. The Rate of Hospital Beds per 100,000 Population, Marion County and Florida, 2002-2009.

Area	2002	2003	2004	2005	2006	2007	2008	2009
Marion County	216.7	243.1	238.9	239.6	231.9	227.1	236.2	238.5
Florida	334.3	329.6	323.5	320.4	315.6	314.0	316.9	319.1

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 19, 2011).

Prepared by: WellFlorida Council, 2011.

Table 108. The Rate of Nursing Home Beds per 100,000 Population, Marion County and Florida, 2002-2009.

Area	2002	2003	2004	2005	2006	2007	2008	2009
Marion County	501.5	482.7	464.2	446.0	431.8	419.8	415.9	414.8
Florida	493.4	484.4	472.9	459.6	447.8	440.3	437.6	438.6

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 19, 2011) Prepared by: WellFlorida Council, 2011.

Table 109. The Rate of Physicians by Type per 100,000 Population, Marion County and Florida, Fiscal Years, 2002-03 - 2009-10.

Type of Physician	2002-03	2003-04	2004-05	2005-06	2006-07	2007-08	2008-09	2009-10
Marion County								
Family Practice Physicians	11.7	11.6	11.2	12.4	11.6	12.5	11.8	14.2
Internists	28.5	27.8	27.7	28.3	28.6	30.9	32.1	27.5
OB/GYN	5.5	5.3	5.1	4.9	4.4	4.9	5.2	4.8
Pediatricians	7.3	7.0	6.8	6.8	6.6	7.3	7.9	6.0
Total Physicians	113.3	137.9	154.3	155.4	154.5	153.0	161.0	158.7
Florida								
Family Practice Physicians	16.0	17.3	17.4	16.6	17.4	18.1	20.1	19.7
Internists	46.1	46.0	46.8	45.2	47.0	49.0	51.8	41.8
OB/GYN	10.5	10.5	10.4	9.5	9.7	9.9	10.5	7.9
Pediatricians	17.9	17.9	18.1	17.1	17.7	19.9	20.0	14.9
Total Physicians	223.5	251.6	279.0	279.7	267.4	283.1	298.6	300.6

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 19, 2011).

Prepared by: WellFlorida Council, 2011.

Dental Data

Table 110. Access to Dental Care by Low Income Persons, Percentages of Population Below Poverty, Marion County and Florida, 2000-2009.

Year	Marion County	Florida
2000	19.4	21.7
2001	16.3	23.2
2002	15.8	24.8
2003	14.6	24.7
2004	14.9	25.5
2005	18.9	25.2
2006	21.8	24.4
2007	23.0	25.6
2008	24.6	28.7
2009	28.7	29.3

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 19, 2011). Prepared by: WellFlorida Council, 2011.

Table 111. The Number and Rate of Licensed Dentists per 100,000 Population, Marion County and Florida, Fiscal Years 2002-03 - 2009-10.

Fiscal Year	Marion County		Florida	
	Number	Rate	Number	Rate
2002-03	77	28.1	8,799	52.5
2003-04	103	36.2	10,639	62.0
2004-05	106	35.9	11,241	63.8
2005-06	102	33.2	11,072	61.4
2006-07	113	35.6	11,576	62.8
2007-08	125	38.3	11,403	60.9
2008-09	131	39.7	11,785	62.6
2009-10	120	36.3	11,647	61.9

Please note: Data includes actively licensed providers only.

Source: Florida Department of Health, Office of Health Statistics & Assessment, reports generated by WellFlorida; using the Health Indicators System; <http://www.Floridacharts.com>; (April 19, 2011).

Prepared by: WellFlorida Council, 2011.

Inpatient Hospital Utilization Data

Table 112. Total Number and Percent of Discharges and Patient Days by Zip Code for Marion County Residents and Florida, Calendar Years 2005-

Area	Discharges	Percent of Discharges	Patient Days	Percent of Patient Days	ALOS *
2005					
32113 Citra	785	1.7	3,856	1.8	4.9
32134 Ft. McCoy	1,222	2.7	5,702	2.6	4.7
32179 Ocklawaha	1,223	2.7	5,590	2.6	4.6
32195 Weirsdale	570	1.2	2,397	1.1	4.2
32617 Anthony	631	1.4	3,010	1.4	4.8
32686 Reddick	977	2.1	4,461	2.1	4.6
34420 Belleview	2,867	6.3	13,006	6.0	4.5
34431 Dunnellon	1,059	2.3	4,841	2.2	4.6
34432 Dunnellon	2,000	4.4	9,267	4.3	4.6
34470 Ocala	2,964	6.5	14,545	6.7	4.9
34471 Ocala	3,228	7.1	14,969	6.9	4.6
34472 Ocala	3,279	7.2	15,490	7.2	4.7
34473 Ocala	1,330	2.9	6,258	2.9	4.7
34474 Ocala	3,614	7.9	17,928	8.3	5.0
34475 Ocala	1,849	4.0	9,020	4.2	4.9
34476 Ocala	2,946	6.4	14,110	6.5	4.8
34479 Ocala	1,694	3.7	8,035	3.7	4.7
34480 Ocala	1,995	4.4	8,986	4.2	4.5
34481 Ocala	2,982	6.5	14,207	6.6	4.8
34482 Ocala	2,504	5.5	12,232	5.7	4.9
34488 Silver Springs	1,771	3.9	9,145	4.2	5.2
34491 Summerfield	4,110	9.0	17,796	8.2	4.3
Zip Code Total	45,600	99.6	214,851	99.6	4.7
Marion County	45,780	1.9	215,766	1.8	4.7
Florida	2,447,682		11,869,119		4.8

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 112 Cont. Total Number and Percent of Discharges and Patient Days by Zip Code for Marion County Residents and Florida, Calendar Years 2005-2009.

Area	Discharges	Percent of Discharges	Patient Days	Percent of Patient Days	ALOS *
2006					
32113 Citra	848	1.8	4,189	1.9	4.9
32134 Ft. McCoy	1,212	2.6	5,709	2.6	4.7
32179 Ocklawaha	1,188	2.6	5,752	2.6	4.8
32195 Weirsdale	535	1.2	2,238	1.0	4.2
32617 Anthony	710	1.5	3,539	1.6	5.0
32686 Reddick	928	2.0	4,527	2.1	4.9
34420 Belleview	2,388	5.2	11,502	5.3	4.8
34431 Dunnellon	1,004	2.2	4,351	2.0	4.3
34432 Dunnellon	1,955	4.2	8,818	4.0	4.5
34470 Ocala	3,234	7.0	15,890	7.3	4.9
34471 Ocala	3,439	7.5	16,465	7.5	4.8
34472 Ocala	3,364	7.3	14,850	6.8	4.4
34473 Ocala	1,459	3.2	7,229	3.3	5.0
34474 Ocala	3,791	8.2	20,105	9.2	5.3
34475 Ocala	1,882	4.1	9,011	4.1	4.8
34476 Ocala	3,020	6.6	14,115	6.4	4.7
34479 Ocala	1,651	3.6	7,437	3.4	4.5
34480 Ocala	1,422	3.1	6,324	2.9	4.4
34481 Ocala	2,987	6.5	14,935	6.8	5.0
34482 Ocala	2,698	5.9	13,125	6.0	4.9
34488 Silver Springs	1,806	3.9	8,703	4.0	4.8
34491 Summerfield	4,290	9.3	18,793	8.6	4.4
Zip Code Total	45,811	99.4	217,607	99.3	4.8
Marion County	46,089	1.9	219,078	1.9	4.8
Florida	2,462,177		11,802,422		4.8

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 112 Cont. Total Number and Percent of Discharges and Patient Days by Zip Code for Marion County Residents and Florida, Calendar Years 2005-2009.

Area	Discharges	Percent of Discharges	Patient Days	Percent of Patient Days	ALOS *
2007					
32113 Citra	928	1.9	4,521	2.0	4.9
32134 Ft. McCoy	1,283	2.7	6,486	2.9	5.1
32179 Ocklawaha	1,253	2.6	6,201	2.8	4.9
32195 Weirsdale	548	1.1	2,715	1.2	5.0
32617 Anthony	703	1.5	3,355	1.5	4.8
32686 Reddick	883	1.8	4,143	1.8	4.7
34420 Belleview	2,408	5.0	11,157	5.0	4.6
34431 Dunnellon	1,032	2.2	4,621	2.1	4.5
34432 Dunnellon	1,987	4.2	9,202	4.1	4.6
34470 Ocala	3,186	6.7	15,964	7.1	5.0
34471 Ocala	3,666	7.7	17,533	7.8	4.8
34472 Ocala	3,599	7.5	16,797	7.5	4.7
34473 Ocala	1,747	3.7	8,379	3.7	4.8
34474 Ocala	3,814	8.0	19,936	8.9	5.2
34475 Ocala	1,997	4.2	9,119	4.1	4.6
34476 Ocala	3,141	6.6	13,731	6.1	4.4
34479 Ocala	1,717	3.6	7,410	3.3	4.3
34480 Ocala	1,586	3.3	6,918	3.1	4.4
34481 Ocala	3,108	6.5	14,795	6.6	4.8
34482 Ocala	2,796	5.9	12,774	5.7	4.6
34488 Silver Springs	1,881	3.9	9,344	4.2	5.0
34491 Summerfield	4,225	8.9	18,345	8.2	4.3
Zip Code Total	47,488	99.5	223,446	99.4	4.7
Marion County	47,740	1.9	224,754	1.9	4.7
Florida	2,474,190		11,820,721		4.8

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 112 Cont. Total Number and Percent of Discharges and Patient Days by Zip Code for Marion County Residents and Florida, Calendar Years 2005-2009.

Area	Discharges	Percent of Discharges	Patient Days	Percent of Patient Days	ALOS *
2008					
32113 Citra	909	1.9	5,029	2.2	5.5
32134 Ft. McCoy	1,347	2.8	7,187	3.1	5.3
32179 Ocklawaha	1,170	2.4	6,004	2.6	5.1
32195 Weirsdale	570	1.2	3,111	1.3	5.5
32617 Anthony	651	1.4	2,921	1.3	4.5
32686 Reddick	840	1.8	4,121	1.8	4.9
34420 Belleview	2,468	5.2	12,157	5.3	4.9
34431 Dunnellon	1,033	2.2	5,122	2.2	5.0
34432 Dunnellon	1,944	4.1	9,394	4.1	4.8
34470 Ocala	3,114	6.5	15,268	6.6	4.9
34471 Ocala	3,680	7.7	18,995	8.2	5.2
34472 Ocala	3,518	7.4	16,519	7.1	4.7
34473 Ocala	1,917	4.0	9,319	4.0	4.9
34474 Ocala	3,629	7.6	17,789	7.7	4.9
34475 Ocala	1,844	3.9	8,379	3.6	4.5
34476 Ocala	3,047	6.4	14,168	6.1	4.6
34479 Ocala	1,750	3.7	9,046	3.9	5.2
34480 Ocala	1,865	3.9	8,144	3.5	4.4
34481 Ocala	3,268	6.8	16,518	7.1	5.1
34482 Ocala	2,720	5.7	12,166	5.3	4.5
34488 Silver Springs	1,788	3.7	8,360	3.6	4.7
34491 Summerfield	4,485	9.4	20,190	8.7	4.5
Zip Code Total	47,557	99.4	229,907	99.4	4.8
Marion County	47,826	1.9	231,293	1.9	4.8
Florida	2,482,310		11,900,274		4.8

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 112 Cont. Total Number and Percent of Discharges and Patient Days by Zip Code for Marion County Residents and Florida, Calendar Years 2005-2009.

Area	Discharges	Percent of Discharges	Patient Days	Percent of Patient Days	ALOS *
2009					
32113 Citra	976	2.0	4,991	2.2	5.1
32134 Ft. McCoy	1,377	2.8	6,547	2.9	4.8
32179 Ocklawaha	1,303	2.6	5,936	2.6	4.6
32195 Weirsdale	586	1.2	2,585	1.1	4.4
32617 Anthony	691	1.4	3,067	1.3	4.4
32686 Reddick	874	1.8	4,298	1.9	4.9
34420 Belleview	2,458	4.9	11,191	4.9	4.6
34431 Dunnellon	1,093	2.2	4,972	2.2	4.5
34432 Dunnellon	2,006	4.0	9,978	4.4	5.0
34470 Ocala	3,194	6.4	14,978	6.6	4.7
34471 Ocala	3,907	7.8	18,461	8.1	4.7
34472 Ocala	3,596	7.2	15,179	6.7	4.2
34473 Ocala	2,067	4.1	9,411	4.1	4.6
34474 Ocala	3,517	7.0	15,605	6.8	4.4
34475 Ocala	1,959	3.9	8,931	3.9	4.6
34476 Ocala	3,211	6.4	14,568	6.4	4.5
34479 Ocala	1,938	3.9	8,832	3.9	4.6
34480 Ocala	2,067	4.1	8,942	3.9	4.3
34481 Ocala	3,320	6.6	15,336	6.7	4.6
34482 Ocala	2,851	5.7	12,789	5.6	4.5
34488 Silver Springs	2,007	4.0	9,853	4.3	4.9
34491 Summerfield	4,696	9.4	20,465	9.0	4.4
Zip Code Total	49,694	99.5	226,915	99.6	4.6
Marion County	49,929	2.0	227,863	1.9	4.6
Florida	2,514,758		11,900,910		4.7

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 113. Total Number and Percent of Discharges and Patient Days by Payor
 Source, Marion County and Florida, Calendar Years 2005-2009.

Payor	Marion County				Florida			
	Discharges		Patient Days		Discharges		Patient Days	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
2005								
Medicare	23,512	51.4	123,274	57.1	1,029,229	42.0	5,925,844	49.9
Medicaid	8,164	17.8	34,727	16.1	440,126	18.0	1,998,317	16.8
Private Insurance	10,286	22.5	42,201	19.6	712,643	29.1	2,807,915	23.7
VA/Champus	563	1.2	2,679	1.2	29,098	1.2	121,541	1.0
Self Pay/Charity	2,559	5.6	10,387	4.8	188,625	7.7	778,056	6.6
All Others *	696	1.5	2,498	1.2	47,961	2.0	237,446	2.0
Total	45,780	100.0	215,766	100.0	2,447,682	100.0	11,869,119	100.0
2006								
Medicare	23,646	51.3	126,036	57.5	1,019,191	41.4	5,767,782	48.9
Medicaid	7,757	16.8	31,741	14.5	441,625	17.9	1,994,501	16.9
Private Insurance	10,502	22.8	43,410	19.8	711,560	28.9	2,782,404	23.6
VA/Champus	686	1.5	3,518	1.6	31,938	1.3	163,876	1.4
Self Pay/Charity	2,708	5.9	11,176	5.1	207,347	8.4	831,026	7.0
All Others *	790	1.7	3,197	1.5	50,516	2.1	262,833	2.2
Total	46,089	100.0	219,078	100.0	2,462,177	100.0	11,802,422	100.0
2007								
Medicare	23,653	49.5	126,482	56.3	1,017,288	41.1	5,739,032	48.6
Medicaid	7,868	16.5	31,590	14.1	445,311	18.0	2,010,926	17.0
Private Insurance	11,619	24.3	47,559	21.2	714,184	28.9	2,786,774	23.6
VA/Champus	635	1.3	2,734	1.2	40,525	1.6	167,954	1.4
Self Pay/Charity	3,209	6.7	13,568	6.0	204,618	8.3	828,978	7.0
All Others *	756	1.6	2,821	1.3	52,264	2.1	287,057	2.4
Total	47,740	100.0	224,754	100.0	2,474,190	100.0	11,820,721	100.0
2008								
Medicare	23,305	48.7	127,549	55.1	1,031,814	41.6	5,790,863	48.7
Medicaid	8,338	17.4	34,731	15.0	456,381	18.4	2,075,363	17.4
Private Insurance	11,450	23.9	48,192	20.8	704,135	28.4	2,779,973	23.4
VA/Champus	668	1.4	3,215	1.4	37,235	1.5	156,380	1.3
Self Pay/Charity	3,338	7.0	14,315	6.2	202,900	8.2	830,878	7.0
All Others *	727	1.5	3,291	1.4	49,845	2.0	266,817	2.2
Total	47,826	100.0	231,293	100.0	2,482,310	100.0	11,900,274	100.0
2009								
Medicare	23,890	47.8	121,400	53.3	1,059,175	42.1	5,790,118	48.7
Medicaid	9,475	19.0	38,929	17.1	497,075	19.8	2,229,099	18.7
Private Insurance	11,777	23.6	48,076	21.1	667,378	26.5	2,661,084	22.4
VA/Champus	615	1.2	3,006	1.3	39,782	1.6	162,315	1.4
Self Pay/Charity	3,441	6.9	13,793	6.1	205,672	8.2	806,924	6.8
All Others *	731	1.5	2,659	1.2	45,676	1.8	251,370	2.1
Total	49,929	100.0	227,863	100.0	2,514,758	100.0	11,900,910	100.0

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 114. Number of Discharges and Patient Days for the Top 10 DRGs Per Year, Marion County, Calendar Years 2005-2009.

Diagnosis-Related Group (DRG)	Discharges	Patient Days	ALOS *
2005			
Normal Newborn (391)	2,657	5,989	2.3
Vaginal Delivery without Complicating Diagnoses (373)	2,054	4,615	2.2
Heart Failure and Shock (127)	1,208	6,243	5.2
Percutaneous Cardiovascular Proc W/ Drug-Eluting Stent w/o AMI (527)	1,069	1,928	1.8
Major Joint and Limb Reattachment Procedures of Lower Extremity (209)	972	3,792	3.9
Simple Pneumonia & Pleurisy Age >17 W CC (089)	930	5,317	5.7
Cesarean Section w/o CC (371)	849	2,582	3.0
Chronic Obstructive Pulmonary Disease (088)	846	4,138	4.9
Chest Pain (143)	824	1,871	2.3
Septicemia, Age >17 (416)	806	6,119	7.6
All Others	33,565	173,172	5.2
Total	45,780	215,766	4.7
2006			
Normal Newborn (391)	2,600	5,893	2.3
Vaginal Delivery without Complicating Diagnoses (373)	1,963	4,446	2.3
Heart Failure and Shock (127)	1,173	5,828	5.0
Major Joint Replacement or Reattachment of Lower Extremity (544)	1,133	4,424	3.9
Percutaneous Cardiovascular Proc W. Drug-Eluting Stent w/o Major CV DX (558)	1,109	1,740	1.6
Chest Pain (143)	939	2,028	2.2
Cesarean Section w/o CC (371)	907	2,760	3.0
Simple Pneumonia & Pleurisy Age >17 W CC (089)	853	4,905	5.8
Esophagitis, Gastroenter & Mis Digestive Disorders Age>17 W CC (182)	841	4,001	4.8
Chronic Obstructive Pulmonary Disease (088)	806	3,818	4.7
All Others	33,765	179,235	5.3
Total	46,089	219,078	4.8

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 114 Cont. Number of Discharges and Patient Days for the Top 10 DRGs Per Year, Marion County, Calendar Years 2005-2009.

Diagnosis-Related Group (DRG)	Discharges	Patient Days	ALOS *
2007			
Normal Newborn (391)	2,515	5,706	2.3
Vaginal Delivery without Complicating Diagnoses (373)	2,108	4,672	2.2
Major Joint Replacement or Reattachment of Lower Extremity (544)	1,200	4,562	3.8
Heart Failure and Shock (127)	1,145	5,911	5.2
Chest Pain (143)	1,047	2,230	2.1
Pulmonary Edema & Respiratory Failure (087)	960	6,012	6.3
Percutaneous Cardiovascular Proc W. Drug-Eluting Stent w/o Major CV DX (558)	918	1,571	1.7
Chronic Obstructive Pulmonary Disease (088)	859	3,971	4.6
Cesarean Section w/o CC (371)	835	2,482	3.0
Septicemia w/o MV96+ Hours Age > 17 (576)	818	6,338	7.7
All Others	35,335	181,299	5.1
Total	47,740	224,754	4.7
2008			
Normal Newborn (795)	2,341	5,317	2.3
Major Joint replacement or reattachment of lower extremity w/o MCC (470)	2,153	8,452	3.9
Vaginal Delivery W/O Complicating Diagnoses (775)	2,135	4,847	2.3
Circulatory disorders except AMI, w card cath w/o MCC (287)	944	2,817	3.0
Psychoses (885)	872	6,943	8.0
Pulmonary Edema & Respiratory Failure (189)	870	4,909	5.6
Esophagitis, Gastroent & Mis Digestive Disorders W/O MCC (392)	864	2,824	3.3
Neonate with other significant problems (794)	843	2,255	2.7
Percutaneous Cardiovascular Procedure with Drug-Eluting Stent without M	769	1,546	2.0
Chest Pain (313)	742	1,589	2.1
All Others	35,293	189,794	5.4
Total	47,826	231,293	4.8

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 114 Cont. Number of Discharges and Patient Days for the Top 10 DRGs Per Year, Marion County, Calendar Years 2005-2009.

Diagnosis-Related Group (DRG)	Discharges	Patient Days	ALOS *
2009			
Normal Newborn (795)	2,496	5,662	2.3
Vaginal Delivery W/O Complicating Diagnoses (775)	2,124	4,734	2.2
Major Joint replacement or reattachment of lower extremity w/o MCC (470)	1,398	4,637	3.3
Circulatory disorders except AMI, w card cath w/o MCC (287)	1,222	3,350	2.7
Psychoses (885)	1,118	8,148	7.3
Esophagitis, Gastroent & Mis Digestive Disorders W/O MCC (392)	966	3,066	3.2
Chest Pain (313)	928	1,828	2.0
Percutaneous Cardiovascular Procedure with Drug-Eluting Stent without M	905	1,881	2.1
Septicemia w/o MV 96+ hours w/ MCC (871)	783	6,100	7.8
Cesarean Section w/o CC/MCC (766)	714	1,975	2.8
All Others	37,275	186,482	5.0
Total	49,929	227,863	4.6

* ALOS is the average length of stay.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 115. Number of Avoidable Discharges and Rate Per 1,000 population 0 - 64
Years of Age by Zip Code, Marion County and Florida, 2005-2009.

Area	Population 0-64 years of age	Total Avoidable Discharges	Rate Per 1,000 Population	Population 0-64 years of age	Total Avoidable Discharges	Rate Per 1,000 Population
2005				2006		
32113 Citra	5,073	97	19.1	5,593	90	16.1
32134 Ft. McCoy	7,785	116	14.9	8,157	84	10.3
32179 Ocklawaha	7,165	124	17.3	7,413	85	11.5
32195 Weirsdale	3,350	64	19.1	3,647	50	13.7
32617 Anthony	3,130	72	23.0	3,333	54	16.2
32686 Reddick	5,599	103	18.4	5,866	97	16.5
34420 Belleview	12,324	271	22.0	12,390	196	15.8
34431 Dunnellon	5,245	53	10.1	5,205	59	11.3
34432 Dunnellon	7,032	136	19.3	6,935	100	14.4
34470 Ocala	15,689	202	12.9	15,476	201	13.0
34471 Ocala	18,983	280	14.8	19,076	240	12.6
34472 Ocala	17,274	244	14.1	18,710	243	13.0
34473 Ocala	8,334	108	13.0	8,529	105	12.3
34474 Ocala	14,891	266	17.9	15,598	223	14.3
34475 Ocala	12,136	214	17.6	12,048	203	16.8
34476 Ocala	8,007	159	19.9	8,077	136	16.8
34479 Ocala	11,439	147	12.9	11,331	103	9.1
34480 Ocala	10,221	179	17.5	10,196	96	9.4
34481 Ocala	6,748	103	15.3	6,586	112	17.0
34482 Ocala	15,407	214	13.9	15,727	157	10.0
34488 Silver Springs	7,780	129	16.6	7,392	149	20.2
34491 Summerfield	15,084	290	19.2	21,194	213	10.0
Zip Code Total	218,696	3,571	16.3	228,479	2,996	13.1
Marion County	224,387	3,602	16.1	235,506	3,032	12.9
Florida	14,681,403	240,572	16.4	15,178,083	205,974	13.6

Source: Agency for Health Care Administration, Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 115 Cont. Number of Avoidable Discharges and Rate Per 1,000 population 0 - 64 Years of Age by Zip Code, Marion County and Florida, 2005-2009.

Area	Population 0-64 years of age	Total Avoidable Discharges	Rate Per 1,000 Population	Population 0-64 years of age	Total Avoidable Discharges	Rate Per 1,000 Population
2007				2008		
32113 Citra	5,499	101	18.4	5,927	103	17.4
32134 Ft. McCoy	8,541	92	10.8	9,046	107	11.8
32179 Ocklawaha	7,641	100	13.1	7,861	97	12.3
32195 Weirsdale	3,943	52	13.2	3,728	49	13.1
32617 Anthony	3,647	42	11.5	3,707	37	10.0
32686 Reddick	5,706	89	15.6	5,930	87	14.7
34420 Belleview	12,794	156	12.2	12,192	177	14.5
34431 Dunnellon	5,304	53	10.0	5,541	57	10.3
34432 Dunnellon	7,136	158	22.1	6,837	107	15.7
34470 Ocala	15,642	203	13.0	16,021	196	12.2
34471 Ocala	19,734	258	13.1	23,244	277	11.9
34472 Ocala	19,957	259	13.0	20,103	243	12.1
34473 Ocala	8,867	123	13.9	10,562	130	12.3
34474 Ocala	16,260	227	14.0	9,659	210	21.7
34475 Ocala	12,252	216	17.6	12,911	234	18.1
34476 Ocala	7,933	138	17.4	8,482	142	16.7
34479 Ocala	11,309	111	9.8	11,500	141	12.3
34480 Ocala	10,548	114	10.8	15,701	142	9.0
34481 Ocala	6,764	89	13.2	6,974	119	17.1
34482 Ocala	16,156	176	10.9	16,878	202	12.0
34488 Silver Springs	7,491	124	16.6	7,722	142	18.4
34491 Summerfield	21,698	240	11.1	21,185	217	10.2
Zip Code Total	234,821	3,121	13.3	241,711	3,216	13.3
Marion County	241,891	3,151	13.0	253,564	3,244	12.8
Florida	15,511,820	211,362	13.6	15,694,780	211,885	13.5

Source: Agency for Health Care Administration, Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 115 Cont. Number of Avoidable Discharges
and Rate Per 1,000 population 0 - 64 Years of Age
by Zip Code, Marion County and Florida, 2005-
2009.

Area	Population 0-64 years of age	Total Avoidable Discharges	Rate Per 1,000 Population
2009			
32113 Citra	5,936	116	19.5
32134 Ft. McCoy	9,028	109	12.1
32179 Ocklawaha	7,927	120	15.1
32195 Weirsdale	3,895	55	14.1
32617 Anthony	3,694	47	12.7
32686 Reddick	5,964	105	17.6
34420 Belleview	11,873	170	14.3
34431 Dunnellon	5,506	53	9.6
34432 Dunnellon	6,739	111	16.5
34470 Ocala	16,168	237	14.7
34471 Ocala	23,279	279	12.0
34472 Ocala	20,352	245	12.0
34473 Ocala	10,727	161	15.0
34474 Ocala	10,095	194	19.2
34475 Ocala	13,084	236	18.0
34476 Ocala	8,533	156	18.3
34479 Ocala	11,592	150	12.9
34480 Ocala	15,864	180	11.3
34481 Ocala	7,110	90	12.7
34482 Ocala	16,506	190	11.5
34488 Silver Springs	7,580	177	23.4
34491 Summerfield	21,347	283	13.3
Zip Code Total	242,799	3,464	14.3
Marion County	254,854	3,488	13.7
Florida	15,596,086	221,229	14.2

Source: Agency for Health Care Administration, Discharge Data,
2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 116. Total Number and Percent of Avoidable Discharges and Patient Days by Payor Source for < 65 Years of Age, Marion County and Florida, Calendar Years 2005-2009.

Payor	Discharges		Patient Days	
	Number	Percent	Number	Percent
Marion County - 2005				
Medicare	740	20.5	4,319	22.9
Medicaid	986	27.4	5,078	27.0
Private Insurance	1,234	34.3	6,424	34.1
VA/Champus	77	2.1	409	2.2
Self Pay/Charity	494	13.7	2,275	12.1
All Others *	71	2.0	322	1.7
Total	3,602	100.0	18,827	100.0
Florida - 2005				
Medicare	38,670	16.1	233,687	20.3
Medicaid	62,908	26.1	303,898	26.4
Private Insurance	91,342	38.0	401,226	34.8
VA/Champus	4,205	1.7	19,048	1.7
Self Pay/Charity	36,528	15.2	158,962	13.8
All Others *	6,919	2.9	35,399	3.1
Total	240,572	100.0	1,152,220	100.0
Marion County - 2006				
Medicare	663	21.9	3,965	25.6
Medicaid	801	26.4	3,975	25.7
Private Insurance	988	32.6	4,897	31.6
VA/Champus	62	2.0	384	2.5
Self Pay/Charity	449	14.8	1,940	12.5
All Others *	69	2.3	333	2.1
Total	3,032	100.0	15,494	100.0
Florida - 2006				
Medicare	35,808	17.4	207,868	21.9
Medicaid	52,603	25.5	245,773	25.8
Private Insurance	72,226	35.1	304,693	32.0
VA/Champus	3,795	1.8	16,494	1.7
Self Pay/Charity	35,192	17.1	145,210	15.3
All Others *	6,350	3.1	31,002	3.3
Total	205,974	100.0	951,040	100.0

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 116 Cont. Total Number and Percent of Avoidable Discharges and Patient Days by Payor Source for < 65 Years of Age, Marion County and Florida, Calendar Years 2005-2009.

Payor	Discharges		Patient Days	
	Number	Percent	Number	Percent
Marion County - 2007				
Medicare	682	21.6	4,530	27.9
Medicaid	816	25.9	3,948	24.3
Private Insurance	989	31.4	4,704	29.0
VA/Champus	65	2.1	335	2.1
Self Pay/Charity	522	16.6	2,349	14.5
All Others *	77	2.4	371	2.3
Total	3,151	100.0	16,237	100.0
Florida - 2007				
Medicare	37,221	17.6	222,546	22.2
Medicaid	53,088	25.1	261,762	26.2
Private Insurance	73,383	34.7	311,648	31.2
	5,037	2.4	23,060	2.3
Self Pay/Charity	35,753	16.9	148,503	14.8
All Others *	6,880	3.3	32,952	3.3
Total	211,362	100.0	1,000,471	100.0
Marion County - 2008				
Medicare	704	21.7	4,455	27.4
Medicaid	886	27.3	4,260	26.2
Private Insurance	910	28.1	4,394	27.0
VA/Champus	61	1.9	256	1.6
Self Pay/Charity	615	19.0	2,579	15.9
All Others *	68	2.1	317	1.9
Total	3,244	100.0	16,261	100.0
Florida - 2008				
Medicare	37,758	17.8	216,798	22.2
Medicaid	55,293	26.1	261,546	26.8
Private Insurance	71,519	33.8	300,840	30.8
VA/Champus	4,671	2.2	20,648	2.1
Self Pay/Charity	35,797	16.9	144,812	14.8
All Others *	6,847	3.2	31,176	3.2
Total	211,885	100.0	975,820	100.0

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 116 Cont. Total Number and Percent of Avoidable Discharges and Patient Days by Payor Source for < 65 Years of Age, Marion County and Florida, Calendar Years 2005-2009.

Payor	Discharges		Patient Days	
	Number	Percent	Number	Percent
Marion County - 2009				
Medicare	762	21.8	4,347	26.6
Medicaid	1,078	30.9	4,844	29.7
Private Insurance	889	25.5	3,919	24.0
VA/Champus	76	2.2	386	2.4
Self Pay/Charity	603	17.3	2,506	15.4
All Others *	80	2.3	319	2.0
Total	3,488	100.0	16,321	100.0
Florida - 2009				
Medicare	40,501	18.3	217,037	22.4
Medicaid	62,236	28.1	278,280	28.7
Private Insurance	69,064	31.2	281,169	29.0
VA/Champus	4,876	2.2	20,073	2.1
Self Pay/Charity	38,296	17.3	144,190	14.9
All Others *	6,256	2.8	28,163	2.9
Total	221,229	100.0	968,912	100.0

* All Others include Workers Compensation, Other State/Local Government, Other and KidCare.

Source: Agency for Health Care Administration Detailed Discharge Data, 2005-2009; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 117. Top 10 Reasons for Avoidable Discharges for < 65 Years of Age,
Marion County, Calendar Years 2005-2009.

Avoidable Reason	Number	Percent of Total (N)
2005 (N=3,602)		
Dehydration - volume depletion	869	24.1
Bacterial Pneumonia	448	12.4
Congestive Heart Failure	333	9.2
Cellulitis	315	8.7
Asthma	270	7.5
Chronic Obstructive Pulmonary Disease	250	6.9
Kidney/Urinary Infection	146	4.1
Convulsions "B"	130	3.6
Diabetes "A"	112	3.1
Gastroenteritis	109	3.0
2006 (N=3,032)		
Dehydration - volume depletion	975	32.2
Cellulitis	444	14.6
Congestive Heart Failure	304	10.0
Chronic Obstructive Pulmonary Disease	252	8.3
Asthma	233	7.7
Kidney/Urinary Infection	185	6.1
Convulsions "B"	124	4.1
Diabetes "A"	122	4.0
Gastroenteritis	117	3.9
Grand mal status and other epileptic convulsions	79	2.6
2007 (N=3,151)		
Dehydration - volume depletion	985	31.3
Cellulitis	462	14.7
Congestive Heart Failure	308	9.8
Chronic Obstructive Pulmonary Disease	266	8.4
Asthma	263	8.3
Kidney/Urinary Infection	184	5.8
Grand mal status and other epileptic convulsions	151	4.8
Diabetes "A"	124	3.9
Gastroenteritis	117	3.7
Convulsions "B"	79	2.5
Hypertension	79	2.5

Source: Agency for Health Care Administration, Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 117 Cont. Top 10 Reasons for Avoidable Discharges for < 65 Years of Age, Marion County, Calendar Years 2005-09.

Avoidable Reason	Number	Percent of Total (N)
2008 (N=3,244)		
Dehydration -volume depletion	1,064	32.8
Cellulitis	433	13.3
Chronic Obstructive Pulmonary Disease	315	9.7
Congestive Heart Failure	306	9.4
Asthma	254	7.8
Grand mal status and other epileptic convulsions	196	6.0
Kidney/Urinary Infection	173	5.3
Diabetes "A"	142	4.4
Diabetes "B"	98	3.0
Gastroenteritis	78	2.4
2009 (N=3,488)		
Dehydration -volume depletion	1,093	31.3
Cellulitis	447	12.8
Chronic Obstructive Pulmonary Disease	358	10.3
Congestive Heart Failure	340	9.7
Asthma	287	8.2
Grand mal status and other epileptic convulsions	230	6.6
Kidney/Urinary Infection	202	5.8
Diabetes "A"	124	3.6
Hypertension	99	2.8
Diabetes "B"	91	2.6

Source: Agency for Health Care Administration, Discharge Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Emergency Department (ED) Data

Table 118. Number and Percent of Emergency Department Visits by Payor

Source, Marion County and Florida, Calendar Years 2005-2009. *

Payor Source	Marion County		Florida	
	Number	Percent	Number	Percent
2005				
Medicare	20,653	17.7	775,816	14.5
Medicaid	32,747	28.0	1,229,845	22.9
Private	28,848	24.7	1,688,157	31.5
VA/Champus	1,457	1.2	70,852	1.3
Self Pay/Charity	29,633	25.3	1,392,053	25.9
All Others **	3,664	3.1	208,331	3.9
Total	117,002	100.0	5,365,054	100.0
2006				
Medicare	19,558	16.5	784,675	14.3
Medicaid	32,238	27.1	1,235,915	22.5
Private	30,144	25.4	1,708,746	31.1
VA/Champus	1,383	1.2	91,709	1.7
Self Pay/Charity	32,095	27.0	1,472,183	26.8
All Others **	3,426	2.9	206,422	3.8
Total	118,844	100.0	5,499,650	100.0
2007				
Medicare	18,324	15.6	788,967	14.4
Medicaid	29,892	25.5	1,219,933	22.3
Private	29,582	25.3	1,658,987	30.3
VA/Champus	1,196	1.0	86,421	1.6
Self Pay/Charity	34,786	29.7	1,517,670	27.7
All Others **	3,371	2.9	202,091	3.7
Total	117,151	100.0	5,474,069	100.0

* Please note that this data only includes emergency department visits in which emergency department registration occurs and the patient is not admitted for inpatient care at the reporting entity.

** All Others include Workers Compensation, Other State/Local Government, Other, Kidcare and Unknown.

Source: Agency for Health Care Administration Emergency Department Visit Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 118 Cont. Number and Percent of Emergency Department Visits by Payor Source, Marion County and Florida, Calendar Years 2005-2009. *

Payor Source	Marion County		Florida	
	Number	Percent	Number	Percent
2008				
Medicare	19,742	16.1	836,426	14.8
Medicaid	34,670	28.3	1,350,498	23.9
Private	28,324	23.1	1,629,408	28.9
VA/Champus	1,494	1.2	93,456	1.7
Self Pay/Charity	35,381	28.8	1,546,720	27.4
All Others **	3,071	2.5	188,231	3.3
Total	122,682	100.0	5,644,739	100.0
2009				
Medicare	19,662	15.0	892,606	14.4
Medicaid	44,619	34.0	1,743,522	28.2
Private	27,407	20.9	1,635,471	26.4
VA/Champus	1,583	1.2	101,527	1.6
Self Pay/Charity	34,842	26.6	1,636,798	26.4
All Others **	3,037	2.3	182,679	2.9
Total	131,150	100.0	6,192,603	100.0

* Please note that this data only includes emergency department visits in which emergency department registration occurs and the patient is not admitted for inpatient care at the reporting entity.

** All Others include Workers Compensation, Other State/Local Government, Other, Kidcare and Unknown.

Source: Agency for Health Care Administration Emergency Department Visit Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 119. Number and Percent of the Main Reason for Emergency Department Visit by Year, Marion County, Calendar Years 2005-2009. *

ICD 9 Code	Number	Percent
2005		
Fever (780.6)	7,284	6.2
Cough (786.2)	6,367	5.4
Chest Pain, Unspecified (786.50)	4,003	3.4
Abdominal pain other specified site (789.09)	3,907	3.3
Headache (784.0)	3,719	3.2
Acute pharyngitis (462)	3,376	2.9
Abdominal pain, unspecified site (789.00)	3,046	2.6
Pain in Limb (729.5)	2,988	2.6
Backache, unspecified (724.5)	2,697	2.3
Otalgia, unspecified (388.70)	2,582	2.2
All Others	77,033	65.8
Total	117,002	100.0
2006		
Fever (780.6)	7,462	6.3
Cough (786.2)	6,265	5.3
Chest Pain, Unspecified (786.50)	4,022	3.4
Pain in Limb (729.5)	3,405	2.9
Abdominal pain, unspecified site (789.00)	3,332	2.8
Knee, leg, ankle, and foot injury (959.7)	3,279	2.8
Headache (784.0)	3,267	2.7
Acute pharyngitis (462)	2,880	2.4
Abdominal pain other specified site (789.09)	2,800	2.4
Otalgia, unspecified (388.70)	2,611	2.2
All Others	79,521	66.9
Total	118,844	100.0

* Please note that this data only includes emergency department visits in which emergency department registration occurs and the patient is not admitted for inpatient care at the reporting entity.

Source: Agency for Health Care Administration Emergency Department Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 119 Cont. Number and Percent of the Main Reason for Emergency Department Visit by Year, Marion County, Calendar Years 2005-2009.

ICD 9 Code	Number	Percent
2007		
Fever (780.6)	6,989	6.0
Cough (786.2)	5,798	4.9
Knee, leg, ankle, and foot injury (959.7)	4,086	3.5
Abdominal pain other specified site (789.09)	3,612	3.1
Chest Pain, Unspecified (786.50)	3,533	3.0
Headache (784.0)	3,243	2.8
Pain in Limb (729.5)	3,130	2.7
Abdominal pain, unspecified site (789.00)	2,946	2.5
Rash and other nonspecific skin eruption (782.1)	2,897	2.5
Lumbago (724.2)	2,719	2.3
All Others	78,198	66.7
Total	117,151	100.0
2008		
Cough (786.2)	6,816	5.6
Fever (780.6)	4,890	4.0
Abdominal pain other specified site (789.09)	3,919	3.2
Knee, leg, ankle, and foot injury (959.7)	3,679	3.0
Chest Pain, Unspecified (786.50)	3,623	3.0
Pain in Limb (729.5)	3,508	2.9
Headache (784.0)	3,288	2.7
Acute pharyngitis (462)	3,203	2.6
Rash and other nonspecific skin eruption (782.1)	2,955	2.4
Lumbago (724.2)	2,915	2.4
All Others	83,886	68.4
Total	122,682	100.0
2009		
Fever, unspecified (780.60)	9,097	6.9
Cough (786.2)	8,842	6.7
Abdominal pain, unspecified site (789.00)	5,352	4.1
Chest Pain, Unspecified (786.50)	4,748	3.6
Headache (784.0)	3,882	3.0
Acute pharyngitis (462)	3,629	2.8
Knee, leg, ankle, and foot injury (959.7)	3,590	2.7
Pain in Limb (729.5)	3,562	2.7
Abdominal pain other specified site (789.09)	3,108	2.4
Rash and other nonspecific skin eruption (782.1)	3,094	2.4
All Others	82,246	62.7
Total	131,150	100.0

* Please note that this data only includes emergency department visits in which emergency department registration occurs and the patient is not admitted for inpatient care at the reporting entity.

Source: Agency for Health Care Administration Emergency Department Data, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 120. Number of Avoidable ED Visits and Rate Per 1,000 population by Zip Code, Marion County and Florida, 2005-2009.*

Area	Total Population	Avoidable ED Visits		Total Population	Avoidable ED Visits	
		Total Number	Rate Per 1,000 Population		Total Number	Rate Per 1,000 Population
2005				2006		
32113 Citra	5,968	1,481	248.1	6,572	1,462	222.5
32134 Ft. McCoy	10,244	1,162	113.4	10,594	1,126	106.2
32179 Ocklawaha	9,293	4,922	529.7	9,480	4,827	509.2
32195 Weirsdale	4,431	2,759	622.7	4,882	3,354	687.0
32617 Anthony	3,553	5,356	1,507.4	3,788	5,444	1,437.1
32686 Reddick	6,533	5,683	869.9	6,821	5,835	855.4
34420 Belleview	15,840	2,928	184.8	15,884	3,003	189.1
34431 Dunnellon	7,612	2,966	389.7	7,555	2,931	387.9
34432 Dunnellon	11,604	2,227	191.9	11,715	2,354	200.9
34470 Ocala	20,671	2,594	125.5	20,283	2,657	131.0
34471 Ocala	23,699	4,123	174.0	23,815	4,155	174.5
34472 Ocala	22,522	1,552	68.9	23,987	1,578	65.8
34473 Ocala	10,824	1,626	150.2	10,934	1,629	149.0
34474 Ocala	18,897	698	36.9	19,896	771	38.7
34475 Ocala	13,918	1,243	89.3	13,738	1,243	90.5
34476 Ocala	15,950	1,307	82.0	16,284	1,347	82.7
34479 Ocala	13,473	3,092	229.5	13,330	3,309	248.2
34480 Ocala	12,139	2,771	228.3	12,080	2,843	235.3
34481 Ocala	16,620	4,720	284.0	16,547	4,636	280.2
34482 Ocala	18,951	5,485	289.4	19,392	5,815	299.9
34488 Silver Springs	10,264	2,509	244.5	9,663	2,662	275.5
34491 Summerfield	21,673	4,105	189.4	32,358	4,320	133.5
Zip Code Total	294,679	65,307	221.6	309,598	67,299	217.4
Marion County	302,001	65,638	217.3	319,547	67,615	211.6
Florida	17,926,011	2,398,838	133.8	18,478,309	2,406,417	130.2

* ED Visits are classified into four categories using the NYU Algorithm: (1) Non Emergent, (2) Emergent/primary care treatable, (3) Emergent/emergency department care required but preventable/avoidable, (4) Emergent/emergency department care required, not preventable/avoidable. Therefore, the first three were combined to create the total number of avoidable ED visits.

Source: Broward Regional Health Planning Council, <http://healthdata.brhpc.org/Default.aspx?pid=nyualgo>, April 19, 2011; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 120 Cont. Number of Avoidable ED Visits and Rate Per 1,000 population by Zip Code, Marion County and Florida, 2005-2009.*

Area	Total Population	Avoidable ED Visits		Total Population	Avoidable ED Visits	
		Total Number	Rate Per 1,000 Population		Total Number	Rate Per 1,000 Population
2007				2008		
32113 Citra	6,477	1,111	171.5	6,970	1,177	168.8
32134 Ft. McCoy	11,092	1,008	90.8	11,777	1,111	94.3
32179 Ocklawaha	9,759	3,653	374.3	10,051	3,980	396.0
32195 Weirsdale	5,329	3,348	628.2	4,768	3,827	802.5
32617 Anthony	4,159	4,387	1,054.9	4,230	3,701	875.0
32686 Reddick	6,650	3,915	588.7	6,947	3,919	564.1
34420 Belleview	16,340	2,736	167.5	15,447	2,791	180.7
34431 Dunnellon	7,642	2,210	289.1	7,998	2,476	309.6
34432 Dunnellon	12,177	2,176	178.7	11,972	2,536	211.8
34470 Ocala	20,501	2,402	117.2	20,752	2,550	122.9
34471 Ocala	24,667	3,308	134.1	28,758	3,428	119.2
34472 Ocala	25,455	1,387	54.5	24,967	1,260	50.5
34473 Ocala	11,353	1,485	130.8	14,175	1,473	103.9
34474 Ocala	20,819	629	30.2	13,023	554	42.5
34475 Ocala	14,018	944	67.3	14,690	898	61.1
34476 Ocala	16,324	1,054	64.6	17,277	1,061	61.4
34479 Ocala	13,305	2,891	217.3	13,493	2,814	208.6
34480 Ocala	12,557	2,554	203.4	18,708	2,500	133.6
34481 Ocala	17,255	3,821	221.4	16,849	4,282	254.1
34482 Ocala	19,823	4,595	231.8	20,867	4,761	228.2
34488 Silver Springs	9,754	2,042	209.3	10,069	2,126	211.2
34491 Summerfield	33,177	3,866	116.5	29,253	4,085	139.7
Zip Code Total	318,633	55,521	174.2	323,041	57,310	177.4
Marion County	328,656	55,790	169.8	339,375	57,526	169.5
Florida	18,893,813	2,373,260	125.6	19,119,225	2,441,227	127.7

* ED Visits are classified into four categories using the NYU Algorithm: (1) Non Emergent, (2) Emergent/primary care treatable, (3) Emergent/emergency department care required but preventable/avoidable, (4) Emergent/emergency department care required, not preventable/avoidable. Therefore, the first three were combined to create the total number of avoidable ED visits.

Source: Broward Regional Health Planning Council, <http://healthdata.brhpc.org/Default.aspx?pid=nyualgo>, April 19, 2011; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

Table 120 Cont. Number of Avoidable ED Visits
and Rate Per 1,000 population by Zip Code,
Marion County and Florida, 2005-2009.*

Area	Total Population	Avoidable ED Visits	
		Total Number	Rate Per 1,000 Population
2009			
32113 Citra	6,998	1,333	190.5
32134 Ft. McCoy	11,814	1,266	107.1
32179 Ocklawaha	10,241	4,197	409.9
32195 Weirsdale	5,084	4,463	877.9
32617 Anthony	4,228	3,798	898.2
32686 Reddick	7,014	4,018	572.8
34420 Belleview	15,237	3,022	198.3
34431 Dunnellon	8,009	2,565	320.3
34432 Dunnellon	11,856	2,707	228.3
34470 Ocala	20,758	2,819	135.8
34471 Ocala	28,579	3,738	130.8
34472 Ocala	25,204	1,448	57.5
34473 Ocala	14,567	1,588	109.0
34474 Ocala	13,844	657	47.4
34475 Ocala	14,958	907	60.6
34476 Ocala	17,141	1,055	61.6
34479 Ocala	13,593	3,201	235.5
34480 Ocala	18,908	2,922	154.5
34481 Ocala	16,874	4,528	268.3
34482 Ocala	20,499	5,240	255.6
34488 Silver Springs	9,913	2,337	235.8
34491 Summerfield	29,804	4,307	144.5
Zip Code Total	325,123	62,115	191.0
Marion County	341,870	62,381	182.5
Florida	19,021,613	2,700,734	142.0

* ED Visits are classified into four categories using the NYU Algorithm: (1) Non Emergent, (2) Emergent/primary care treatable, (3) Emergent/emergency department care required but preventable/avoidable, (4) Emergent/emergency department care required, not preventable/avoidable.

Therefore, the first three were combined to create the total number of avoidable ED visits.

Source: Broward Regional Health Planning Council,
<http://healthdata.brhpc.org/Default.aspx?pid=nyualgo>, April 19, 2011; ESRI Business Solutions, 2005-2009.

Prepared by: WellFlorida Council, 2011.

New Uninsured Data Released

Table 121. Number and Percent Uninsured by Age Groups for All Income Levels, Marion County and Florida, 2008 and 2009.

Area	Year	Number of Uninsured	MOE ¹ For Number Uninsured	Number in Demographic Group ² for All Income Levels	Percent Uninsured in Demographic Group ² for All Income Levels	MOE ¹ for Percent Uninsured in Demographic Group ² for All Income Levels
Under 65 years of age, All Income Levels						
Marion County	2008	62,620	3,574	239,954	26.1	1.5
Florida	2008	3,581,341	38,943	14,788,910	24.2	0.3
Marion County	2009	58,034	3,218	241,780	24.0	1.3
Florida	2009	3,735,524	38,637	14,977,174	24.9	0.3
18 - 64 years of age, All Income Levels						
Marion County	2008	50,922	3,104	176,318	28.9	1.8
Florida	2008	2,928,619	32,677	10,864,971	27.0	0.3
Marion County	2009	49,059	2,852	177,662	27.6	1.6
Florida	2009	3,149,495	33,649	11,005,719	28.6	0.3
40 - 64 years of age, All Income Levels						
Marion County	2008	19,945	1,616	94,089	21.2	1.7
Florida	2008	1,234,697	20,485	5,963,735	20.7	0.3
Marion County	2009	23,311	1,808	106,449	21.9	1.7
Florida	2009	1,347,615	21,112	6,001,021	22.5	0.4
Under 19 years of age, All Income Levels						
Marion County	2008	12,680	1,966	67,127	18.9	2.9
Florida	2008	716,325	21,927	4,146,557	17.3	0.5
Marion County	2009	9,763	1,672	67,527	14.5	2.5
Florida	2009	642,011	19,523	4,190,949	15.3	0.5

Please note: In prior SAHIE releases, uninsured was defined from the Annual Social and Economic Supplement to the Current Population Survey (CPS ASEC) and the question as for being covered was "Some Time During The Past Calendar Year". With the 2008 and 2009 data release the CPS ASEC data were replaced with American Community Survey (ACS) data. The ACS health insurance question asks "Is this person CURRENTLY covered by [specifically stated] health insurance or health coverage plans? Comparisons to previous-year SAHIE estimates, which utilized the CPS ASEC as an input are not recommended by the Census. Details may not sum to totals and percents because of rounding. The percents were calculated before any rounding occurred.

Rounding error will be more prominent for small counties.

1. A margin of error (MOE) is the difference between an estimate and its upper or lower confidence bounds. Confidence bounds can be created by adding the margin of error to the estimate (for an upper bound) and subtracting the margin of error from the estimate (for a lower bound). All published margins of error for the Small Area Health Insurance Estimates program are based on a 90 percent confidence level.

2. The number in a demographic group is the number of people in the poverty universe in that age, sex, and race/Hispanic origin group.

Source: U.S. Census, Small Area Health Insurance Estimates, 2008 and 2009.

Prepared by: WellFlorida Council, 2011.

County Health Rankings Data

Table 122. Marion County Health Rankings Compared to Florida, 2011.

	Marion County	Error Margin	National Benchmark*	Florida	Rank (of 67)
HEALTH OUTCOMES					49
Mortality					43
Premature death	9,414	9,004-9,824	5,564	7,896	
Morbidity					53
Poor or fair health	20%	17-23%	10%	16%	
Poor physical health days	4.5	3.8-5.2	2.6	3.5	
Poor mental health days	4.7	3.8-5.6	2.3	3.5	
Low birthweight	8.40%	8.1-8.8%	6.00%	8.50%	
HEALTH FACTORS					44
Health Behaviors					32
Adult smoking	23%	20-27%	15%	20%	
Adult obesity	26%	23-29%	25%	24%	
Excessive drinking	16%	13-19%	8%	16%	
Motor vehicle crash death rate	28	26-30	12	19	
Sexually transmitted infections	365		83	389	
Teen birth rate	61	59-63	22	45	
Clinical Care					21
Uninsured adults	27%	23-31%	13%	27%	
Primary care physicians	1,448:1		631:1	983:1	
Preventable hospital stays	51	49-52	52	65	
Diabetic screening	84%	81-88%	89%	82%	
Mammography screening	71%	67-75%	74%	67%	
Social & Economic Factors					57
High school graduation	65%		92%	65%	
Some college	47%		68%	58%	
Unemployment	12.90%		5.30%	10.50%	
Children in poverty	27%	23-32%	11%	18%	
Inadequate social support	20%	18-24%	14%	21%	
Children in single-parent households	37%		20%	35%	
Violent crime rate	679		100	706	
Physical Environment					22
Air pollution-particulate matter days	0		0	0	
Air pollution-ozone days	2		0	5	
Access to healthy foods	91%		92%	82%	
Access to recreational facilities	7		17	9	

*90th percentile, i.e., only 10% are better. Blank values reflect unreliable or missing data.

Source: University of Wisconsin Population Health Institute, County Health Rankings website

<http://www.countyhealthrankings.org>

Prepared by: WellFlorida Council, 2011.

Life Expectancy Data

Table 123. Life Expectancy by Gender and Race, Marion County, Florida and United States, 1987-2007.

Year	Marion County			Florida			United States		
	All	White	Black	All	White	Black	All	White	Black
	Males								
1987	70.7	71.4	65.1	71.6	72.7	63.4	71.3	72.1	64.2
1988	70.9	71.7	65.2	71.5	72.7	63.1	71.3	72.2	63.8
1989	71.0	71.9	65.1	71.8	73.0	63.4	71.6	72.5	63.8
1990	71.3	72.2	65.2	72.0	73.2	64.0	71.9	72.7	64.2
1991	71.4	72.3	65.1	72.5	73.6	64.8	72.0	72.9	64.2
1992	71.9	72.8	65.4	72.8	73.8	65.4	72.4	73.3	64.7
1993	71.8	72.7	65.2	72.6	73.6	65.0	72.2	73.2	64.3
1994	72.1	73.0	65.4	72.8	73.8	65.1	72.5	73.4	64.7
1995	71.8	72.8	65.0	72.8	73.8	65.3	72.7	73.6	65.1
1996	72.1	73.0	65.3	73.6	74.5	66.7	73.2	74.0	66.0
1997	72.5	73.4	65.9	74.3	75.1	67.9	73.7	74.4	67.1
1998	73.1	74.0	66.9	74.5	75.2	68.4	74.0	74.6	67.5
1999	73.3	74.1	67.2	74.6	75.3	68.7	74.1	74.7	67.8
2000	73.4	74.2	67.4	74.6	75.2	69.0	74.3	74.9	68.1
2001	73.4	74.1	67.5	74.7	75.3	69.5	74.4	75.0	68.3
2002	73.4	74.1	67.6	74.9	75.6	69.7	74.5	75.1	68.5
2003	73.4	74.1	67.5	75.0	75.6	70.1	74.7	75.3	68.7
2004	73.3	74.0	67.5	75.3	75.8	70.4	75.1	75.7	69.2
2005	73.5	74.2	67.8	75.3	75.8	70.8	75.1	75.7	69.2
2006	73.7	74.4	67.9	75.5	76.0	71.1	75.4	75.9	69.6
2007	73.9	74.6	68.2	75.9	76.4	71.4	75.6	76.1	70.0

NA: Data was not available.

Source: University of Washington, Institute for Health Metrics and Evaluation, Life Expectancy

by County, Sex, and Race, US, 1987-2007 Data Download at

<http://www.healthmetricsandevaluation.org/news-events/news-release/life-expectancy-in-us-counties-2011>.

Prepared by: WellFlorida Council, 2011.

Table 123 Cont. Life Expectancy by Gender and Race, Marion County, Florida and United States, 1987-2007.

Year	Marion County			Florida			United States		
	All	White	Black	All	White	Black	All	White	Black
	Females								
1987	78.6	79.3	74.0	79.2	80.1	72.3	78.4	79.0	73.1
1988	78.7	79.4	74.1	79.1	80.0	72.2	78.3	79.0	72.9
1989	78.7	79.3	74.1	79.4	80.3	72.7	78.6	79.3	73.2
1990	78.8	79.4	74.2	79.7	80.6	73.1	78.9	79.5	73.6
1991	79.0	79.7	74.4	80.1	81.0	73.7	79.0	79.7	73.7
1992	79.5	80.2	74.9	80.1	81.0	73.6	79.2	79.9	74.0
1993	79.3	80.0	74.6	79.7	80.6	73.2	79.1	79.7	73.8
1994	79.4	80.0	74.7	80.0	80.8	73.7	79.2	79.8	74.1
1995	79.6	80.3	74.8	80.0	80.9	73.5	79.2	79.9	74.1
1996	79.7	80.3	75.0	80.3	81.1	74.3	79.4	80.0	74.5
1997	79.9	80.6	75.3	80.5	81.2	75.1	79.6	80.1	75.0
1998	80.2	80.8	75.5	80.4	81.1	75.1	79.6	80.1	75.0
1999	80.2	80.8	75.7	80.3	81.0	75.2	79.6	80.1	75.1
2000	80.3	80.8	75.9	80.5	81.2	75.5	79.7	80.1	75.2
2001	80.2	80.8	75.9	80.4	81.1	75.2	79.7	80.2	75.4
2002	79.8	80.4	75.5	80.5	81.2	75.7	79.8	80.3	75.5
2003	79.8	80.3	75.5	80.7	81.4	76.2	80.0	80.4	75.8
2004	79.8	80.3	75.5	80.9	81.5	76.7	80.3	80.7	76.2
2005	79.9	80.4	75.5	81.2	81.8	77.1	80.3	80.7	76.3
2006	80.2	80.8	75.8	81.5	82.1	77.2	80.6	81.0	76.6
2007	80.9	81.4	76.6	81.8	82.3	78.0	80.8	81.2	77.1

NA: Data was not available.

Source: University of Washington, Institute for Health Metrics and Evaluation, Life Expectancy by County, Sex, and Race, US, 1987-2007 Data Download at <http://www.healthmetricsandevaluation.org/news-events/news-release/life-expectancy-in-us-counties-2011>.

Prepared by: WellFlorida Council, 2011.

Technical Notes

Census Data Percentages

2010 Census data is now available on a limited set of data items. These data are included in separate tables and are marked appropriately. When 2010 data is not available percentages based on the 2000 Census data are used in computing estimated 2010 numbers. These numbers and percents are marked in the applicable tables.

Some data that traditionally were on the long form have been released in the American Community Survey (ACS). This data is now available either in the one year, three year or five year releases. Data from the 2009 ACS were used in this report. In such cases, the data should not be compared to the 2000 Census data. It is important to remember, that while the ACS data were compiled over a period of time, the 2000 Census data are a “point in time” measure. Since ACS data are not available at the zip code level, 2000 Census data are used to show data at the zip code level. These data are marked accordingly and the reader should exercise caution when interpreting these data.

Crude Versus Age-Adjusted Mortality Rates

Both the crude and the age-adjusted death rates (AADR) are displayed in this report. Crude rates are merely the actual number of deaths for a given cause for a desired population divided by total number in the desired population and then multiplied by 100,000 to get the rate per 100,000 population, while AADR represent crude rates adjusted to standardize the population distribution effects on the rate.

Although useful for certain purposes, the crude death rate as a comparative measure has a major shortcoming: it is a function of the age distribution of the population at risk. For example, the population at risk in one county may be primarily elderly persons ages 65 and older while the population at risk in another county may be primarily of persons ages 40 to 50. Crude rates are recommended when a summary measure is needed and it is not necessary or desirable to adjust for other factors.

The frequency with which health events occur is almost always related to age. In fact, the relationship of age to risk often dwarfs other important risk factors. For example, acute respiratory infections are more common in children of school age because of their immunologic susceptibility and exposure to other children in schools. Chronic conditions, such as arthritis and atherosclerosis, occur more frequently in older adults because of a variety of physiologic consequences of aging. Mortality rates tend to increase after the age of 40.

Because the occurrence of many health conditions is related to age, the most common adjustment for public health data is age adjustment. The age-adjustment process removes differences in the age composition of two or more populations to allow comparisons between these populations independent of their age structure.

The age-adjusted death rate is a summary measure that eliminates the effect of the underlying age distribution of the population. The result is a figure that represents the theoretical risk of mortality for a population, if the population had an age distribution identical to that of a standard population. For example, a county's age-adjusted death rate is the weighted average of the age-specific death rates observed in that county, with the weights derived from the age distribution in an external population standard, such as the U.S. population.

Age-adjustment then allows for the comparison of two distinct populations (for example, Columbia County versus Florida) which most likely have differing age distributions. The age effects are in essence

removed from the rates and the age-adjusted death rate then no longer reflects the actual death rate but is an indicator rate that can be used for relative comparisons.

In the past, the National Center for Health Statistics (NCHS) age-adjusted rates using the US 1940 standard population. Other agencies used the US 1970 Standard. Beginning with 1999 data, federal agencies began age-adjusting to the US 2000 Standard Million Population.

Death Data

The various causes of death presented in this report are included in the following table along with the ICD 10 Codes that identify them. When ranking the causes of deaths for a county or for Florida they are ranked by the total number of deaths per disease for either the single year, three-year or five-year period and labeled accordingly.

Cause of Death	ICD 10 Codes
All Causes	All Codes
Alzheimer's Disease	G30
Cancer	C00-C97
Chronic Liver Disease & Cirrhosis (Liver Disease)	K70, K73-K74
Chronic Lower Respiratory Disease (CLRD)	J40-J47
Congenital & Chromosomal Anomalies	Q00-Q99
Diabetes	E10-E14
Essential Hypertension & Hypertensive Renal Disease (Hypertension)	I10, I12
Heart Disease	I00-I09, I11, I13, I20-I51
HIV/AIDS (HIV)	B20-B24
Homicide	X85-Y09, Y87.0
Influenza & Pneumonia	J10-J18
Motor Vehicle Traffic Crashes (MV Crashes)	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
Nephritis, Nephrotic Syndrome & Nephrosis (Nephritis)	N00-N07, N17-N19, N25-N27
Parkinson's Disease	G20-G21
Perinatal Conditions	P00-P96
Septicemia	A40-A41
Stroke	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injuries	V01-X59, Y85-Y86

Please note that Motor Vehicle Traffic Crashes death data shown in various tables are a subset of unintentional injuries. Even though they may be shown separately for emphasis, they are not counted as a separate category when rank ordering the causes of death.

Emergency Department (ED) Data

For tables with emergency department data please note that this data only includes emergency department visits in which emergency department registration occurs and the patient is not admitted for inpatient care at the reporting entity.

Health Professional Shortage Areas (HPSA) Data

HPSAs may be designated as having a shortage of primary medical care, dental or mental health providers. They may be urban or rural areas, population groups or medical or other public facilities. Possible types of HPSA Designations in the area include:

Geographic Single County: Where the whole county is designated as HPSA.

Geographic Service Area: Where portions of a county, or portions of multiple counties, designated as a geographic HPSA.

Population Group: Where a population within an area is designated as a HPSA.

Correctional Institutions: Federal and State prisons and youth detention facilities.

Comprehensive Health Centers: Entities receiving Section 330 funds to operate comprehensive health centers.

FQHC Look-a-Like: Federally Qualified Health centers certified as meeting 330 requirements but not receiving grant funds.

Rural Health Clinic: Certified as Rural Health Clinics by the Centers for Medicare and Medicaid Services.

HPSA Scores are developed for use by the National Health Service Corps in determining priorities for assignment of clinicians. Scores range from 1 to 25 for primary care and mental health, 1 to 26 for dental health. The higher the score, the greater the priority. All Federally Qualified Health Centers and those Rural Health Clinics that provide access to care regardless of one's ability to pay, receive automatic facility HPSA designation. These facilities may have a HPSA score of 0.

Source: <http://bhpr.hrsa.gov/shortage/hpsadictionary.htm>

Maps

When displaying the rates of various causes of death and selected socio economic data in maps, there are some zip codes that are shown in the maps that were not listed in the tables. Zip code boundaries may cross over county lines, therefore the rates for those particular zip codes are shown on the map even if they are considered to be another county. For Marion County this includes zip code 32162 The Villages which is considered to be a Sumter County zip code but a portion of the zip code is in Marion County. Zip code 32667 Micanopy which is considered to be a Alachua County zip code has a portion of it in Marion County as well. Two zip codes 32668 Morriston and 32696 Williston from Levy County also have portions of their zip codes in Marion County. Lake County zip codes 32702 Altoona and 32784 Umatilla also have portions of their zip codes in Marion County.

In the map section there are maps of Marion County that show the areas for each zip code as well as the uninsured rates and the poverty rates. The top 6 causes of death rates by zip codes are shown as well. Motor Vehicle Crashes are not ranked but a subset of Unintentional Injuries and they are shown if Unintentional Injury is one of the top 6 causes of death.

Medically Underserved Areas & Populations (MUAs & MUPs) Data

MUAs may be a whole county or a group of contiguous counties, a group of county or civil divisions or a group of urban census tracts in which residents have a shortage of personal health services. MUPs may include groups of persons who face economic, cultural or linguistic barriers to health care.

Possible types of MUAs & MUPs Designations in the area include:

C = Whole County

T = Census Tract

MUAs and MUPs score is the Index of Medical Underservice (IMU) score. The lowest score (highest need) is 0; and the highest score (lowest need) is 100.

Source: <http://bhpr.hrsa.gov/shortage/muadatadict.htm>

Small Area Health Insurance Estimates

In previous Small Area Health Insurance Estimates(SAHIE) releases, uninsured was defined from the Annual Social and Economic Supplement to the Current Population Survey (CPS ASEC) and the question was for being covered "Some Time During The Past Calendar Year". With the newly released 2008 and 2009 data release from the Census the CPS ASEC data were replaced with American Community Survey (ACS) data. The ACS health insurance question asks "Is this person CURRENTLY covered by [specifically stated] health insurance or health coverage plans?" The Census does not recommend comparing the 2008 and 2009 data to previous-year SAHIE estimates.

Zip Codes

For tables with zip codes listed, the post office box zip codes are included with the main zip codes. To provide the most accurate data summary for the county, for each data element presented by zip code, the total sum of the zip code data is presented as well as the overall county totals are provided. Zip code 32182 Orange Springs is included with 32134 Ft. McCoy. Zip Code 32179 Ocklawaha also includes 32183 Ocklawaha. Weirsdale zip code 32195 includes 32133 East Lake Weir. The Anthony zip code 32617 includes 32192 Sparr. Reddick zip code 32686 includes 32634 Fairfield as well as 32663 Lowell. Belleview zip code 34420 includes 34421 as well. The Dunnellon zip code of 34432 includes 34430 Dunnellon. Ocala zip code 34471 includes 34477 and 34478 both Ocala zip codes. Zip code 34472 (Ocala) includes 32111 Candler as well as 34483 Ocala. Zip code 34488 Silver Springs includes the 34489 zip code of Silver Springs. Summerfield zip code 34491 also includes the other Summerfield zip code of 34492.

When data is stratified by zip codes for deaths and births, a five year rate is calculated due to the small numbers by zip code. Some Hispanic data were not available by zip code or the numbers were too small to separate out.

All data are presented at the county level and state level for each indicator. Zip Code level data are presented where available.